

# WALL LIGHTS

## OL/AOL

Home | Outdoor lighting | Wall lights | OL/AOL | 3000 K / 25 W



### AOL WL 200 OP 1600 830 MD BK

Item number EL10750816



#### Offers special product features like

- + Integrated motion detector

SHORTFACTS

TECHNICAL DATA

DOWNLOADS

LIGHT CALCULATION

Device category	Wall light
Installation type	Surface mounting
Installation position	Wall
Protection type	IP55
Dimensions	Length 205 mm x Width 184 mm x Height/Depth 43 mm
Diffusor	opal
Luminous efficacy	94 lm/W
Luminous flux	600 lm
Rated output P	17 W
Colour temperature	3000 K
Detection angle	140°

Detection range diagonally	10 m
Field of detection	122 m <sup>2</sup>
In-rush current	100 A/ 200 µs
Permissible ambient temperature	-25 °C...+50 °C
Warranty	3-year

### 3D-MODEL: **OL/AOL**

Experience this product in the interactive 3D view.



### CATALOGUE 2020/2021



### CONTACT US

Salutation

Firstname \*

Lastname \*

Company \*

Phone

E-mail-address \*

Subject \*

Your message \*

- Yes, I agree that ESYLUX will inform me about news in the future via newsletter.
- I have read and agreed to the [privacy policy](#) \*


\* Required



## SIMILAR PRODUCTS



## OTHER PRODUCTS





**BASIC OFL/AFL**  
FLOODLIGHTS



**OF**  
FLOODLIGHTS



**DEFENSOR**  
TWILIGHT SWITCH



**MD**  
MOTION DETECTORS



**DEFENSOR**  
MOTION DETECTORS



Education

Health Care

**Innovations**

Demand-driven Automation

Intelligent Lighting

Human Centric Lighting

Light control with DALI-2

**Service**

Downloads

Knowledge

Support

ESYLUX Services

**Company**

Vision and mission

Experience and quality

Corporate responsibility

Research and development

Cooperations and  
memberships

Awards and prizes

References

**Highlights**

ESYLUX Light Control

DEFENSOR

COMPACT

ESY-Pen

ALVA

FLAT

ISABELLE

[Imprint](#) |

[Privacy policy](#) |

[Privacy settings](#) |

[General terms and conditions](#) |

[Guarantee](#) |

