### PRESENCE AND MOTION **DETECTORS**

## **STANDARD**



👚 | Indoor automation | Presence and motion detectors | STANDARD | Presence detectors / Ceiling mounting / DALI





### PD 360i/8 DALI ADR

Item number EM10210709





### Offers special product features like

+ Simple parameterisation, remote control and documentation with ESY-Pen and ESY-



Device category	Ceiling-mounted presence detector
Installation type	Recessed mounting / device box (Ø 68 mm)
Installation position	Ceiling
Protection type	IP44 with surface-mounted box, IP40 recessed ceiling mounting
Dimensions	Height/Depth 54 mm, Ø 102 mm
Detection angle	360°
Detection range diagonally	Ø8 m
Field of detection	up to 50 m²
Permissible ambient temperature	0 °C+50 °C
Warranty	3-year

### **ACCESSORIES**

### **MOUNTING**



### STANDARD DALI ADR MOUNTING BOX IP44

### SM WH

Item number EM10210808 Surface-mounted box IP 44







# STANDARD DALI ADR MOUNTING SET IP20 FM TR

Item number EM10210815 Ceiling-mounted set





### REMOTE CONTROL



#### STANDARD REMOTE CONTROL DALI ADR

Item number EM10210891

Remote control for quick and precise setting of various parameters







### REMOTE CONTROL MDi/PDi

Item number EM10425509

IR remote control for presence detectors and motion detectors





# ESY-PEN AND ESY-APP!



Easy parameterisation, remote control and documentation of all ESYLUX remote

controllable products and solutions.















### SIMILAR PRODUCTS

## OTHER PRODUCTS





Solutions

Offices

Education

Health Care

Innovations

Demand-driven Automation

Intelligent Lighting

Human Centric Lighting

Light gonten with DALLO

LIGHT CONTROL WITH DALI-2  Service	
Downloads	
Knowledge	
Support	
ESYLUX Services Company	
Vision and mission	
Experience and quality	
Corporate responsibility	
Research and development	
Cooperations and memberships	
Awards and prizes	
References Highlights	
ESYLUX Light Control	
DEFENSOR	
COMPACT	
ESY-Pen	
ALVA	
FLAT	
ISABELLE	
Imprint   Privacy policy   Privacy settings   General terms and conditions   Guarantee   Disclaimer	
Contact © 2021 ESYLUX GmbH	Ø f ■ in ¼