

ACCESSORIES

COMPACT

POWER SUPPLY 200mA DALI

Item number EC10430008



The power supplies of the COMPACT series provide a reliable foundation for intelligent DALI lighting automation.

TECHNICAL DATA

DOWNLOADS

GENERAL

Device category	Electrical accessories
Conformity	CE, EAC, RoHS, WEEE
Warranty	3-year

MOUNTING

Installation type	Recessed mounting
Installation position	Box
Installation dimension	Installation length: 48 mm x Installation width: 45 mm x Installation depth: 25 mm, Ø68 mm
Type of connection	Push terminal

HOUSING

Dimensions	Length 48 mm x Width 45 mm x Height/Depth 25 mm
Weight	15 g
Protection type	IP20
Permissible ambient temperature	0 °C...+50 °C

HOUSING

Relative humidity	5 - 93 %, non-condensing
Colour	white

ELECTRICAL VERSION

Control system	DALI
Protection class	II
Nominal voltage	230 V~50 Hz
Output voltage	16 VDC
Output current	200 mA
Power consumption	4 W

CATALOGUE
2020/2021



CONTACT US

Salutation 

Firstname *

Lastname *

Company *

Phone

E-mail-address *

Subject *

Your message *

☐ Yes, I agree that ESYLUX will inform me about news in the future via newsletter.

☐ I have read and agreed to the [privacy policy](#) *

* Required



Solutions

Offices

Education

Health Care

Innovations

Demand-driven Automation

Intelligent Lighting

Human Centric Lighting

Light control with DALI-2

Service

Downloads

Knowledge

Support

ESYLUX Services

Company

Vision and mission

Experience and quality

Corporate responsibility

Research and development

Cooperations and
memberships

Awards and prizes

References



Highlights

ESYLUX Light Control

DEFENSOR

COMPACT

ESY-Pen

ALVA

FLAT

ISABELLE

Imprint |
Privacy policy |
Privacy settings |
General terms and conditions |
Guarantee |
Disclaimer |
Contact |
© 2021 ESYLUX GmbH

