

WALL LIGHTS

OL/AOL

Home | Outdoor lighting | Wall lights | OL/AOL | 3000 K / 14 W



AOL WL 100 OP 900 830 MD BK

Item number EL10750717



Offers special product features like

+ Integrated motion detector

SHORTFACTS

TECHNICAL DATA

DOWNLOADS

LIGHT CALCULATION

Device category	Wall light
Installation type	Surface mounting
Installation position	Wall
Protection type	IP55
Dimensions	Length 205 mm x Width 104 mm x Height/Depth 43 mm
Diffusor	opal
Luminous efficacy	85 lm/W
Luminous flux	850 lm
Rated output P	10 W
Colour temperature	3000 K
Detection angle	140°

Detection range diagonally	10 m
Field of detection	122 m²
In-rush current	100 A/ 200 µs
Permissible ambient temperature	-25 °C...+50 °C
Warranty	3-year

3D-MODEL: OL/AOL

Experience this product in the interactive 3D view.



**CATALOGUE
2020/2021**



CONTACT US

Salutation

Firstname

Lastname

Company

Phone

E-mail-address *

Subject *

Your message *

☐ Yes, I agree that ESYLUX will inform me about news in the future via newsletter.

☐ I have read and agreed to the [privacy policy](#) *

* Required



SIMILAR PRODUCTS

AL WALL LIGHTS



ALVA WALL LIGHTS



OTHER PRODUCTS

BASIC OFL/AFL FLOODLIGHTS





OFR/AFR

FLOODLIGHTS



SUN OFL/AFL

FLOODLIGHTS



RC

MOTION DETECTORS



MD-W

MOTION DETECTORS



BASIC

MOTION DETECTORS



Education

Health Care

Innovations

Demand-driven Automation

Intelligent Lighting

Human Centric Lighting

Light control with DALI-2

Service

Downloads

Knowledge

Support

ESYLUX Services

Company

Vision and mission

Experience and quality

Corporate responsibility

Research and development

Cooperations and memberships

Awards and prizes

References

Highlights

ESYLUX Light Control

DEFENSOR

COMPACT

ESY-Pen

ALVA

FLAT

ISABELLE

