## WALL LIGHTS



•



## OL WL 100 OP 850 850 BK

Item number EL10710018



The LED wall lights in the OL/AOL series are a timeless classic due to their elegant appearance and can be stylishly placed in any environment and improve the look of façades or entrance areas. The durable, die-cast aluminium housing makes them highly reliable and the optionally integrated motion detector ensures convenient, energy-efficient operation. Clever details simplify installation.




Device category		Wall light
Installation type		Surface mounting
Installation position	1	Wall
Protection type		IP55
Dimensions		Length 205 mm x Width 104 mm x Height/Depth 143 mm
Diffusor		opal
Luminous efficacy		94 lm/W
Luminous flux		900 lm
Rated output P		9.5 W
Colour temperature		5000 K

In-rush current	4.7 A/ 33 μs
Permissible ambient temperature	-25 °C+50 °C
Warranty	3-year



CONTACT US	
Salutation	•
Firstname *	
Lastname *	
Company *	
Phone	
E-mail-address*	
Subject *	



## SIMILAR PRODUCTS



## OTHER PRODUCTS





Solutions

Offices

Education

Autodii Ori
lealth Care nnovations
Demand-driven Automation
ntelligent Lighting
duman Centric Lighting
ight control with DALI-2 Service
Downloads
únowledge
Support
ESYLUX Services Company
fision and mission
Experience and quality
Corporate responsibility
Research and development
Cooperations and nemberships
wards and prizes
References lighlights
SYLUX Light Control
DEFENSOR
COMPACT
ESY-Pen
ALVA
LAT CONTRACTOR OF THE CONTRACT
SABELLE
mprint

Privacy policy |
Privacy settings |
General terms and conditions |
Guarantee |
Disclaimer |

© 2021 ESYLUX GmbH









