

HOME PAGE

> PRODUCTS

> ELECTRICAL INTERCONNECTIONS

> PLUGGABLE CONNECTORS

771-9994/006-302

Item no. 771-9994/006-302

WINSTA® MIDI > pre-assembled interconnecting cable; Eca;
Socket/plug; 4-pole; Cod. A; H05VV-F 4G 1.5 mm²; 3 m; 1,50
mm²; white

Color:



Cable assembly **WINSTA® MIDI** with protection type **IP20**

The **WINSTA® MIDI** cable assembly rated current 16 A is the pluggable solution for your use in control cabinets, for lighting connections or on PCBs. **WAGO** pluggable installation connectors are used when criteria repeat or are distributed on a defined grid, for example for installing grid lighting or flush-mount lighting.

The coding options reduce installation errors, allowing fast, secure wiring of all components. The pluggable installation connector is protected against ingress by solid objects in accordance with protection type IP20. Thanks to the color coding and mechanical A coding of **WINSTA® MIDI** pluggable installation connectors, you can clearly distinguish different circuits. The **WINSTA® MIDI** Pluggable Connection System with Push-in **CAGE CLAMP®** spring pressure connection technology facilitates safe electrification. Thanks to the integrated test slot, connections can be checked even when they are plugged in. That saves time and reduces installation labor and costs. Of course, the safety of buildings must always be ensured, even after the electrical installation has been performed. The required safety requirements in connection with EU CPR are fully satisfied by this product through fire class E.

Fast, error-free assembly thanks to cable assemblies from WAGO

A socket and a plug are available. WINSTA® is the pluggable connection system that is ideally tailored to the strict requirements of electrical installation. It allows error-free installation of cables and components, quickly and reliably. Now you can also cut installation expenses without compromising quality and safety. The WINSTA® MIDI pluggable installation connector with protection type IP20 reduces the need for servicing and prevents unnecessary downtime.

- effective protection against mismatching
- for automation controllers
- with A coding for a large number of uses
- custom-engineered solutions
- quick replacement of defective units during ongoing operation

> Global (EN)

> We will be happy to help! ☎ **+49 (571) 887-0**



[Cookie Settings](#)

[Contact](#)

[Site Notice](#)

[Privacy Policy](#)

[GTC](#)

[Legal Information](#)

© 2021 WAGO