

You can view this page in:

EN DE SV FI OG DA EL EG FR HU IT JA KO NL NO PL PT PU SK TR ZH

## Detailed information for: 6780-500

This page contains technical data sheet, documents library and links to offering related to this product. If you require any other information, please contact us using form located at the bottom of the page.

 [Print...](#)

 [Print to Pdf...](#)

Data Sheet

### 6780-500

#### General Information

#### Extended Product 6780-500

#### Type:

<b>Product ID:</b>	2CKA006780A0001
<b>EAN:</b>	4011395134337
<b>Catalog Description:</b>	6780-500 Handsender WaveLINE
<b>Long Description:</b>	Network-independent radio control. For switching and dimming. For controlling blinds and light scenes. With 3 groups (A, B or C) with 5 pairs of channels. There are 15 radio channels operated singly or up to 30 light scenes can be called. With "ALL OFF" function for associated actuators. For flush-mounted WaveLINE actuators 6701-101, 6702, 6703, 6704 and 6705-101. Send frequency: 868 MHz. Free-field range: approx. 100 m. Power supply: lithium button cell battery Type CR2032. Battery service life: typically 5 years, therefore practically maintenance-free. Automatic monitoring of battery life.



#### Categories

[Products](#) » [Low Voltage Products and Systems](#) » [Switch Assortments](#) » [Flush Mounted VDE Range - Busch-Jaeger](#) » [Design Busch-Axcent](#) » [CoverPlates \(partly incl. Insert\)](#) » [Electronic Push Button](#)

[Products](#) » [Low Voltage Products and Systems](#) » [Switch Assortments](#) » [Flush Mounted VDE Range - Busch-Jaeger](#) » [Design Busch-Dynasty](#) » [CoverPlates \(partly incl. Insert\)](#) » [Electronic Push Button](#)

[Products](#) » [Low Voltage Products and Systems](#) » [Switch Assortments](#) » [Flush Mounted VDE Range - Busch-Jaeger](#) » [Design Carat](#) » [CoverPlates \(partly incl. Insert\)](#) » [Electronic Push Button](#)

[Products](#) » [Low Voltage Products and Systems](#) » [Switch Assortments](#) » [Flush Mounted VDE Range - Busch-Jaeger](#) » [Design Future](#) » [CoverPlates \(partly incl. Insert\)](#) » [Electronic Push Button](#)

[Products](#) » [Low Voltage Products and Systems](#) » [Switch Assortments](#) » [Flush Mounted VDE Range - Busch-Jaeger](#) » [Design Pur Stainless Steel](#) » [CoverPlates \(partly incl. Insert\)](#) » [Electronic Push Button](#)

[Show All...](#)

## Ordering

**EAN:** 4011395134337

**Customs Tariff Number:** 85176200

**Minimum Order Quantity:** 1 piece

**E-Number (Sweden):** 1701038

## Dimensions

**Product Net Depth / Length:** 0.016 m

**Product Net Height:** 0.135 m

**Product Net Width:** 0.05 m

**Product Net Weight:** 0.186 kg

## Container Information

**Package Level 1 Units:** 1 piece

**Package Level 1 EAN:** 4011395134337

**Package Level 1 Depth / Length:** 0.24 m

**Package Level 1 Height:** 0.057 m

**Package Level 1 Width:** 0.088 m

**Package Level 1 Gross Weight:** 186 g

**Package Level 2 Units:** 10 piece

**Package Level 2 Depth / Length:** 0.293 m

**Package Level 2 Height:** 0.193 m

**Package Level 2 Width:** 0.253 m

**Package Level 2 Gross Weight:** 1.86 kg

## Technical

**Ambient Air Temperature:** Operation -5...45 °C

**Degree of Protection:** IP40

**Mounting Type:** Handheld housing

## Certificates and Declarations (Document Number)

**Instructions and Manuals:** [DEBJE-0073-1-7647](#)

**Declaration of Conformity - CE:** [2CKA100000E1861](#)

**RoHS Information:** [9AKK104295D8727](#)

## Environmental

**RoHS Status:** Following EU Directive 2002/95/EC August 18, 2005 and amendment

## Classifications

**ETIM 7:** EC000257 - Transmitter/Remote control for domestic switching devices

**ETIM 8:** EC000257 - Transmitter/Remote control for domestic switching devices

**WEEE Category:** 5. Small Equipment (No External Dimension More Than 50 cm)

Downloads

## Contact us

Submit your inquiry and we will contact you

**CONTACT  
US**

Or contact your [ABB Contact Center](#)

POPULAR LINKS

ABB WEB FEEDS

FOLLOW US

CURRENT SHARE  
PRICE

