

WALL LIGHTS

OL/AOL

Home | Outdoor lighting | Wall lights | OL/AOL | 5000 K / 25 W



AOL WL 200 OP 1700 850 MD BK

Item number EL10750113



Offers special product features like

- + Integrated motion detector

SHORTFACTS

TECHNICAL DATA

DOWNLOADS

LIGHT CALCULATION

Device category	Wall light
Installation type	Surface mounting
Installation position	Wall
Protection type	IP55
Dimensions	Length 205 mm x Width 184 mm x Height/Depth 143 mm
Diffusor	opal
Luminous efficacy	97 lm/W
Luminous flux	650 lm
Rated output P	17 W
Colour temperature	5000 K
Detection angle	140°

Detection range diagonally	10 m
Field of detection	122 m²
In-rush current	100 A/ 200 µs
Permissible ambient temperature	-25 °C...+50 °C
Warranty	3-year

3D-MODEL: OL/AOL

Experience this product in the interactive 3D view.



**CATALOGUE
2020/2021**



CONTACT US

Salutation 

Firstname *

Lastname *

Company *

Phone

E-mail-address *

Subject *

Your message *

☐ Yes, I agree that ESYLUX will inform me about news in the future via newsletter.

☐ I have read and agreed to the [privacy policy](#) *

* Required



SIMILAR PRODUCTS

AL WALL LIGHTS



ALVA WALL LIGHTS



OTHER PRODUCTS

ALVA UP-/DOWNLIGHTS





SUN PL
PORTABLE LIGHTS



SUN OFL/AFL
FLOODLIGHTS



DEFENSOR
MOTION DETECTORS



MD
MOTION DETECTORS



CDS
TWILIGHT SWITCH



Education

Health Care

Innovations

Demand-driven Automation

Intelligent Lighting

Human Centric Lighting

Light control with DALI-2

Service

Downloads

Knowledge

Support

ESYLUX Services

Company

Vision and mission

Experience and quality

Corporate responsibility

Research and development

Cooperations and memberships

Awards and prizes

References

Highlights

ESYLUX Light Control

DEFENSOR

COMPACT

ESY-Pen

ALVA

FLAT

ISABELLE

