WALL LIGHTS





OL WL 200 OP 1700 850 WH

Item number EL10710100



The LED wall lights in the OL/AOL series are a timeless classic due to their elegant appearance and can be stylishly placed in any environment and improve the look of façades or entrance areas. The durable, die-cast aluminium housing makes them highly reliable and the optionally integrated motion detector ensures convenient, energy-efficient operation. Clever details simplify installation.



Device category		Wall light
Installation type		Surface mounting
Installation position	1	Wall
Protection type		IP55
Dimensions		Length 205 mm x Width 184 mm x Height/Depth 143 mm
Diffusor		opal
Luminous efficacy	V	100 lm/W
Luminous flux		1650 lm
Rated output P		16.5 W
Colour temperature		5000 K

In-rush current	6.5 A/ 98 µs
Permissible ambient temperature	-25 °C+50 °C
Warranty	3-year



CONTACT US
Salutation
Firstname *
Lastname *
Company *
Phone
E-mail-address*
Subject *
Your message *
Yes, I agree that ESYLUX will inform me about news in the future via newsletter. I have read and agreed to the privacy policy *
* Required

SIMILAR PRODUCTS



OTHER PRODUCTS







Solutions

Offices

Education

Health Care

Innovations

Demand-driven Automation

Intelligent Lighting

Human Centric Lighting

Light control with DALI-2

Service

Downloads

Knowledge

Support

ESYLUX Services

Company

vision and mission	
Experience and quality	
Corporate responsibility	
Research and development	
Cooperations and memberships	
Awards and prizes	
References Highlights	
ESYLUX Light Control	
DEFENSOR	
COMPACT	
ESY-Pen	
ALVA	
FLAT	
SABELLE	
mprint Privacy policy Privacy settings Proposed terms and conditions	
General terms and conditions Guarantee Displaimer	

Contact

© 2021 ESYLUX GmbH