

EMERGENCY  
LIGHTS  
SLX

Home | Indoor lighting | Emergency lights | SLX | 14 m / Flat



SLX EL LED FLAT COVER 8h 14m IR WM



Item number EN10077616

The SLX series emergency lights provide variable LED solutions for indicating escape routes. Whether a classic, robust design, a modern, discreet design or a slim body especially for wall mounting: Due to the modular design concept, there is the right design for almost every requirement for the shared basic housing. In addition to the single-battery variants, versions for systems with central battery operation are also available.

SHORTFACTS

TECHNICAL DATA

DOWNLOADS

Device category	Escape sign light
Installation type	Surface mounting
Installation position	Wall
Protection type	IP54
Dimensions	Length 328 mm x Width 108 mm x Height/Depth 46 mm
Rated output P	3 W
In-rush current	19.5 A / 205 µs
Permissible ambient temperature	5 °C... 35 °C
Warranty	5 years

ACCESSORIES

BATTERY



SLX BATTERY NiCd 800mAh

Item number EN10077401  
NiCd rechargeable battery (3.6V/800 mAh) for SLX series with reverse polarity protected plug-in connection



---

## MOUNTING

---



### SLX MOUNTING FRAME 370 FM


Item number EN10077104  
Installation frame for SLX and ELX series, installation hole size 370 x 155 mm



---

## PROTECTION

---



### SLX/ELX BASKET GUARD WALL

Item number EN10077265  
Basket guard for SLX and ELX series, 80 mm high



---

## REMOTE CONTROL

---



### SL REMOTE CONTROL

Item number EN10017704  
IR remote control for emergency lights



### ESY-Pen

Item number EP10425356  
All-in-one device (remote control) for four core functions: (1) Parameterisation, (2) Remote control, (3) Light measurement, (4) Mobile project management



---

## SYMBOL



SLX 14 FLAT SYMBOL SET I

Item number EN10077128  
Symbol set for SLX series, FLAT, 14 m detection range right, left, upwards, downwards



SLX 14 FLAT SYMBOL SET II

Item number EN10077135  
Symbol set for SLX series, FLAT, 14 m detection range right upwards, left upwards, right downwards, left downwards



MORE ON  
THE SLX/ELX SERIES



Discover the full potential of the SLX/ELX series



ESY-PEN AND ESY-APP!




Easy parameterisation, remote control and documentation of all ESYLUX remote controllable products and solutions



## 3D-MODEL: SLX

Experience this product in the interactive 3D view.



## CATALOGUE 2020/2021



## CONTACT US

Salutation 

Firstname \*

Lastname \*

Company \*

Phone

E-mail-address \*

Subject \*

Your message \*

- ☐ Yes, I agree that ESYLUX will inform me about news in the future via newsletter.
- ☐ I have read and agreed to the [privacy policy](#) \*



## SIMILAR PRODUCTS

## OTHER PRODUCTS

### ELSA-2 DOWNLIGHTS



### BOARDLIGHT WALL AND CEILING LIGHTS



### ISABELLE FREE-STANDING LIGHTS



### PROTECTOR SMOKE ALARM



**FLAT**  
PRESENCE AND MOTION DETECTORS



**FLAT MINI**  
PRESENCE AND MOTION DETECTORS



**Solutions**

Offices

Education

Health Care

**Innovations**

Demand-driven Automation

Intelligent Lighting

Human Centric Lighting

Light control with DALI-2

**Service**

Downloads

Knowledge

Support

ESYLUX Services

**Company**

Vision and mission

Experience and quality

Corporate responsibility

Research and development

Cooperations and  
memberships

Awards and prizes

References

Highlights

ESYLUX Light Control

DEFENSOR

COMPACT

ESY-Pen

ALVA

FLAT

ISABELLE

Imprint |  
Privacy policy |  
Privacy settings |  
General terms and conditions |  
Guarantee |  
Disclaimer |  
Contact |  
© 2021 ESYLUX GmbH

