WALL LIGHTS







OL WL 100 OP 850 850 WH

Item number EL10710001



The LED wall lights in the OL/AOL series are a timeless classic due to their elegant appearance and can be stylishly placed in any environment and improve the look of façades or entrance areas. The durable, die-cast aluminium housing makes them highly reliable and the optionally integrated motion detector ensures convenient, energy-efficient operation. Clever details simplify installation.




Device category	Wall light
Installation type	Surface mounting
Installation position	Wall
Protection type	IP55
Dimensions	Length 205 mm x Width 104 mm x Height/Depth 143 mm
Diffusor	opal
Luminous efficacy	94 lm/W
Luminous flux	900 lm
Rated output P	9.5 W
Colour temperature	5000 K

In-rush current	4.7 A/ 33 μs
Permissible ambient temperature	-25 °C+50 °C
Warranty	3-year







SIMILAR PRODUCTS



OTHER PRODUCTS





Solutions

Offices

Education

Autodii Ori
lealth Care nnovations
Demand-driven Automation
ntelligent Lighting
duman Centric Lighting
ight control with DALI-2 Service
Downloads
únowledge
Support
ESYLUX Services Company
fision and mission
Experience and quality
Corporate responsibility
Research and development
Cooperations and nemberships
wards and prizes
References lighlights
SYLUX Light Control
DEFENSOR
COMPACT
ESY-Pen
ALVA
LAT CONTRACTOR OF THE CONTRACT
SABELLE
mprint

Privacy policy |
Privacy settings |
General terms and conditions |
Guarantee |
Disclaimer |

© 2021 ESYLUX GmbH









