

WALL LIGHTS

OL/AOL

Outdoor lighting | Wall lights | OL/AOL | 5000 K / 25 W



OL WL 200 OP 1700 850 BK

Item number EL10710117



The LED wall lights in the OL/AOL series are a timeless classic due to their elegant appearance and can be stylishly placed in any environment and improve the look of façades or entrance areas. The durable, die-cast aluminium housing makes them highly reliable and the optionally integrated motion detector ensures convenient, energy-efficient operation. Clever details simplify installation.

SHORTFACTS

TECHNICAL DATA

DOWNLOADS

LIGHT CALCULATION

Device category	Wall light
Installation type	Surface mounting
Installation position	Wall
Protection type	IP55
Dimensions	Length 205 mm x Width 184 mm x Height/Depth 143 mm
Diffusor	opal
Luminous efficacy	100 lm/W
Luminous flux	1650 lm
Rated output P	16.5 W
Colour temperature	5000 K

In-rush current	6.5 A/ 98 µs
Permissible ambient temperature	-25 °C...+50 °C
Warranty	3-year

CATALOGUE 2020/2021



CONTACT US

Salutation 

Firstname *

Lastname *

Company *

Phone

E-mail-address *

Subject *

Your message *

☐ Yes, I agree that ESYLUX will inform me about news in the future via newsletter.

☐ I have read and agreed to the [privacy policy](#) *

* Required



SIMILAR PRODUCTS

AL
WALL LIGHTS

A collection of three spherical wall light fixtures. One is a large white globe, another is a smaller white globe, and the third is a black globe. They are shown from different angles to highlight their design.



ALVA
WALL LIGHTS

Two rectangular wall light fixtures. One is a white rectangular panel, and the other is a black rectangular panel. They are shown from different angles to highlight their design.



OTHER PRODUCTS

BASIC OFL/AFL
FLOODLIGHTS

Two rectangular floodlight fixtures. One is a white rectangular panel, and the other is a black rectangular panel. They are shown from different angles to highlight their design.



SUN OFL/AFL
FLOODLIGHTS

Four rectangular floodlight fixtures. Two are white rectangular panels, and two are black rectangular panels. They are shown from different angles to highlight their design.



SUN PL
PORTABLE LIGHTS

Two portable floodlight fixtures. One is a white rectangular panel, and the other is a black rectangular panel. They are shown from different angles to highlight their design.



CDS
TWILIGHT SWITCH



DEFENSOR
MOTION DETECTORS



RC
MOTION DETECTORS



Solutions

Offices

Education

Health Care

Innovations

Demand-driven Automation

Intelligent Lighting

Human Centric Lighting

Light control with DALI-2

Service

Downloads

Knowledge

Support

ESYLUX Services

Company

ESYLUX Lighting Solutions

vision and mission

Experience and quality

Corporate responsibility

Research and development

Cooperations and
memberships

Awards and prizes

References

Highlights

ESYLUX Light Control

DEFENSOR

COMPACT

ESY-Pen

ALVA

FLAT

ISABELLE

Imprint |
Privacy policy |
Privacy settings |
General terms and conditions |
Guarantee |
Disclaimer |
Contact
© 2021 ESYLUX GmbH

