#### **EMERGENCY** LIGHTS









#### SLX EL LED HIGH COVER 8h 24m IR SM

Item number EN10077364



The SLX series emergency lights provide variable LED solutions for indicating escape routes. Whether a classic, robust design, a modern, discreet design or a slim body especially for wall mounting: Due to the modular design concept, there is the right design for almost every requirement for the shared basic housing. In addition to the single-battery variants, versions for systems with central battery operation are also available.



Device category	Escape sign light
Installation type	Surface mounting
Installation position	Ceiling / wall
Protection type	IP54
Dimensions	Length 328 mm x Width 108 mm x Height/Depth 206 mm
Rated output P	3 W
Permissible ambient temperature	5 °C+35 °C
Warranty	5 year
ACCESSORIES	
BATTERY	
}	V

#### SLX BATTERY NiCd 800mAh





#### **MOUNTING**



#### SLX/ELX WALL MOUNTING BRACKET 270

Item number EN10077111

Wall arm for SLX and ELX series, 270 mm length







#### SLX MOUNTING FRAME 370 FM

Item number EN10077104

Installation frame for SLX and ELX series, installation hole size  $370\,x$  155 mm







#### SLX/ELXTUBE PENDULUM SET

Item number EN10078316

Conduit pendulum set for SLX and ELX series







#### SLX/ELX WALL ARM 370

Item number EN10078309

Wall arm for SLX and ELX series, 370 mm length





#### **PROTECTION**



#### SLX/ELX BASKET GUARD CEILING

Item number EN10077296

Basket guard for SLX and ELX series, 260 mm high







#### SL REMOTE CONTROL

Item number EN10017704 IR remote control for emergency lights







#### **ESY-Pen**

Item number EP10425356

All-in-one device (remote control) for four core functions: (1) Parameterisation, (2) Remote control, (3) Light measurement, (4) Mobile project management





#### SYMBOL







#### SLX 24 HIGH COVER SYMBOL SET I

Item number EN10077142

Symbol set for SLX series, High Cover, 24 m detection range right, left, upwards, downwards







化 湿

#### SLX 24 HIGH COVER SYMBOL SET II

Item number EN10077159

Symbol set for SLX series, High Cover, 24 m, detection range right upwards, left upwards, right downwards, left downwards





**MORE ON** THE SLX/ELX SERIES



Discover the full potential of the SLX/ELX series.



## ESY-PEN AND ESY-APP!



Easy parameterisation, remote control and documentation of all ESYLUX remote controllable products and solutions.









# CATALOGUE 2020/2021





### **CONTACT US**

Salutation



Firstname \*

Lastname \*

Company \*

Phone

E-mail-address\*



## SIMILAR PRODUCTS

## OTHER PRODUCTS







Solutions

Offices

Education

Health Care Innovations

Demand-driven Automation

Intelligent Lighting

Human Centric Lighting

Light control with DALI-2

Service

Downloads

Knowledge

Support

ESYLUX Services

Company

Vision and mission

Experience and quality Corporate responsibility Research and development Cooperations and memberships Awards and prizes References Highlights **ESYLUX Light Control DEFENSOR** COMPACT ESY-Pen ALVA FLAT **ISABELLE Imprint** Privacy policy Privacy settings General terms and conditions | Guarantee Disclaimer Contact

© 2021 ESYLUX GmbH