



CorePro LED candles and lusters

CorePro LEDcandle ND 2.8-25W E14 827 B35 FR

The CorePro LEDcandles and lusters are designed for retrofit replacement of incandescent lamps, and are particularly attractive for chandeliers. They are compatible with fixtures with an E14 holder for candles and E14 or E27 holders for lusters, and are available in either warm white, white or cool daylight color temperatures. LED lamps deliver huge energy savings and minimize maintenance cost. The CorePro LED candles and lusters are perfect for your basic lighting needs. They provide the beautiful light and dependable performance you expect from LED at an affordable price.

Product data

General Information		Operating and Electrical	
Cap-Base	E14 [E14]	Input Frequency	50 to 60 Hz
EU RoHS compliant	Yes	Power (Nom)	2.8 W
Nominal Lifetime (Nom)	15000 h	Lamp Current (Nom)	28 mA
Switching Cycle	50000X	Wattage Equivalent	25 W
Light Technical		Starting Time (Nom)	0.5 s
Color Code	827 [CCT of 2700K]	Warm Up Time to 60% Light (Nom)	0.5 s
Luminous Flux (Nom)	250 lm	Power Factor (Nom)	0.41
Color Designation	Warm White (WW)	Voltage (Nom)	220-240 V
Correlated Color Temperature (Nom)	2700 K	Temperature	
Luminous Efficacy (rated) (Nom)	89.00 lm/W	T-Case Maximum (Nom)	63 °C
Color Consistency	<6	Controls and Dimming	
Color Rendering Index (Nom)	80	Dimmable	No
LLMF At End Of Nominal Lifetime (Nom)	70 %		

CorePro LED candles and lusters

Mechanical and Housing

Bulb Finish	Frosted
Bulb Shape	B35 [B 35mm]

Approval and Application


Energy Efficiency Label (EEL)	F
Energy Consumption kWh/1000 h	3 kWh

Product Data

Full product code	871951431240100
-------------------	-----------------

Order product name	CorePro LEDcandle ND 2.8-25W E14 827 B35 FR
EAN/UPC - Product	8719514312401
Order code	929002966802
Numerator - Quantity Per Pack	1
Numerator - Packs per outer box	10
Material Nr. (12NC)	929002966802
Net Weight (Piece)	0.040 kg


Dimensional drawing




Candle B35 2.8-25W 250lm 2700K E14 ND FR

Product	D	C
CorePro LEDcandle ND 2.8-25W E14 827 B35 FR	35 mm	106 mm

Photometric data




LEDcandle CorePro B35 2,8W E14 827 FR-LDD



LEDcandle CorePro 2,8W B35 E14 827 FR-POC

CorePro LED candles and lusters



Photometric data



Catalytic Performance 4.5	Philips Lighting B.V.	Page 17
---------------------------	-----------------------	---------

LEDcandle CorePro 2,8W B35 E14 827-GUL

Lifetime



15K LED

15K LMP

