

UP-/DOWNLIGHTS

ALVA

Outdoor lighting | Up-/Downlights | ALVA | 3000 K/ 10 W/ 13°




ALVA UDL TR 13° 900 830 AN

Item number EL10830006

Offers special product features like

- + Protected against sea air



SHORTFACTS

TECHNICAL DATA


DOWNLOADS

LIGHT CALCULATION

Device category	Up-/Downlight
Installation type	Surface mounting
Installation position	Wall
Protection type	IP65
Dimensions	Length 176 mm x Width 100 mm x Height/Depth 160 mm
Diffusor	transparent
Luminous efficacy	91 lm/W
Luminous flux	910 lm
Rated output P	10 W
Colour temperature	3000 K
In-rush current	6 A/ 369 µs

Permissible ambient temperature	-25 °C...+40 °C
Warranty	5 years

INSTALLATION VIDEO



MORE ON THE ALVA SERIES



Discover the full potential of the ALVA series.



CATALOGUE 2020/2021



CONTACT US

Salutation ▼

Firstname *

Lastname *

Company *

Phone

E-mail-address *

Subject *

Your message *

☐ Yes, I agree that ESYLUX will inform me about news in the future via newsletter.

☐ I have read and agreed to the [privacy policy](#) *

* Required



OTHER PRODUCTS

SUN PL PORTABLE LIGHTS



AL WALL LIGHTS



OL/AOL
WALL LIGHTS



BASIC
MOTION DETECTORS



DEFENSOR
TWILIGHT SWITCH



DEFENSOR
MOTION DETECTORS



Solutions

Offices

Education

Health Care

Innovations

Demand-driven Automation

Intelligent Lighting

Human Centric Lighting

Light control with DALI-2

Services

Service

Downloads

Knowledge

Support

ESYLUX Services

Company

Vision and mission

Experience and quality

Corporate responsibility

Research and development

Cooperations and
memberships

Awards and prizes

References

Highlights

ESYLUX Light Control

DEFENSOR

COMPACT

ESY-Pen

ALVA

FLAT

ISABELLE

Imprint |
Privacy policy |
Privacy settings |
General terms and conditions |
Guarantee |
Disclaimer |
Contact
©2021 ESYLUX GmbH

