

EMERGENCY
LIGHTS
ELX

Home | Indoor lighting | Emergency lights | ELX



ELX EL LED 8h IR SM
Item number EN10077340



With the same basic housing, the ELX series LED emergency lights supplement the escape route signage in the SLX series with a reliable, energy-efficient escape route light. In addition to the large illumination area, they impress with their versatile installation options and easy installation. Designs for systems with single-battery or central battery operation are available.

SHORTFACTS

TECHNICAL DATA

DOWNLOADS

LIGHT CALCULATION

Device category	Safety light
Installation type	Surface mounting
Installation position	Ceiling / wall
Protection type	IP54
Dimensions	Length 388 mm x Width 148 mm x Height/Depth 46 mm
Luminous efficacy	20 lm/W
Luminous flux	60 lm
Rated output P	3 W
Colour temperature	4000 K
In-rush current	5 A/ 259 µs

Permissible ambient temperature	5 °C...+35 °C
Warranty	5 years

ACCESSORIES

BATTERY



ELX BATTERY NiCd 1800mAh

Item number EN10077418
NiCd rechargeable battery (3.6V/1800 mAh) for ELX series with reverse polarity protected plug-in connection



MOUNTING



SLX/ELX WALL BRACKET 110

Item number EN10077289
Wall bracket mounting for SLX and ELX series, 110 mm length



SLX/ELX MOUNTING FRAME 430 FM

Item number EN10077234
Installation frame for SLX and ELX series, installation hole size 430 x 155 mm




SLX/ELX TUBE PENDULUM SET

Item number EN10078316
Conduit pendulum set for SLX and ELX series



PROTECTION



SLX/ELX BASKET GUARD WALL

Item number EN10077265

Basket guard for SLX and ELX series, 80 mm high



REMOTE CONTROL



SL REMOTE CONTROL

Item number EN10017704

IR remote control for emergency lights



ESY-Pen

Item number EP10425356

All-in-one device (remote control) for four core functions: (1) Parameterisation, (2) Remote control, (3) Light measurement, (4) Mobile project management



MORE ON THE SLX/ELX SERIES



Discover the full potential of the SLX/ELX series



ESY-PEN AND ESY- APP!



Easy parameterisation, remote control and documentation of all ESYLUX remote controllable products and solutions.


DEMO

ESYLUX
CONTROL



3D-MODEL: ELX

Experience this product in the interactive 3D view.



CATALOGUE 2020/2021



CONTACT US

Salutation	
Firstname *	
Lastname *	
Company *	
Phone	
E-mail-address *	

Subject *

Your message *

- ☐ Yes, I agree that ESYLUX will inform me about news in the future via newsletter.
- ☐ I have read and agreed to the [privacy policy](#) *

* Required



SIMILAR PRODUCTS

OTHER PRODUCTS

BOARDLIGHT WALL AND CEILING LIGHTS



OLIVIA MOISTURE-PROOF LIGHTS



STELLA RECESSED LIGHTS



FLAT MINI

PRESENCE AND MOTION DETECTORS



COMPACT

PRESENCE AND MOTION DETECTORS



STANDARD

PRESENCE AND MOTION DETECTORS



Solutions

Offices

Education

Health Care

Innovations

Demand-driven Automation

Intelligent Lighting

Human Centric Lighting

Light control with DALI-2

Service

Downloads

Knowledge

Support

ESYLUX Services

Company

Vision and mission

Experience and quality

Corporate responsibility

Research and development

Cooperations and
memberships

Awards and prizes

References

Highlights

ESYLUX Light Control

DEFENSOR

COMPACT

ESY-Pen

ALVA

FLAT

ISABELLE

Imprint |
Privacy policy |
Privacy settings |
General terms and conditions |
Guarantee |
Disclaimer |
Contact
© 2021 ESYLUX GmbH

