

HOME PAGE

> PRODUCTS

> ELECTRICAL INTERCONNECTIONS

> PLUGGABLE CONNECTORS

771-9993/106-702

Item no. 771-9993/106-702

**WINSTA® MIDI** > pre-assembled connecting cable; Eca;  
Socket/open-ended; 3-pole; Cod. A; H05VV-F 3G 1.5 mm<sup>2</sup>; 7  
m; 1,50 mm<sup>2</sup>; white

Color:



## Cable assembly **WINSTA® MIDI** rated current 16 A

The **WINSTA® MIDI** cable assembly rated current 16 A is the pluggable solution for your application in control cabinets, for lighting connections or on PCBs. WAGO pluggable installation connectors can be used when criteria repeat or are planned on a specified pattern, for example for installing grid lighting or flush-mount lighting.

For greater protection in electrical installations, the pluggable installation connector is equipped with mechanical protection against mismatching. The pluggable installation connector offers touch-proof protection with live components in accordance with protection type IP20. The **WINSTA® MIDI** pluggable installation connector with A coding in black or white is normally used for general mains applications in power distribution. **WINSTA® MIDI** with Push-in **CAGE CLAMP®** spring pressure connection technology is used in can be found in a variety of projects you can use for quick, easy and maximally flexible installation. This product meets all the relevant safety requirements of fire class E; thus it can be used in domains where fire safety is relevant.

**Pluggable connections instead of screw connections – cable assemblies from WAGO**

The cable assembly is provided with a socket and a free end. WNSTA® is the pluggable connection system that is perfectly tailored to the strict requirements of electrical installation. It ensures error-free installation of cables and components, quickly and reliably. Enjoy the benefits of the pluggable version of our maintenance-free spring pressure connection technology too! Plan your installation with WNSTA® MDI pluggable installation connectors with protection type IP20 from WAGO.

- effective protection against mismatching
- simple circuits
- with A coding for use in a large number of general mains applications
- flexible installation to save space
- quick replacement of defective units during ongoing operation

> Global (EN)

> We will be happy to help! ☎ **+49 (571) 887-0**



[Cookie Settings](#)

[Contact](#)

[Site Notice](#)

[Privacy Policy](#)

[GTC](#)

[Legal Information](#)

© 2021 WAGO