

EMERGENCY LIGHTS SLX

Home | Indoor lighting | Emergencylights | SLX | 14m/Flat



SLX EL LED FLAT COVER 3h 14m IR WM



Item number EN10077609

The SLX series emergency lights provide variable LED solutions for indicating escape routes. Whether a classic, robust design, a modern, discreet design or a slim body especially for wall mounting: Due to the modular design concept, there is the right design for almost every requirement for the shared basic housing. In addition to the single-battery variants, versions for systems with central battery operation are also available.

SHORTFACTS

TECHNICAL DATA

DOWNLOADS

Device category	Escape sign light
Installation type	Surface mounting
Installation position	Wall
Protection type	IP54
Dimensions	Length 328 mm x Width 108 mm x Height/Depth 46 mm
Rated output P	3 W
In-rush current	19.5 A / 205 μ s
Permissible ambient temperature	5 °C.. 35 °C
Warranty	5 years

ACCESSORIES

BATTERY



SLX BATTERY NiCd 800mAh

Item number EN10077401

NiCd rechargeable battery (3.6V/800 mAh) for SLX series with reverse polarity protected plug-in connection



MOUNTING




SLX MOUNTING FRAME 370 FM

Item number EN10077104

Installation frame for SLX and ELX series, installation hole size 370 x 155 mm



PROTECTION



SLX/ELX BASKET GUARD WALL

Item number EN10077265

Basket guard for SLX and ELX series, 80 mm high



REMOTE CONTROL



ESY-Pen

Item number EP10425356

All-in-one device (remote control) for four core functions: (1) Parameterisation, (2) Remote control, (3) Light measurement, (4) Mobile project management



SL REMOTE CONTROL

Item number EN10017704

IR remote control for emergency lights



SYMBOL



SLX 14 FLAT SYMBOL SET I

Item number EN10077128

Symbol set for SLX series, FLAT, 14 m detection range right, left, upwards, downwards



SLX 14 FLAT SYMBOL SET II

Item number EN10077135

Symbol set for SLX series, FLAT, 14 m detection range right upwards, left upwards, right downwards, left downwards



MORE ON THE SLX/ELX SERIES



Discover the full potential of the SLX/ELX series



ESY-PEN AND ESY-APP!




Easy parameterisation, remote control and documentation of all ESYLUX remote controllable products and solutions



3D-MODEL: SLX

Experience this product in the interactive 3D view.



CATALOGUE 2020/2021



CONTACT US

Salutation ▼

Firstname *

Lastname *

Company *

Phone

E-mail-address *

Subject *

Your message *

Yes, I agree that ESYLUX will inform me about news in the future via newsletter.

I have read and agreed to the [privacy policy](#) *



SIMILAR PRODUCTS

OTHER PRODUCTS

OLIVIA
MOISTURE-PROOF LIGHTS



ISABELLE
PENDANT LIGHTS



STELLA
RECESSED LIGHTS



PROTECTOR
SMOKE ALARM



FLAT MINI
BRIGHTNESS CONTROLLER



FLAT MINI
PRESENCE AND MOTION DETECTORS



Solutions

Offices

Education

Health Care

Innovations

Demand-driven Automation

Intelligent Lighting

Human Centric Lighting

Light control with DALI-2

Service

Downloads

Knowledge

Support

ESYLUX Services

Company

Vision and mission

Experience and quality

Corporate responsibility

Research and development

Cooperations and
memberships

Awards and prizes

References

Highlights

ESYLUX Light Control

DEFENSOR

COMPACT

ESY-Pen

ALVA

FLAT

ISABELLE

Imprint

Privacy policy

Privacy settings

General terms and conditions

Guarantee

Disclaimer

Contact

© 2021 ESYLUX GmbH

