

You can view this page in:

EN DE SV FI OG DA EL EG FR HU IT JA KO NL NO PL PT PU SK TR ZH

Detailed information for: 6732-214-500

This page contains technical data sheet, documents library and links to offering related to this product. If you require any other information, please contact us using form located at the bottom of the page.

 [Print...](#)

 [Print to Pdf...](#)

Data Sheet

6732-214-500

General Information

Extended Product 6732-214-500

Type:

Product ID:	2CKA006730A0031
EAN:	4011395134078
Catalog Description:	6732-214-500 Wall-mounted transmitter WaveLINE 2-channel
Long Description:	2gang wall-mounted transmitter independent of mains power supply. For switching and dimming. For controlling blinds and light scenes. 2 radio channels can be operated or up to 4 light scenes can be called up. For flush-mounted WaveLINE actuators 6701-101, 6702, 6703, 6704 and 6705-101. Send frequency: 868 MHz. Free-field range: approx. 100 m. Power supply: lithium button cell battery Type CR2032. Battery service life: typically 5 years, therefore practically maintenance-free. Automatic monitoring of battery life. Including fixing plate for mounting on smooth walls or on switch boxes.



Categories

[Products](#) » [Low Voltage Products and Systems](#) » [Switch Assortments](#) » [Flush Mounted VDE Range - Busch-Jaeger](#) » [Design SI](#) » [CoverPlates \(partly incl. Insert\)](#) » [Electronic Push Button](#)

[Products](#) » [Low Voltage Products and Systems](#) » [Switch Assortments](#) » [Light/ LoadControl](#) » [Electronic Push Button](#) » [Electronic Push Button - Flush Mounted](#) » [Electronic Push Button](#)

[Products](#) » [Low Voltage Products and Systems](#) » [Switch Assortments](#) » [Light/ LoadControl](#) » [Electronic Rotary / Push Button Dimmer \(all Loads incl. LED, DALI\)](#) » [Push Button Dimmer - Flush Mounted](#) » [Electronic Push Button](#)

Ordering

EAN: 4011395134078

Customs Tariff Number: 85389099

Minimum Order Quantity: 1 piece

E-Number (Sweden):	1701003
---------------------------	---------

Dimensions

Product Net Depth / Length:	0.018 m
------------------------------------	---------

Product Net Height:	0.054 m
----------------------------	---------

Product Net Width:	0.054 m
---------------------------	---------

Product Net Weight:	0.078 kg
----------------------------	----------

Container Information

Package Level 1 Units:	1 piece
-------------------------------	---------

Package Level 1 EAN:	4011395134078
-----------------------------	---------------

Package Level 1 Depth / Length:	0.078 m
--	---------

Package Level 1 Height:	0.058 m
--------------------------------	---------

Package Level 1 Width:	0.092 m
-------------------------------	---------

Package Level 1 Gross Weight:	78 g
--------------------------------------	------

Package Level 2 Units:	10 piece
-------------------------------	----------

Package Level 2 Depth / Length:	0.298 m
--	---------

Package Level 2 Height:	0.112 m
--------------------------------	---------

Package Level 2 Width:	0.168 m
-------------------------------	---------

Package Level 2 Gross Weight:	780 g
--------------------------------------	-------

Technical

Ambient Air Temperature:	Operation -5...45 °C
---------------------------------	----------------------

Degree of Protection:	IP20
------------------------------	------

Mounting Type:	Surface Mounted
-----------------------	-----------------

Certificates and Declarations (Document Number)

Instructions and Manuals:	DEBJE-0073-1-7648
----------------------------------	-----------------------------------

Declaration of Conformity - CE:	2CKA100000E0652
--	---------------------------------

RoHS Information:	9AKK104295D8727
--------------------------	---------------------------------

Environmental

RoHS Status:	Following EU Directive 2002/95/EC August 18, 2005 and amendment
---------------------	---

Classifications

ETIM 7:	EC000257 - Transmitter/Remote control for domestic switching devices
----------------	--

ETIM 8:	EC000257 - Transmitter/Remote control for domestic switching devices
----------------	--

WEEE Category:	5. Small Equipment (No External Dimension More Than 50 cm)
-----------------------	--

Downloads

Contact us

Submit your inquiry and we will contact you

**CONTACT
US**

Or contact your [ABB Contact Center](#)

POPULAR LINKS

ABB WEB FEEDS

FOLLOW US

CURRENT SHARE
PRICE

