You can view this page in:

EN DE SV FI CS DA EL ES FR HU IT JA KO NL NO PL PT RU SK TR ZH

Detailed information for: 6733-84-500

This page contains technical data sheet, documents library and links to offering related to this product. If you require any other information, please contact us using form located at the bottom of the page.

Print...
Print to Pdf...

Data Sheet

6733-84-500

General Information

Extended Product Type:	6733-84-500
Product ID:	2CKA006730A0040
EAN:	4011395134283
Catalog Description:	6733-84-500 Wall-mounted transmitter WaveLINE 4-channel
Long Description:	4gang wall-mounted transmitter independent of mains power supply. With labelling field and labelling strip. For switching and dimming. For controlling blinds and light scenes. 4 radio channels can be operated or up to 8 light scenes can be called up. For flush-mounted WaveLINE actuators 6701-101, 6702, 6703, 6704 and 6705-101. Send frequency: 868 MHz. Free-field range: approx. 100 m. Power supply: lithium button cell battery Type CR2032. Battery service life: typically 5 years, therefore practically maintenance-free. Automatic monitoring of battery life. Including fixing plate for mounting on smooth walls or on switch boxes.

Categories

Products » Low Voltage Products and Systems » Switch Assortments » Flush Mounted VDE Range - Busch-Jaeger » Design Busch-Axcent » CoverPlates (partly incl. Insert) » Electronic Push Button

Products » Low Voltage Products and Systems » Switch Assortments » Flush Mounted VDE Range - Busch-Jaeger » Design Busch-Dynasty » CoverPlates (partly incl. Insert) » Electronic Push Button

Products » Low Voltage Products and Systems » Switch Assortments » Flush Mounted VDE Range - Busch-Jaeger » Design Carat » CoverPlates (partly incl. Insert) » Electronic Push Button

Products » Low Voltage Products and Systems » Switch Assortments » Flush Mounted VDE Range - Busch-Jaeger » Design Future » CoverPlates (partly incl. Insert) » Electronic Push Button

Products » Low Voltage Products and Systems » Switch Assortments » Flush Mounted VDE Range - Busch-Jaeger » Design Pur Stainless Steel » CoverPlates (partly incl. Insert) » Electronic Push Button

Show All...

Ordering

EAN:	4011395134283
Customs Tariff Number:	85389099
Minimum Order Quantity:	1 piece
E-Number (Sweden):	1701025

Dimensions

Product Net Depth / Length:	0.016 m
Product Net Height:	0.063 m
Product Net Width:	0.063 m
Product Net Weight:	0.098 kg

Container Information

Package Level 1 Units:	1 piece
Package Level 1 EAN:	4011395134283
Package Level 1 Depth / Length:	0.078 m
Package Level 1 Height:	0.058 m
Package Level 1 Width:	0.092 m
Package Level 1 Gross Weight:	98 g
Package Level 2 Units:	10 piece
Package Level 2 Depth / Length:	0.298 m
Package Level 2 Height:	0.112 m
Package Level 2 Width:	0.168 m
Package Level 2 Gross Weight:	980 g

Technical

Ambient Air Temperature:	Operation -5...45 °C
Degree of Protection:	IP20
Mounting Type:	Surface Mounted

Certificates and Declarations (Document Number)

Instructions and Manuals:	DEBJE-0073-1-7648
Declaration of Conformity - CE:	2CKA100000E0661
RoHS Information:	9AKK104295D8727

Environmental

RoHS Status:	Following EU Directive 2002/95/EC August 18, 2005 and amendment

Classifications

ETIM 7:	EC000257 - Transmitter/Remote control for domestic switching devices
ETIM 8:	EC000257 - Transmitter/Remote control for domestic switching devices
WEEE Category:	5. Small Equipment (No External Dimension More Than 50 cm)

Downloads

Contact us

Submit your inquiry and we will contact you

CONTACT US

Or contact your ABB Contact Center

POPULAR LINKS

ABB WEB FEEDS

FOLLOW US

CURRENT SHARE PRICE

© Copyright 2021 ABB | Provider information/Impressum | Cookie and Privacy Notice