#### **EMERGENCY** LIGHTS



👚 | Indoor lighting | Emergencylights | SLX | 32 m/ High Cover





### SLX EL LED HIGH COVER 3h 32m IR SM





The SLX series emergency lights provide variable LED solutions for indicating escape routes. Whether a classic, robust design, a modern, discreet design or a slim body especially for wall mounting: Due to the modular design concept, there is the right design for almost every requirement for the shared basic housing. In addition to the single-battery variants, versions for systems with central battery operation are also available.



Device category	Escape sign light		
Installation type	Surface mounting		
Installation position	Ceiling / wall		
Protection type	IP54		
Dimensions	Length 388 mm x Width 148 mm x Height/Depth 231 mm		
Rated output P	3 W		
Permissible ambient temperature	5 °C+35 °C		
Warranty	5 year		
ACCESSORIES BATTERY			
	V		

#### SLX BATTERY NiCd 800mAh





#### **MOUNTING**



#### SLX/ELX MOUNTING FRAME 430 FM

Item number EN10077234

Installation frame for SLX and ELX series, installation hole size 430 x 155 mm







#### SLX/ELXTUBE PENDULUM SET

Item number EN10078316

Conduit pendulum set for SLX and ELX series







#### SLX/ELX WALL BRACKET 110

Item number EN10077289

Wall bracket mounting for SLX and ELX series, 110 mm length





#### **PROTECTION**



#### SLX/ELX BASKET GUARD CEILING

Item number EN10077296

Basket guard for SLX and ELX series, 260 mm high





#### REMOTE CONTROL



#### **ESY-Pen**

Item number EP10425356

All-in-one device (remote control) for four core functions: (1) Parameterisation, (2) Remote control, (3) Light measurement, (4) Mobile project management







#### SL REMOTE CONTROL

Item number EN10017704
IR remote control for emergency lights





#### SYMBOL



#### SLX 32 HIGH COVER SYMBOL SET I

Item number EN10077524 Symbol set for SLX series, High Cover, 32 m detection range right, left, upwards, downwards







#### SLX 32 HIGH COVER SYMBOL SET II

Item number EN10077531 Symbol set for SLX series, High Cover, 32 m, detection range right upwards, left upwards, right downwards, left downwards






## MORE ON THE SLX/ELX SERIES



Discover the full potential of the SLX/ELX series.







Salutation	▼
Firstname *	
Lastname *	
Company *	
Phone	
E-mail-address*	
Subject *	
Your message *	

inform me about news in the future via newsletter.

I have read and a privacy policy *	agreed to the
* Required	<b>∓</b> ⊠

## SIMILAR PRODUCTS

## OTHER PRODUCTS





# Solutions Offices

Education

Health Care Innovations

Demand-driven Automation

Intelligent Lighting

Human Centric Lighting

Light control with DALI-2
Service

Downloads

Knowledge

Support

**ESYLUX Services** 

Company

Vision and mission

Experience and quality

Corporate responsibility

Research and development

Cooperations and memberships

Awards and prizes

References

Highlights	
ESYLUX Light Control	
DEFENSOR	
COMPACT	
ESY-Pen	
ALVA	
FLAT	
ISABELLE	
Imprint	
Privacy policy	
Privacy settings	
General terms and conditions	
Guarantee	
Disclaimer	
Contact	
© 2021 ESYLUX GmbH	