

WALL LIGHTS

OL/AOL

Home | Outdoor lighting | Wall lights | OL/AOL | 3000 K / 14 W



AOL WL 100 OP 900 830 MD WH

Item number EL10750700



Offers special product features like

- + Integrated motion detector

SHORTFACTS

TECHNICAL DATA

DOWNLOADS

LIGHT CALCULATION

Device category	Wall light
Installation type	Surface mounting
Installation position	Wall
Protection type	IP55
Dimensions	Length 205 mm x Width 104 mm x Height/Depth 143 mm
Diffusor	opal
Luminous efficacy	85 lm/W
Luminous flux	850 lm
Rated output P	10 W
Colour temperature	3000 K
Detection angle	140°

Detection range diagonally	10 m
Field of detection	122 m²
In-rush current	100 A/ 200 µs
Permissible ambient temperature	-25 °C...+50 °C
Warranty	3-year

3D-MODEL: **OL/AOL**

Experience this product in the interactive 3D view.



CATALOGUE 2020/2021



CONTACT US

Salutation
▼

Firstname *

Lastname *

Company *

Phone

E-mail-address *

Subject *

Your message *

☐ Yes, I agree that ESYLUX will inform me about news in the future via newsletter.

☐ I have read and agreed to the [privacy policy](#) *

* Required



SIMILAR PRODUCTS

AL
WALL LIGHTS



ALVA
WALL LIGHTS



OTHER PRODUCTS

ALVA
UP-/DOWNLIGHTS





ALVA
BOLLARD LIGHTS



BASIC OFL/AFL
FLOODLIGHTS



DEFENSOR
TWILIGHT SWITCH



BASIC
MOTION DETECTORS



CDS
TWILIGHT SWITCH



Education

Health Care

Innovations

Demand-driven Automation

Intelligent Lighting

Human Centric Lighting

Light control with DALI-2

Service

Downloads

Knowledge

Support

ESYLUX Services

Company

Vision and mission

Experience and quality

Corporate responsibility

Research and development

Cooperations and memberships

Awards and prizes

References

Highlights

ESYLUX Light Control

DEFENSOR

COMPACT

ESY-Pen

ALVA

FLAT

ISABELLE

