

TWILIGHT SWITCH CDS

Home | Outdoor automation | Twilight switch | CDS | Twilight switch / Wall mounting / ON/OFF



CDS-E

Item number ED10016509



The CDS series twilight switches control the outdoor lighting automatically and reliably based on the current ambient light. This provides safety, enhances comfort — and reduces energy consumption.

SHORTFACTS

TECHNICAL DATA

DOWNLOADS

Device category	Twilight switch
Product information	Please note the Explanation of circuit breaker in the download area of the product!
Installation type	Recessed mounting
Installation position	Device
Protection type	Power module IP20, Sensor cover IP44
Dimensions	Length 60 mm x Width 70 mm x Height/Depth 26 mm
Permissible ambient temperature	-25 °C...+70 °C
Warranty	3-year

ACCESSORIES

ELECTRICAL ACCESSORIES



CURRENT LIMITING MODULE 230V

Item number EP10426353

Current-limiting module for protecting the relay contact of a



CATALOGUE 2020/2021



CONTACT US

Salutation 

Firstname *

Lastname *

Company *

Phone

E-mail-address *

Subject *

Your message *

- Yes, I agree that ESYLUX will inform me about news in the future via newsletter.
- I have read and agreed to the [privacy policy](#) *

* Required



SIMILAR PRODUCTS

DEFENSOR
TWILIGHT SWITCH



[➤](#)

OTHER PRODUCTS

BASIC
MOTION DETECTORS



[➤](#)

DEFENSOR
MOTION DETECTORS



[➤](#)

MD
MOTION DETECTORS



[➤](#)

ALVA
UP-/DOWNLIGHTS



[➤](#)

OL/AOL
WALL LIGHTS



ALVA
BOLLARD LIGHTS



Solutions

Offices

Education

Health Care

Innovations

Demand-driven Automation

Intelligent Lighting

Human Centric Lighting

Light control with DALI-2

Service

Downloads

Knowledge

Support

ESYLUX Services

Company

Vision and mission

Experience and quality

Corporate responsibility

Research and development

Cooperations and
memberships

Awards and prizes

References

Highlights

ESYLUX Light Control

DEFENSOR

COMPACT

ESY-Pen

ALVA

FLAT

ISABELLE

Imprint |
Privacy policy |
Privacy settings |
General terms and conditions |
Guarantee |
Disclaimer |
Contact |
© 2021 ESYLUX GmbH

