



Roxtec S frame

The Roxtec S frame is a metal frame for welding into precise apertures. It is available in different materials and with a single opening, or in combinations with several openings in width and/or height.

- To be used with corresponding Roxtec components to form a complete sealing solution
- Attachment by welding
- SE PPS accessory available for plastic pipe seals



S 6x1 PRIMED



S 6x1 AISI316 frame



S 6x1 ALU

Aluminum

Product	Frame openings	Packing space (mm)	External dimensions WxHxD (mm)	Aperture dimensions WxH (mm)	Weight (kg)	Art. No
S 1x1 ALU	1	60 x 60	80.5 x 121 x 60	80.5(+1/-1) x 123(+1/-1)	0.6	5SS0000000378
S 1+1x1 ALU	2	60 x 60	80.5 x 232 x 60	80.5(+1/-1) x 234(+1/-1)	1	113480
S 1+1+1x1 ALU	3	60 x 60	80.5 x 343 x 60	80.5(+1/-1) x 345(+1/-1)	0	107545
S 1+1+1+1x1 ALU	4	60 x 60	80.5 x 454 x 60	80.5(+1/-1) x 456(+1/-1)	0	113482
S 2x1 ALU	1	120 x 60	140.5 x 121 x 60	143(+1/-1) x 123(+1/-1)	0.8	S002000000131
S 2x2 ALU	2	120 x 60	271 x 121 x 60	273(+1/-1) x 123(+1/-1)	1.3	S002000000231
S 2x3 ALU	3	120 x 60	401.5 x 121 x 60	404(+1/-1) x 123(+1/-1)	1.9	S002000000331
S 2x4 ALU	4	120 x 60	532 x 121 x 60	534(+1/-1) x 123(+1/-1)	2.4	S002000000431
S 2x5 ALU	5	120 x 60	662.5 x 121 x 60	665(+1/-1) x 123(+1/-1)	3	S002000000531
S 2x6 ALU	6	120 x 60	793 x 121 x 60	793(+1/-1) x 123(+1/-1)	3.5	S002000000631
S 2x7 ALU	7	120 x 60	923.5 x 121 x 60	926(+1/-1) x 123(+1/-1)	0	5S00000006610
S 2x8 ALU	8	120 x 60	1054 x 121 x 60	1056(+1/-1) x 123(+1/-1)	0	113483
S 2x9 ALU	9	120 x 60	1184.5 x 121 x 60	1187(+1/-1) x 123(+1/-1)	0	113484
S 2x10 ALU	10	120 x 60	1315 x 121 x 60	1317(+1/-1) x 123(+1/-1)	0	113485
S 2+2x1 ALU	2	120 x 60	140.5 x 232 x 60	143(+1/-1) x 234(+1/-1)	1.3	S002200000131
S 2+2x2 ALU	4	120 x 60	271 x 242 x 60	273(+1/-1) x 244(+1/-1)	0	113491
S 2+2x3 ALU	6	120 x 60	401.5 x 242 x 60	404(+1/-1) x 244(+1/-1)	0	113492

7.6.2021 Rectangular frames Roxtec Global						
Product	Frame openings	Packing space (mm)	External dimensions WxHxD (mm)	Aperture dimensions WxH (mm)	Weight (kg)	Art. No
S 2+2x4 ALU	8	120 x 60	532 x 242 x 60	534(+1/-1) x 244(+1/-1)	0	113493
S 2+2x5 ALU	10	120 x 60	662.5 x 242 x 60	665(+1/-1) x 244(+1/-1)	0	113494
S 2+2x6 ALU	12	120 x 60	793 x 242 x 60	793(+1/-1) x 244(+1/-1)	0	113495
S 2+2x7 ALU	14	120 x 60	923.5 x 242 x 60	926(+1/-1) x 244(+1/-1)	0	113496
S 2+2x8 ALU	16	120 x 60	1054 x 242 x 60	1056(+1/-1) x 244(+1/-1)	0	113497
S 2+2x9 ALU	18	120 x 60	1184.5 x 242 x 60	1187(+1/-1) x 244(+1/-1)	0	113498
S 2+2x10 ALU	20	120 x 60	1315 x 242 x 60	1317(+1/-1) x 244(+1/-1)	0	113499
S 2+2+2x1 ALU	3	120 x 60	140.5 x 343 x 60	143(+1/-1) x 345(+1/-1)	1.7	S002220000131
S 2+2+2x2 ALU	6	120 x 60	271 x 363 x 60	273(+1/-1) x 365(+1/-1)	0	113505
S 2+2+2x3 ALU	9	120 x 60	401.5 x 363 x 60	404(+1/-1) x 365(+1/-1)	0	113506
S 2+2+2x4 ALU	12	120 x 60	532 x 363 x 60	534(+1/-1) x 365(+1/-1)	0	113507
S 2+2+2x5 ALU	15	120 x 60	662.5 x 363 x 60	665(+1/-1) x 365(+1/-1)	0	113508
S 2+2+2x6 ALU	18	120 x 60	793 x 363 x 60	793(+1/-1) x 365(+1/-1)	0	113509
S 2+2+2x7 ALU	21	120 x 60	923.5 x 363 x 60	926(+1/-1) x 365(+1/-1)	0	113510
S 2+2+2x8 ALU	24	120 x 60	1054 x 363 x 60	1056(+1/-1) x 365(+1/-1)	0	113511
S 2+2+2x9 ALU	27	120 x 60	1184.5 x 363 x 60	1187(+1/-1) x 365(+1/-1)	0	113512
S 2+2+2x10 ALU	30	120 x 60	1315 x 363 x 60	1317(+1/-1) x 365(+1/-1)	0	113513
S 2+2+2+2x1 ALU	4	120 x 60	140.5 x 454 x 60	143(+1/-1) x 456(+1/-1)	0	113519
S 2+2+2+2x2 ALU	8	120 x 60	271 x 484 x 60	273(+1/-1) x 486(+1/-1)	5.5	162378
S 2+2+2+2x3 ALU	12	120 x 60	401.5 x 484 x 60	404(+1/-1) x 486(+1/-1)	7.8	162379
S 2+2+2+2x4 ALU	16	120 x 60	532 x 484 x 60	534(+1/-1) x 486(+1/-1)	10.2	162380
S 2+2+2+2x5 ALU	20	120 x 60	662.5 x 484 x 60	665(+1/-1) x 486(+1/-1)	12.5	162381
S 2+2+2+2x6 ALU	24	120 x 60	793 x 484 x 60	793(+1/-1) x 486(+1/-1)	14.9	162382
S 2+2+2+2x7 ALU	28	120 x 60	923.5 x 484 x 60	926(+1/-1) x 486(+1/-1)	17.2	162383
S 2+2+2+2x8 ALU	32	120 x 60	1054 x 484 x 60	1056(+1/-1) x 486(+1/-1)	19.5	162384
S 2+2+2+2x9 ALU	36	120 x 60	1184.5 x 484 x 60	1187(+1/-1) x 486(+1/-1)	21.9	162385
S 2+2+2+2x10 ALU	40	120 x 60	1315 x 484 x 60	1317(+1/-1) x 486(+1/-1)	24.2	162386
S 3x1 ALU	1	60 x 120	80.5 x 179.5 x 60	80.5(+1/-1) x 182(+1/-1)	0.9	5SS0000000940
S 3+3x1 ALU	2	60 x 120	80.5 x 349 x 60	80.5(+1/-1) x 351(+1/-1)	1.4	113520
S 3+3+3x1 ALU	3	60 x 120	80.5 x 518.5 x 60	80.5(+1/-1) x 521(+1/-1)	2	113521
S 3+3+3+3x1 ALU	4	60 x 120	80.5 x 688 x 60	80.5(+1/-1) x 690(+1/-1)	0	113522

7.6.2021

Rectangular frames | Roxtec Global

Product	Frame openings	Packing space (mm)	External dimensions WxHxD (mm)	Aperture dimensions WxH (mm)	Weight (kg)	Art. No
S 4x1 ALU	1	120 x 120	140.5 x 179.5 x 60	143(+1/-1) x 182(+1/-1)	1	S004000000131
S 4x2 ALU	2	120 x 120	271 x 179.5 x 60	273(+1/-1) x 182(+1/-1)	1.6	S004000000231
S 4x3 ALU	3	120 x 120	401.5 x 179.5 x 60	404(+1/-1) x 182(+1/-1)	2.3	S004000000331
S 4x4 ALU	4	120 x 120	532 x 179.5 x 60	534(+1/-1) x 182(+1/-1)	2.9	S004000000431
S 4x5 ALU	5	120 x 120	662.5 x 179.5 x 60	665(+1/-1) x 182(+1/-1)	3.6	S004000000531
S 4x6 ALU	6	120 x 120	793 x 179.5 x 60	793(+1/-1) x 182(+1/-1)	4.2	S004000000631
S 4x7 ALU	7	120 x 120	923.5 x 179.5 x 60	926(+1/-1) x 182(+1/-1)	4.9	S004000000731
S 4x8 ALU	8	120 x 120	1054 x 179.5 x 60	1056(+1/-1) x 182(+1/-1)	5.5	S004000000831
S 4x9 ALU	9	120 x 120	1184.5 x 179.5 x 60	1187(+1/-1) x 182(+1/-1)	6.2	S004000000931
S 4x10 ALU	10	120 x 120	1315 x 179.5 x 60	1317(+1/-1) x 182(+1/-1)	6.8	S004000001031
S 4+4x1 ALU	2	120 x 120	140.5 x 349 x 60	143(+1/-1) x 351(+1/-1)	1.7	S004400000131
S 4+4x2 ALU	4	120 x 120	271 x 359 x 60	273(+1/-1) x 361(+1/-1)	3.2	S004400000231
S 4+4x3 ALU	6	120 x 120	401.5 x 359 x 60	404(+1/-1) x 361(+1/-1)	4.5	S004400000331
S 4+4x4 ALU	8	120 x 120	532 x 359 x 60	534(+1/-1) x 361(+1/-1)	5.8	S004400000431
S 4+4x5 ALU	10	120 x 120	662.5 x 359 x 60	665(+1/-1) x 361(+1/-1)	0	113528
S 4+4x6 ALU	12	120 x 120	793 x 359 x 60	793(+1/-1) x 361(+1/-1)	0	113529
S 4+4x7 ALU	14	120 x 120	923.5 x 359 x 60	926(+1/-1) x 361(+1/-1)	0	113530
S 4+4x8 ALU	16	120 x 120	1054 x 359 x 60	1056(+1/-1) x 361(+1/-1)	0	113531
S 4+4x9 ALU	18	120 x 120	1184.5 x 359 x 60	1187(+1/-1) x 361(+1/-1)	0	113532
S 4+4x10 ALU	20	120 x 120	1315 x 359 x 60	1317(+1/-1) x 361(+1/-1)	0	113533
S 4+4+4x1 ALU	3	120 x 120	140.5 x 518.5 x 60	143(+1/-1) x 521(+1/-1)	2.3	S004440000131
S 4+4+4x2 ALU	6	120 x 120	271 x 538.5 x 60	273(+1/-1) x 541(+1/-1)	0	113539
S 4+4+4x3 ALU	9	120 x 120	401.5 x 538.5 x 60	404(+1/-1) x 541(+1/-1)	0	113540
S 4+4+4x4 ALU	12	120 x 120	532 x 538.5 x 60	534(+1/-1) x 541(+1/-1)	0	113541
S 4+4+4x5 ALU	15	120 x 120	662.5 x 538.5 x 60	665(+1/-1) x 541(+1/-1)	0	113542
S 4+4+4x6 ALU	18	120 x 120	793 x 538.5 x 60	793(+1/-1) x 541(+1/-1)	0	113543
S 4+4+4x7 ALU	21	120 x 120	923.5 x 538.5 x 60	926(+1/-1) x 541(+1/-1)	0	113544
S 4+4+4x8 ALU	24	120 x 120	1054 x 538.5 x 60	1056(+1/-1) x 541(+1/-1)	0	113545
S 4+4+4x9 ALU	27	120 x 120	1184.5 x 538.5 x 60	1187(+1/-1) x 541(+1/-1)	0	113546
S 4+4+4x10 ALU	30	120 x 120	1315 x 538.5 x 60	1317(+1/-1) x 541(+1/-1)	0	113547
S 4+4+4+4x1 ALU	4	120 x 120	140.5 x 688 x 60	143(+1/-1) x 690(+1/-1)	0	113553
S 4+4+4+4x2 ALU	8	120 x 120	271 x 718 x 60	273(+1/-1) x 720(+1/-1)	6.6	162395
S 4+4+4+4x3 ALU	12	120 x 120	401.5 x 718 x 60	404(+1/-1) x 720(+1/-1)	9.3	162396
S 4+4+4+4x4 ALU	16	120 x 120	532 x 718 x 60	534(+1/-1) x 720(+1/-1)	12.1	162397
S 4+4+4+4x5 ALU	20	120 x 120	662.5 x 718 x 60	665(+1/-1) x 720(+1/-1)	14.8	162398
S 4+4+4+4x6 ALU	24	120 x 120	793 x 718 x 60	793(+1/-1) x 720(+1/-1)	17.5	162399
S 4+4+4+4x7 ALU	28	120 x 120	923.5 x 718 x 60	926(+1/-1) x 720(+1/-1)	20.2	162400

7.6.2021 Rectangular frames Roxtec Global						
Product	Frame openings	Packing space (mm)	External dimensions WxHxD (mm)	Aperture dimensions WxH (mm)	Weight (kg)	Art. No
S 4+4+4+4x8 ALU	32	120 x 120	1054 x 718 x 60	1056(+1/-1) x 720(+1/-1)	23	162401
S 4+4+4+4x9 ALU	36	120 x 120	1184.5 x 718 x 60	1187(+1/-1) x 720(+1/-1)	25.7	162402
S 4+4+4+4x10 ALU	40	120 x 120	1315 x 718 x 60	1317(+1/-1) x 720(+1/-1)	28.4	162403
S 5x1 ALU	1	60 x 180	80.5 x 238 x 60	80.5(+1/-1) x 240(+1/-1)	1	5S00000000728
S 5+5x1 ALU	2	60 x 180	80.5 x 466 x 60	80.5(+1/-1) x 468(+1/-1)	1.8	113554
S 5+5+5x1 ALU	3	60 x 180	80.5 x 694 x 60	80.5(+1/-1) x 696(+1/-1)	0	113555
S 5+5+5+5x1 ALU	4	60 x 180	80.5 x 922 x 60	80.5(+1/-1) x 924(+1/-1)	0	113556
S 6x1 ALU	1	120 x 180	140.5 x 238 x 60	143(+1/-1) x 240(+1/-1)	1.2	S006000000131
S 6x2 ALU	2	120 x 180	271 x 238 x 60	273(+1/-1) x 240(+1/-1)	1.9	S006000000231
S 6x3 ALU	3	120 x 180	401.5 x 238 x 60	404(+1/-1) x 240(+1/-1)	2.6	S006000000331
S 6x4 ALU	4	120 x 180	532 x 238 x 60	534(+1/-1) x 240(+1/-1)	3.4	S006000000431
S 6x5 ALU	5	120 x 180	662.5 x 238 x 60	665(+1/-1) x 240(+1/-1)	4.1	S006000000531
S 6x6 ALU	6	120 x 180	793 x 238 x 60	793(+1/-1) x 240(+1/-1)	4.9	S006000000631
S 6x7 ALU	7	120 x 180	923.5 x 238 x 60	926(+1/-1) x 240(+1/-1)	5.6	S006000000731
S 6x8 ALU	8	120 x 180	1054 x 238 x 60	1056(+1/-1) x 240(+1/-1)	6.4	S006000000831
S 6x9 ALU	9	120 x 180	1184.5 x 238 x 60	1187(+1/-1) x 240(+1/-1)	7.1	S006000000931
S 6x10 ALU	10	120 x 180	1315 x 238 x 60	1317(+1/-1) x 240(+1/-1)	7.8	S006000001031
S 6+6x1 ALU	2	120 x 180	140.5 x 466 x 60	143(+1/-1) x 468(+1/-1)	2.1	S006600000131
S 6+6x2 ALU	4	120 x 180	271 x 476 x 60	273(+1/-1) x 478(+1/-1)	3.8	S006600000231
S 6+6x3 ALU	6	120 x 180	401.5 x 476 x 60	404(+1/-1) x 478(+1/-1)	5.3	S006600000331
S 6+6x4 ALU	8	120 x 180	532 x 476 x 60	534(+1/-1) x 478(+1/-1)	6.8	S006600000431
S 6+6x5 ALU	10	120 x 180	662.5 x 476 x 60	665(+1/-1) x 478(+1/-1)	8.2	S006600000531
S 6+6x6 ALU	12	120 x 180	793 x 476 x 60	793(+1/-1) x 478(+1/-1)	9.7	S006600000631
S 6+6x7 ALU	14	120 x 180	923.5 x 476 x 60	926(+1/-1) x 478(+1/-1)	0	113563
S 6+6x8 ALU	16	120 x 180	1054 x 476 x 60	1056(+1/-1) x 478(+1/-1)	0	113564
S 6+6x9 ALU	18	120 x 180	1184.5 x 476 x 60	1187(+1/-1) x 478(+1/-1)	0	113565
S 6+6x10 ALU	20	120 x 180	1315 x 476 x 60	1317(+1/-1) x 478(+1/-1)	0	113566
S 6+6+6x1 ALU	3	120 x 180	140.5 x 694 x 60	143(+1/-1) x 696(+1/-1)	2.8	S006660000131
S 6+6+6x2 ALU	6	120 x 180	271 x 714 x 60	273(+1/-1) x 716(+1/-1)	6	113572
S 6+6+6x3 ALU	9	120 x 180	401.5 x 714 x 60	404(+1/-1) x 716(+1/-1)	8	5S000000007960
S 6+6+6x4 ALU	12	120 x 180	532 x 714 x 60	534(+1/-1) x 716(+1/-1)	10.3	5S000000007961
S 6+6+6x5 ALU	15	120 x 180	662.5 x 714 x 60	665(+1/-1) x 716(+1/-1)	0	113573
S 6+6+6x6 ALU	18	120 x 180	793 x 714 x 60	793(+1/-1) x 716(+1/-1)	0	113574

7.6.2021 Rectangular frames Roxtec Global						
Product	Frame openings	Packing space (mm)	External dimensions WxHxD (mm)	Aperture dimensions WxH (mm)	Weight (kg)	Art. No
S 6+6+6x7 ALU	21	120 x 180	923.5 x 714 x 60	926(+1/-1) x 716(+1/-1)	0	113575
S 6+6+6x8 ALU	24	120 x 180	1054 x 714 x 60	1056(+1/-1) x 716(+1/-1)	0	113576
S 6+6+6x9 ALU	27	120 x 180	1184.5 x 714 x 60	1187(+1/-1) x 716(+1/-1)	0	113577
S 6+6+6x10 ALU	30	120 x 180	1315 x 714 x 60	1317(+1/-1) x 716(+1/-1)	0	113578
S 6+6+6+6x1 ALU	4	120 x 180	140.5 x 922 x 60	143(+1/-1) x 924(+1/-1)	0	5S00000006297
S 6+6+6+6x2 ALU	8	120 x 180	271 x 952 x 60	273(+1/-1) x 954(+1/-1)	7.8	162411
S 6+6+6+6x3 ALU	12	120 x 180	401.5 x 952 x 60	404(+1/-1) x 954(+1/-1)	10.9	162412
S 6+6+6+6x4 ALU	16	120 x 180	532 x 952 x 60	534(+1/-1) x 954(+1/-1)	14	162413
S 6+6+6+6x5 ALU	20	120 x 180	662.5 x 952 x 60	665(+1/-1) x 954(+1/-1)	17.1	162414
S 6+6+6+6x6 ALU	24	120 x 180	793 x 952 x 60	793(+1/-1) x 954(+1/-1)	20.2	162415
S 6+6+6+6x7 ALU	28	120 x 180	923.5 x 952 x 60	926(+1/-1) x 954(+1/-1)	23.3	162416
S 6+6+6+6x8 ALU	32	120 x 180	1054 x 952 x 60	1056(+1/-1) x 954(+1/-1)	26.4	162417
S 6+6+6+6x9 ALU	36	120 x 180	1184.5 x 952 x 60	1187(+1/-1) x 954(+1/-1)	29.5	162418
S 6+6+6+6x10 ALU	40	120 x 180	1315 x 952 x 60	1317(+1/-1) x 954(+1/-1)	32.5	162419
S 7x1 ALU	1	60 x 240	80.5 x 298 x 60	80.5(+1/-1) x 300(+1/-1)	1.2	5SS0000005357
S 7+7x1 ALU	2	60 x 240	80.5 x 586 x 60	80.5(+1/-1) x 588(+1/-1)	2	113584
S 7+7+7x1 ALU	3	60 x 240	80.5 x 874 x 60	80.5(+1/-1) x 876(+1/-1)	0	113585
S 7+7+7+7x1 ALU	4	60 x 240	80.5 x 1162 x 60	80.5(+1/-1) x 1164(+1/-1)	0	113586
S 8x1 ALU	1	120 x 240	140.5 x 298 x 60	143(+1/-1) x 300(+1/-1)	1.3	S008000000131
S 8x2 ALU	2	120 x 240	271 x 298 x 60	273(+1/-1) x 300(+1/-1)	2.2	S008000000231
S 8x3 ALU	3	120 x 240	401.5 x 298 x 60	404(+1/-1) x 300(+1/-1)	3	S008000000331
S 8x4 ALU	4	120 x 240	532 x 298 x 60	534(+1/-1) x 300(+1/-1)	3.9	S008000000431
S 8x5 ALU	5	120 x 240	662.5 x 298 x 60	665(+1/-1) x 300(+1/-1)	4.7	S008000000531
S 8x6 ALU	6	120 x 240	793 x 298 x 60	793(+1/-1) x 300(+1/-1)	5.6	S008000000631
S 8x7 ALU	7	120 x 240	923.5 x 298 x 60	926(+1/-1) x 300(+1/-1)	6.4	S008000000731
S 8x8 ALU	8	120 x 240	1054 x 298 x 60	1056(+1/-1) x 300(+1/-1)	7.2	S008000000831
S 8x9 ALU	9	120 x 240	1184.5 x 298 x 60	1187(+1/-1) x 300(+1/-1)	8.7	S008000000931
S 8x10 ALU	10	120 x 240	1315 x 298 x 60	1317(+1/-1) x 300(+1/-1)	8.9	S008000001031
S 8+8x1 ALU	2	120 x 240	140.5 x 586 x 60	143(+1/-1) x 588(+1/-1)	2.5	S008800000131
S 8+8x2 ALU	4	120 x 240	271 x 596 x 60	273(+1/-1) x 598(+1/-1)	4.5	5S00000007144
S 8+8x3 ALU	6	120 x 240	401.5 x 596 x 60	404(+1/-1) x 598(+1/-1)	6.2	5S00000008024

Product	Frame openings	Packing space (mm)	External dimensions WxHxD (mm)	Aperture dimensions WxH (mm)	Weight (kg)	Art. No
S 8+8x4 ALU	8	120 x 240	532 x 596 x 60	534(+1/-1) x 598(+1/-1)	0	113596
S 8+8x5 ALU	10	120 x 240	662.5 x 596 x 60	665(+1/-1) x 598(+1/-1)	0	113597
S 8+8x6 ALU	12	120 x 240	793 x 596 x 60	793(+1/-1) x 598(+1/-1)	0	113598
S 8+8x7 ALU	14	120 x 240	923.5 x 596 x 60	926(+1/-1) x 598(+1/-1)	0	113599
S 8+8x8 ALU	16	120 x 240	1054 x 596 x 60	1056(+1/-1) x 598(+1/-1)	0	113600
S 8+8x9 ALU	18	120 x 240	1184.5 x 596 x 60	1187(+1/-1) x 598(+1/-1)	0	113601
S 8+8x10 ALU	20	120 x 240	1315 x 596 x 60	1317(+1/-1) x 598(+1/-1)	0	113602
S 8+8+8x1 ALU	3	120 x 240	140.5 x 874 x 60	143(+1/-1) x 876(+1/-1)	3.4	S008880000131
S 8+8+8x2 ALU	6	120 x 240	271 x 894 x 60	273(+1/-1) x 896(+1/-1)	0	113608
S 8+8+8x3 ALU	9	120 x 240	401.5 x 894 x 60	404(+1/-1) x 896(+1/-1)	0	5S000000007962
S 8+8+8x4 ALU	12	120 x 240	532 x 894 x 60	534(+1/-1) x 896(+1/-1)	0	113609
S 8+8+8x5 ALU	15	120 x 240	662.5 x 894 x 60	665(+1/-1) x 896(+1/-1)	0	113610
S 8+8+8x6 ALU	18	120 x 240	793 x 894 x 60	793(+1/-1) x 896(+1/-1)	0	113611
S 8+8+8x7 ALU	21	120 x 240	923.5 x 894 x 60	926(+1/-1) x 896(+1/-1)	0	113612
S 8+8+8x8 ALU	24	120 x 240	1054 x 894 x 60	1056(+1/-1) x 896(+1/-1)	0	113613
S 8+8+8x9 ALU	27	120 x 240	1184.5 x 894 x 60	1187(+1/-1) x 896(+1/-1)	0	113614
S 8+8+8x10 ALU	30	120 x 240	1315 x 894 x 60	1317(+1/-1) x 896(+1/-1)	0	113615
S 8+8+8+8x1 ALU	4	120 x 240	140.5 x 1162 x 60	143(+1/-1) x 1164(+1/-1)	5	113621
S 8+8+8+8x2 ALU	8	120 x 240	271 x 1192 x 60	273(+1/-1) x 1194(+1/-1)	8.9	162428
S 8+8+8+8x3 ALU	12	120 x 240	401.5 x 1192 x 60	404(+1/-1) x 1194(+1/-1)	12.4	162429
S 8+8+8+8x4 ALU	16	120 x 240	532 x 1192 x 60	534(+1/-1) x 1194(+1/-1)	15.9	162430
S 8+8+8+8x5 ALU	20	120 x 240	662.5 x 1192 x 60	665(+1/-1) x 1194(+1/-1)	19.4	162431
S 8+8+8+8x6 ALU	24	120 x 240	793 x 1192 x 60	793(+1/-1) x 1194(+1/-1)	22.9	162432
S 8+8+8+8x7 ALU	28	120 x 240	923.5 x 1192 x 60	926(+1/-1) x 1194(+1/-1)	26.4	162433
S 8+8+8+8x8 ALU	32	120 x 240	1054 x 1192 x 60	1056(+1/-1) x 1194(+1/-1)	29.9	162434
S 8+8+8+8x9 ALU	36	120 x 240	1184.5 x 1192 x 60	1187(+1/-1) x 1194(+1/-1)	33.3	162435
S 8+8+8+8x10 ALU	40	120 x 240	1315 x 1192 x 60	1317(+1/-1) x 1194(+1/-1)	36.8	162436

Primed mild steel

Product	Frame openings	Packing space (mm)	External dimensions WxHxD (mm)	Aperture dimensions WxH (mm)	Weight (kg)	Art. No
---------	----------------	--------------------	-----------------------------------	---------------------------------	-------------	---------

7.6.2021 Rectangular frames Roxtec Global						
Product	Frame openings	Packing space (mm)	External dimensions WxHxD (mm)	Aperture dimensions WxH (mm)	Weight (kg)	Art. No
S 1x1 PRIMED	1	60 x 60	80.5 x 121 x 60	80.5(+1/-1) x 123(+1/-1)	1.6	SS01000000112
S 1+1x1 PRIMED	2	60 x 60	80.5 x 232 x 60	80.5(+1/-1) x 234(+1/-1)	3	113385
S 1+1+1x1 PRIMED	3	60 x 60	80.5 x 343 x 60	80.5(+1/-1) x 345(+1/-1)	4.4	113386
S 1+1+1+1x1 PRIMED	4	60 x 60	80.5 x 454 x 60	80.5(+1/-1) x 456(+1/-1)	0	113387
S 2x1 PRIMED	1	120 x 60	140.5 x 121 x 60	143(+1/-1) x 123(+1/-1)	2.2	S002000000112
S 2x2 PRIMED	2	120 x 60	271 x 121 x 60	273(+1/-1) x 123(+1/-1)	3.9	S002000000212
S 2x3 PRIMED	3	120 x 60	401.5 x 121 x 60	404(+1/-1) x 123(+1/-1)	5.5	S002000000312
S 2x4 PRIMED	4	120 x 60	532 x 121 x 60	534(+1/-1) x 123(+1/-1)	7	S002000000412
S 2x5 PRIMED	5	120 x 60	662.5 x 121 x 60	665(+1/-1) x 123(+1/-1)	8.7	S002000000512
S 2x6 PRIMED	6	120 x 60	793 x 121 x 60	793(+1/-1) x 123(+1/-1)	10.3	S002000000612
S 2x7 PRIMED	7	120 x 60	923.5 x 121 x 60	926(+1/-1) x 123(+1/-1)	11.9	S002000000712
S 2x8 PRIMED	8	120 x 60	1054 x 121 x 60	1056(+1/-1) x 123(+1/-1)	13.5	S002000000812
S 2x9 PRIMED	9	120 x 60	1184.5 x 121 x 60	1187(+1/-1) x 123(+1/-1)	15.1	S002000000912
S 2x10 PRIMED	10	120 x 60	1315 x 121 x 60	1317(+1/-1) x 123(+1/-1)	16.8	S002000001012
S 2+2x1 PRIMED	2	120 x 60	140.5 x 232 x 60	143(+1/-1) x 234(+1/-1)	3.6	5S00000000625
S 2+2x2 PRIMED	4	120 x 60	271 x 242 x 60	273(+1/-1) x 244(+1/-1)	7.5	110303
S 2+2x3 PRIMED	6	120 x 60	401.5 x 242 x 60	404(+1/-1) x 244(+1/-1)	10.8	5S00000002485
S 2+2x4 PRIMED	8	120 x 60	532 x 242 x 60	534(+1/-1) x 244(+1/-1)	21.1	5S00000002486
S 2+2x5 PRIMED	10	120 x 60	662.5 x 242 x 60	665(+1/-1) x 244(+1/-1)	18	113393
S 2+2x6 PRIMED	12	120 x 60	793 x 242 x 60	793(+1/-1) x 244(+1/-1)	0	113394
S 2+2x7 PRIMED	14	120 x 60	923.5 x 242 x 60	926(+1/-1) x 244(+1/-1)	0	113395
S 2+2x8 PRIMED	16	120 x 60	1054 x 242 x 60	1056(+1/-1) x 244(+1/-1)	0	113396
S 2+2x9 PRIMED	18	120 x 60	1184.5 x 242 x 60	1187(+1/-1) x 244(+1/-1)	0	113397
S 2+2x10 PRIMED	20	120 x 60	1315 x 242 x 60	1317(+1/-1) x 244(+1/-1)	0	113398
S 2+2+2x1 PRIMED	3	120 x 60	140.5 x 343 x 60	143(+1/-1) x 345(+1/-1)	5.5	S002220000112
S 2+2+2x2 PRIMED	6	120 x 60	271 x 363 x 60	273(+1/-1) x 365(+1/-1)	0	113404
S 2+2+2x3 PRIMED	9	120 x 60	401.5 x 363 x 60	404(+1/-1) x 365(+1/-1)	0	113405
S 2+2+2x4 PRIMED	12	120 x 60	532 x 363 x 60	534(+1/-1) x 365(+1/-1)	0	113406
S 2+2+2x5 PRIMED	15	120 x 60	662.5 x 363 x 60	665(+1/-1) x 365(+1/-1)	0	113407
S 2+2+2x6 PRIMED	18	120 x 60	793 x 363 x 60	793(+1/-1) x 365(+1/-1)	0	113408
S 2+2+2x7 PRIMED	21	120 x 60	923.5 x 363 x 60	926(+1/-1) x 365(+1/-1)	0	113409
S 2+2+2x8 PRIMED	24	120 x 60	1054 x 363 x 60	1056(+1/-1) x 365(+1/-1)	0	113410
S 2+2+2x9 PRIMED	27	120 x 60	1184.5 x 363 x 60	1187(+1/-1) x 365(+1/-1)	0	113411
S 2+2+2x10 PRIMED	30	120 x 60	1315 x 363 x 60	1317(+1/-1) x 365(+1/-1)	0	113412

7.6.2021 Rectangular frames Roxtec Global						
Product	Frame openings	Packing space (mm)	External dimensions WxHxD (mm)	Aperture dimensions WxH (mm)	Weight (kg)	Art. No
S 2+2+2+2x1 PRIMED	4	120 x 60	140.5 x 454 x 60	143(+1/-1) x 456(+1/-1)	0	113418
S 2+2+2+2x2 PRIMED	8	120 x 60	271 x 484 x 60	273(+1/-1) x 486(+1/-1)	15.9	162262
S 2+2+2+2x3 PRIMED	12	120 x 60	401.5 x 484 x 60	404(+1/-1) x 486(+1/-1)	22.7	162263
S 2+2+2+2x4 PRIMED	16	120 x 60	532 x 484 x 60	534(+1/-1) x 486(+1/-1)	29.6	162264
S 2+2+2+2x5 PRIMED	20	120 x 60	662.5 x 484 x 60	665(+1/-1) x 486(+1/-1)	36.4	162265
S 2+2+2+2x6 PRIMED	24	120 x 60	793 x 484 x 60	793(+1/-1) x 486(+1/-1)	43.2	162266
S 2+2+2+2x7 PRIMED	28	120 x 60	923.5 x 484 x 60	926(+1/-1) x 486(+1/-1)	50	162267
S 2+2+2+2x8 PRIMED	32	120 x 60	1054 x 484 x 60	1056(+1/-1) x 486(+1/-1)	56.8	162268
S 2+2+2+2x9 PRIMED	36	120 x 60	1184.5 x 484 x 60	1187(+1/-1) x 486(+1/-1)	63.7	162269
S 2+2+2+2x10 PRIMED	40	120 x 60	1315 x 484 x 60	1317(+1/-1) x 486(+1/-1)	70.5	162270
S 3x1 PRIMED	1	60 x 120	80.5 x 179.5 x 60	80.5(+1/-1) x 182(+1/-1)	2.3	SS03000000112
S 3+3x1 PRIMED	2	60 x 120	80.5 x 349 x 60	80.5(+1/-1) x 351(+1/-1)	4.1	5S00000006611
S 3+3+3x1 PRIMED	3	60 x 120	80.5 x 518.5 x 60	80.5(+1/-1) x 521(+1/-1)	6	113419
S 3+3+3+3x1 PRIMED	4	60 x 120	80.5 x 688 x 60	80.5(+1/-1) x 690(+1/-1)	0	113420
S 4x1 PRIMED	1	120 x 120	140.5 x 179.5 x 60	143(+1/-1) x 182(+1/-1)	2.8	S004000000112
S 4x2 PRIMED	2	120 x 120	271 x 179.5 x 60	273(+1/-1) x 182(+1/-1)	4.7	S004000000212
S 4x3 PRIMED	3	120 x 120	401.5 x 179.5 x 60	404(+1/-1) x 182(+1/-1)	6.6	S004000000312
S 4x4 PRIMED	4	120 x 120	532 x 179.5 x 60	534(+1/-1) x 182(+1/-1)	8.5	S004000000412
S 4x5 PRIMED	5	120 x 120	662.5 x 179.5 x 60	665(+1/-1) x 182(+1/-1)	10.3	S004000000512
S 4x6 PRIMED	6	120 x 120	793 x 179.5 x 60	793(+1/-1) x 182(+1/-1)	12.2	S004000000612
S 4x7 PRIMED	7	120 x 120	923.5 x 179.5 x 60	926(+1/-1) x 182(+1/-1)	14.1	S004000000712
S 4x8 PRIMED	8	120 x 120	1054 x 179.5 x 60	1056(+1/-1) x 182(+1/-1)	16	S004000000812
S 4x9 PRIMED	9	120 x 120	1184.5 x 179.5 x 60	1187(+1/-1) x 182(+1/-1)	17.9	S004000000912
S 4x10 PRIMED	10	120 x 120	1315 x 179.5 x 60	1317(+1/-1) x 182(+1/-1)	19.8	S004000001012
S 4+4x1 PRIMED	2	120 x 120	140.5 x 349 x 60	143(+1/-1) x 351(+1/-1)	4.7	S004400000112
S 4+4x2 PRIMED	4	120 x 120	271 x 359 x 60	273(+1/-1) x 361(+1/-1)	9.5	S004400000212
S 4+4x3 PRIMED	6	120 x 120	401.5 x 359 x 60	404(+1/-1) x 361(+1/-1)	13.5	S004400000312
S 4+4x4 PRIMED	8	120 x 120	532 x 359 x 60	534(+1/-1) x 361(+1/-1)	17.1	S004400000412
S 4+4x5 PRIMED	10	120 x 120	662.5 x 359 x 60	665(+1/-1) x 361(+1/-1)	21	S004400000512
S 4+4x6 PRIMED	12	120 x 120	793 x 359 x 60	793(+1/-1) x 361(+1/-1)	24.8	S004400000612
S 4+4x7 PRIMED	14	120 x 120	923.5 x 359 x 60	926(+1/-1) x 361(+1/-1)	28.6	S004400000712
S 4+4x8 PRIMED	16	120 x 120	1054 x 359 x 60	1056(+1/-1) x 361(+1/-1)	32.6	S004400000812
S 4+4x9 PRIMED	18	120 x 120	1184.5 x 359 x 60	1187(+1/-1) x 361(+1/-1)	0	113426
S 4+4x10 PRIMED	20	120 x 120	1315 x 359 x 60	1317(+1/-1) x 361(+1/-1)	0	113427
S 4+4+4x2 PRIMED	6	120 x 120	271 x 538.5 x 60	273(+1/-1) x 541(+1/-1)	14.2	S004440000212

7.6.2021 Rectangular frames Roxtec Global						
Product	Frame openings	Packing space (mm)	External dimensions WxHxD (mm)	Aperture dimensions WxH (mm)	Weight (kg)	Art. No
S 4+4+4x3 PRIMED	9	120 x 120	401.5 x 538.5 x 60	404(+1/-1) x 541(+1/-1)	19.9	S004440000312
S 4+4+4x4 PRIMED	12	120 x 120	532 x 538.5 x 60	534(+1/-1) x 541(+1/-1)	25.3	S004440000412
S 4+4+4x5 PRIMED	15	120 x 120	662.5 x 538.5 x 60	665(+1/-1) x 541(+1/-1)	31.3	S004440000512
S 4+4+4x6 PRIMED	18	120 x 120	793 x 538.5 x 60	793(+1/-1) x 541(+1/-1)	37	S004440000612
S 4+4+4x7 PRIMED	21	120 x 120	923.5 x 538.5 x 60	926(+1/-1) x 541(+1/-1)	0	113433
S 4+4+4x8 PRIMED	24	120 x 120	1054 x 538.5 x 60	1056(+1/-1) x 541(+1/-1)	0	113434
S 4+4+4x9 PRIMED	27	120 x 120	1184.5 x 538.5 x 60	1187(+1/-1) x 541(+1/-1)	0	113435
S 4+4+4x10 PRIMED	30	120 x 120	1315 x 538.5 x 60	1317(+1/-1) x 541(+1/-1)	0	113436
S 4+4+4+4x1 PRIMED	4	120 x 120	140.5 x 688 x 60	143(+1/-1) x 690(+1/-1)	9	5S00000006621
S 4+4+4+4x2 PRIMED	8	120 x 120	271 x 718 x 60	273(+1/-1) x 720(+1/-1)	19.2	162277
S 4+4+4+4x3 PRIMED	12	120 x 120	401.5 x 718 x 60	404(+1/-1) x 720(+1/-1)	27.1	162278
S 4+4+4+4x4 PRIMED	16	120 x 120	532 x 718 x 60	534(+1/-1) x 720(+1/-1)	35	103956
S 4+4+4+4x5 PRIMED	20	120 x 120	662.5 x 718 x 60	665(+1/-1) x 720(+1/-1)	43	124280
S 4+4+4+4x6 PRIMED	24	120 x 120	793 x 718 x 60	793(+1/-1) x 720(+1/-1)	50	103957
S 4+4+4+4x7 PRIMED	28	120 x 120	923.5 x 718 x 60	926(+1/-1) x 720(+1/-1)	58.8	162279
S 4+4+4+4x8 PRIMED	32	120 x 120	1054 x 718 x 60	1056(+1/-1) x 720(+1/-1)	66.8	162280
S 4+4+4+4x9 PRIMED	36	120 x 120	1184.5 x 718 x 60	1187(+1/-1) x 720(+1/-1)	74.7	162281
S 4+4+4+4x10 PRIMED	40	120 x 120	1315 x 718 x 60	1317(+1/-1) x 720(+1/-1)	82.6	162282
S 5x1 PRIMED	1	60 x 180	80.5 x 238 x 60	80.5(+1/-1) x 240(+1/-1)	2.5	SS05000000112
S 5+5x1 PRIMED	2	60 x 180	80.5 x 466 x 60	80.5(+1/-1) x 468(+1/-1)	5.2	5SS0000000181
S 5+5+5x1 PRIMED	3	60 x 180	80.5 x 694 x 60	80.5(+1/-1) x 696(+1/-1)	7.6	5S00000005450
S 5+5+5+5x1 PRIMED	4	60 x 180	80.5 x 922 x 60	80.5(+1/-1) x 924(+1/-1)	0	113442
S 6x1 PRIMED	1	120 x 180	140.5 x 238 x 60	143(+1/-1) x 240(+1/-1)	3.3	S006000000112
S 6x2 PRIMED	2	120 x 180	271 x 238 x 60	273(+1/-1) x 240(+1/-1)	5.5	S006000000212
S 6x3 PRIMED	3	120 x 180	401.5 x 238 x 60	404(+1/-1) x 240(+1/-1)	7.7	S006000000312
S 6x4 PRIMED	4	120 x 180	532 x 238 x 60	534(+1/-1) x 240(+1/-1)	9.8	S006000000412
S 6x5 PRIMED	5	120 x 180	662.5 x 238 x 60	665(+1/-1) x 240(+1/-1)	12	S006000000512
S 6x6 PRIMED	6	120 x 180	793 x 238 x 60	793(+1/-1) x 240(+1/-1)	14.2	S006000000612
S 6x7 PRIMED	7	120 x 180	923.5 x 238 x 60	926(+1/-1) x 240(+1/-1)	16.3	S006000000712
S 6x8 PRIMED	8	120 x 180	1054 x 238 x 60	1056(+1/-1) x 240(+1/-1)	18.5	S006000000812
S 6x9 PRIMED	9	120 x 180	1184.5 x 238 x 60	1187(+1/-1) x 240(+1/-1)	20.7	S006000000912
S 6x10 PRIMED	10	120 x 180	1315 x 238 x 60	1317(+1/-1) x 240(+1/-1)	22.8	S006000001012

7.6.2021 Rectangular frames Roxtec Global						
Product	Frame openings	Packing space (mm)	External dimensions WxHxD (mm)	Aperture dimensions WxH (mm)	Weight (kg)	Art. No
S 6+6x1 PRIMED	2	120 x 180	140.5 x 466 x 60	143(+1/-1) x 468(+1/-1)	6	S006600000112
S 6+6x2 PRIMED	4	120 x 180	271 x 476 x 60	273(+1/-1) x 478(+1/-1)	11.1	S006600000212
S 6+6x3 PRIMED	6	120 x 180	401.5 x 476 x 60	404(+1/-1) x 478(+1/-1)	15.5	S006600000312
S 6+6x4 PRIMED	8	120 x 180	532 x 476 x 60	534(+1/-1) x 478(+1/-1)	19.9	S006600000412
S 6+6x5 PRIMED	10	120 x 180	662.5 x 476 x 60	665(+1/-1) x 478(+1/-1)	24.3	S006600000512
S 6+6x6 PRIMED	12	120 x 180	793 x 476 x 60	793(+1/-1) x 478(+1/-1)	28.6	S006600000612
S 6+6x7 PRIMED	14	120 x 180	923.5 x 476 x 60	926(+1/-1) x 478(+1/-1)	32.7	S006600000712
S 6+6x8 PRIMED	16	120 x 180	1054 x 476 x 60	1056(+1/-1) x 478(+1/-1)	37.4	S006600000812
S 6+6x9 PRIMED	18	120 x 180	1184.5 x 476 x 60	1187(+1/-1) x 478(+1/-1)	41.8	S006600000912
S 6+6x10 PRIMED	20	120 x 180	1315 x 476 x 60	1317(+1/-1) x 478(+1/-1)	46.2	S006600001012
S 6+6+6x1 PRIMED	3	120 x 180	140.5 x 694 x 60	143(+1/-1) x 696(+1/-1)	8.8	S006660000112
S 6+6+6x2 PRIMED	6	120 x 180	271 x 714 x 60	273(+1/-1) x 716(+1/-1)	14.9	5S00000002730
S 6+6+6x3 PRIMED	9	120 x 180	401.5 x 714 x 60	404(+1/-1) x 716(+1/-1)	23.3	5S00000006231
S 6+6+6x4 PRIMED	12	120 x 180	532 x 714 x 60	534(+1/-1) x 716(+1/-1)	30.9	5S00000005298
S 6+6+6x5 PRIMED	15	120 x 180	662.5 x 714 x 60	665(+1/-1) x 716(+1/-1)	37.2	5S00000001823
S 6+6+6x6 PRIMED	18	120 x 180	793 x 714 x 60	793(+1/-1) x 716(+1/-1)	44	5S00000010070
S 6+6+6x7 PRIMED	21	120 x 180	923.5 x 714 x 60	926(+1/-1) x 716(+1/-1)	51	5S00000001350
S 6+6+6x8 PRIMED	24	120 x 180	1054 x 714 x 60	1056(+1/-1) x 716(+1/-1)	57	113453
S 6+6+6x9 PRIMED	27	120 x 180	1184.5 x 714 x 60	1187(+1/-1) x 716(+1/-1)	0	113454
S 6+6+6x10 PRIMED	30	120 x 180	1315 x 714 x 60	1317(+1/-1) x 716(+1/-1)	0	113455
S 6+6+6+6x1 PRIMED	4	120 x 180	140.5 x 922 x 60	143(+1/-1) x 924(+1/-1)	11.2	5S00000000538
S 6+6+6+6x2 PRIMED	8	120 x 180	271 x 952 x 60	273(+1/-1) x 954(+1/-1)	24	108363
S 6+6+6+6x3 PRIMED	12	120 x 180	401.5 x 952 x 60	404(+1/-1) x 954(+1/-1)	28.6	105916
S 6+6+6+6x4 PRIMED	16	120 x 180	532 x 952 x 60	534(+1/-1) x 954(+1/-1)	40	121149
S 6+6+6+6x5 PRIMED	20	120 x 180	662.5 x 952 x 60	665(+1/-1) x 954(+1/-1)	49.6	118641
S 6+6+6+6x6 PRIMED	24	120 x 180	793 x 952 x 60	793(+1/-1) x 954(+1/-1)	58.6	162290
S 6+6+6+6x7 PRIMED	28	120 x 180	923.5 x 952 x 60	926(+1/-1) x 954(+1/-1)	67.7	162291
S 6+6+6+6x8 PRIMED	32	120 x 180	1054 x 952 x 60	1056(+1/-1) x 954(+1/-1)	76.7	162292
S 6+6+6+6x9 PRIMED	36	120 x 180	1184.5 x 952 x 60	1187(+1/-1) x 954(+1/-1)	85.7	162293
S 6+6+6+6x10 PRIMED	40	120 x 180	1315 x 952 x 60	1317(+1/-1) x 954(+1/-1)	92	107864
S 6+6+6+6+6x1 PRIMED	5	120 x 180	140.5 x 1150 x 60	143(+1/-1) x 1152(+1/-1)	13.6	5S00000000900
S 7x1 PRIMED	1	60 x 240	80.5 x 298 x 60	80.5(+1/-1) x 300(+1/-1)	3.3	SS07000000112
S 7+7x1 PRIMED	2	60 x 240	80.5 x 586 x 60	80.5(+1/-1) x 588(+1/-1)	6.2	5S00000006612
S 7+7+7x1 PRIMED	3	60 x 240	80.5 x 874 x 60	80.5(+1/-1) x 876(+1/-1)	9.3	5S00000005597

7.6.2021 Rectangular frames Roxtec Global						
Product	Frame openings	Packing space (mm)	External dimensions WxHxD (mm)	Aperture dimensions WxH (mm)	Weight (kg)	Art. No
S 7+7+7+7x1 PRIMED	4	60 x 240	80.5 x 1162 x 60	80.5(+1/-1) x 1164(+1/-1)	0	113461
S 8x1 PRIMED	1	120 x 240	140.5 x 298 x 60	143(+1/-1) x 300(+1/-1)	3.9	S008000000112
S 8x2 PRIMED	2	120 x 240	271 x 298 x 60	273(+1/-1) x 300(+1/-1)	6.4	S008000000212
S 8x3 PRIMED	3	120 x 240	401.5 x 298 x 60	404(+1/-1) x 300(+1/-1)	8.2	S008000000312
S 8x4 PRIMED	4	120 x 240	532 x 298 x 60	534(+1/-1) x 300(+1/-1)	10.4	S008000000412
S 8x5 PRIMED	5	120 x 240	662.5 x 298 x 60	665(+1/-1) x 300(+1/-1)	12.6	S008000000512
S 8x6 PRIMED	6	120 x 240	793 x 298 x 60	793(+1/-1) x 300(+1/-1)	14.7	S008000000612
S 8x7 PRIMED	7	120 x 240	923.5 x 298 x 60	926(+1/-1) x 300(+1/-1)	18.6	S008000000712
S 8x8 PRIMED	8	120 x 240	1054 x 298 x 60	1056(+1/-1) x 300(+1/-1)	21.1	S008000000812
S 8x9 PRIMED	9	120 x 240	1184.5 x 298 x 60	1187(+1/-1) x 300(+1/-1)	23.6	S008000000912
S 8x10 PRIMED	10	120 x 240	1315 x 298 x 60	1317(+1/-1) x 300(+1/-1)	25.9	S008000001012
S 8+8x1 PRIMED	2	120 x 240	140.5 x 586 x 60	143(+1/-1) x 588(+1/-1)	7	S008800000112
S 8+8x2 PRIMED	4	120 x 240	271 x 596 x 60	273(+1/-1) x 598(+1/-1)	12.3	S008800000212
S 8+8x3 PRIMED	6	120 x 240	401.5 x 596 x 60	404(+1/-1) x 598(+1/-1)	17.5	S008800000312
S 8+8x4 PRIMED	8	120 x 240	532 x 596 x 60	534(+1/-1) x 598(+1/-1)	21	S008800000412
S 8+8x5 PRIMED	10	120 x 240	662.5 x 596 x 60	665(+1/-1) x 598(+1/-1)	27.4	S008800000512
S 8+8x6 PRIMED	12	120 x 240	793 x 596 x 60	793(+1/-1) x 598(+1/-1)	29.8	S008800000612
S 8+8x7 PRIMED	14	120 x 240	923.5 x 596 x 60	926(+1/-1) x 598(+1/-1)	34.2	S008800000712
S 8+8x8 PRIMED	16	120 x 240	1054 x 596 x 60	1056(+1/-1) x 598(+1/-1)	38.5	S008800000812
S 8+8x9 PRIMED	18	120 x 240	1184.5 x 596 x 60	1187(+1/-1) x 598(+1/-1)	42.9	S008800000912
S 8+8x10 PRIMED	20	120 x 240	1315 x 596 x 60	1317(+1/-1) x 598(+1/-1)	47.3	S008800001012
S 8+8+8x1 PRIMED	3	120 x 240	140.5 x 874 x 60	143(+1/-1) x 876(+1/-1)	9.9	S008880000112
S 8+8+8x2 PRIMED	6	120 x 240	271 x 894 x 60	273(+1/-1) x 896(+1/-1)	19.3	5S00000010798
S 8+8+8x3 PRIMED	9	120 x 240	401.5 x 894 x 60	404(+1/-1) x 896(+1/-1)	26.3	5S00000007512
S 8+8+8x4 PRIMED	12	120 x 240	532 x 894 x 60	534(+1/-1) x 896(+1/-1)	31.5	5S00000005299
S 8+8+8x5 PRIMED	15	120 x 240	662.5 x 894 x 60	665(+1/-1) x 896(+1/-1)	43	5S00000009008
S 8+8+8x6 PRIMED	18	120 x 240	793 x 894 x 60	793(+1/-1) x 896(+1/-1)	47.7	5S00000007474
S 8+8+8x7 PRIMED	21	120 x 240	923.5 x 894 x 60	926(+1/-1) x 896(+1/-1)	59	104655
S 8+8+8x8 PRIMED	24	120 x 240	1054 x 894 x 60	1056(+1/-1) x 896(+1/-1)	65.3	5S00000010702
S 8+8+8x9 PRIMED	27	120 x 240	1184.5 x 894 x 60	1187(+1/-1) x 896(+1/-1)	0	113474

Product	Frame openings	Packing space (mm)	External dimensions WxHxD (mm)	Aperture dimensions WxH (mm)	Weight (kg)	Art. No
S 8+8+8x10 PRIMED	30	120 x 240	1315 x 894 x 60	1317(+1/-1) x 896(+1/-1)	79.5	5S00000007087
S 8+8+8+8x1 PRIMED	4	120 x 240	140.5 x 1162 x 60	143(+1/-1) x 1164(+1/-1)	13.7	5S00000002872
S 8+8+8+8x2 PRIMED	8	120 x 240	271 x 1192 x 60	273(+1/-1) x 1194(+1/-1)	26.2	5S00000011633
S 8+8+8+8x3 PRIMED	12	120 x 240	401.5 x 1192 x 60	404(+1/-1) x 1194(+1/-1)	35	106704
S 8+8+8+8x4 PRIMED	16	120 x 240	532 x 1192 x 60	534(+1/-1) x 1194(+1/-1)	50	126952
S 8+8+8+8x5 PRIMED	20	120 x 240	662.5 x 1192 x 60	665(+1/-1) x 1194(+1/-1)	56.5	160011
S 8+8+8+8x6 PRIMED	24	120 x 240	793 x 1192 x 60	793(+1/-1) x 1194(+1/-1)	66.5	162302
S 8+8+8+8x7 PRIMED	28	120 x 240	923.5 x 1192 x 60	926(+1/-1) x 1194(+1/-1)	76.7	159770
S 8+8+8+8x8 PRIMED	32	120 x 240	1054 x 1192 x 60	1056(+1/-1) x 1194(+1/-1)	86.9	162303
S 8+8+8+8x9 PRIMED	36	120 x 240	1184.5 x 1192 x 60	1187(+1/-1) x 1194(+1/-1)	97	110861
S 8+8+8+8x10 PRIMED	40	120 x 240	1315 x 1192 x 60	1317(+1/-1) x 1194(+1/-1)	107.2	162304
S 5x2 PRIMED	2	60 x 180	151 x 238 x 60	152(+1/-1) x 240(+1/-1)	3.8	5S00000007400
S 5x4 PRIMED	4	60 x 180	292 x 238 x 60	294(+1/-1) x 240(+1/-1)	9	166799

Stainless steel

Product	Frame openings	Packing space (mm)	External dimensions WxHxD (mm)	Aperture dimensions WxH (mm)	Weight (kg)	Art. No
S 1x1 AISI316	1	60 x 60	80.5 x 121 x 60	80.5(+1/-1) x 123(+1/-1)	1.5	5SS0000000515
S 1+1x1 AISI316	2	60 x 60	80.5 x 232 x 60	80.5(+1/-1) x 234(+1/-1)	3	113273
S 1+1+1x1 AISI316	3	60 x 60	80.5 x 343 x 60	80.5(+1/-1) x 345(+1/-1)	0	107544
S 1+1+1+1x1 AISI316	4	60 x 60	80.5 x 454 x 60	80.5(+1/-1) x 456(+1/-1)	5.7	113274
S 2x1 AISI316	1	120 x 60	140.5 x 121 x 60	143(+1/-1) x 123(+1/-1)	2.2	S002000000121
S 2x2 AISI316	2	120 x 60	271 x 121 x 60	273(+1/-1) x 123(+1/-1)	3.9	S002000000221
S 2x3 AISI316	3	120 x 60	401.5 x 121 x 60	404(+1/-1) x 123(+1/-1)	5.5	S002000000321
S 2x4 AISI316	4	120 x 60	532 x 121 x 60	534(+1/-1) x 123(+1/-1)	7.1	S002000000421
S 2x5 AISI316	5	120 x 60	662.5 x 121 x 60	665(+1/-1) x 123(+1/-1)	8.7	S002000000521
S 2x6 AISI316	6	120 x 60	793 x 121 x 60	793(+1/-1) x 123(+1/-1)	10.3	S002000000621
S 2x7 AISI316	7	120 x 60	923.5 x 121 x 60	926(+1/-1) x 123(+1/-1)	12	113275
S 2x8 AISI316	8	120 x 60	1054 x 121 x 60	1056(+1/-1) x 123(+1/-1)	14	113276
S 2x9 AISI316	9	120 x 60	1184.5 x 121 x 60	1187(+1/-1) x 123(+1/-1)	0	113277
S 2x10 AISI316	10	120 x 60	1315 x 121 x 60	1317(+1/-1) x 123(+1/-1)	0	113278
S 2+2x1 AISI316	2	120 x 60	140.5 x 232 x 60	143(+1/-1) x 234(+1/-1)	4	5S00000013039
S 2+2x2 AISI316	4	120 x 60	271 x 242 x 60	273(+1/-1) x 244(+1/-1)	8	108153
S 2+2x3 AISI316	6	120 x 60	401.5 x 242 x 60	404(+1/-1) x 244(+1/-1)	11.2	113285

7.6.2021 Rectangular frames Roxtec Global						
Product	Frame openings	Packing space (mm)	External dimensions WxHxD (mm)	Aperture dimensions WxH (mm)	Weight (kg)	Art. No
S 2+2x4 AISI316	8	120 x 60	532 x 242 x 60	534(+1/-1) x 244(+1/-1)	15	113286
S 2+2x5 AISI316	10	120 x 60	662.5 x 242 x 60	665(+1/-1) x 244(+1/-1)	0	113287
S 2+2x6 AISI316	12	120 x 60	793 x 242 x 60	793(+1/-1) x 244(+1/-1)	0	113288
S 2+2x7 AISI316	14	120 x 60	923.5 x 242 x 60	926(+1/-1) x 244(+1/-1)	0	113289
S 2+2x8 AISI316	16	120 x 60	1054 x 242 x 60	1056(+1/-1) x 244(+1/-1)	0	113290
S 2+2x9 AISI316	18	120 x 60	1184.5 x 242 x 60	1187(+1/-1) x 244(+1/-1)	0	113291
S 2+2x10 AISI316	20	120 x 60	1315 x 242 x 60	1317(+1/-1) x 244(+1/-1)	0	113292
S 2+2+2x1 AISI316	3	120 x 60	140.5 x 343 x 60	143(+1/-1) x 345(+1/-1)	6	113298
S 2+2+2x2 AISI316	6	120 x 60	271 x 363 x 60	273(+1/-1) x 365(+1/-1)	12	113299
S 2+2+2x3 AISI316	9	120 x 60	401.5 x 363 x 60	404(+1/-1) x 365(+1/-1)	0	113300
S 2+2+2x4 AISI316	12	120 x 60	532 x 363 x 60	534(+1/-1) x 365(+1/-1)	0	113301
S 2+2+2x5 AISI316	15	120 x 60	662.5 x 363 x 60	665(+1/-1) x 365(+1/-1)	0	113302
S 2+2+2x6 AISI316	18	120 x 60	793 x 363 x 60	793(+1/-1) x 365(+1/-1)	0	113303
S 2+2+2x7 AISI316	21	120 x 60	923.5 x 363 x 60	926(+1/-1) x 365(+1/-1)	0	113304
S 2+2+2x8 AISI316	24	120 x 60	1054 x 363 x 60	1056(+1/-1) x 365(+1/-1)	0	113305
S 2+2+2x9 AISI316	27	120 x 60	1184.5 x 363 x 60	1187(+1/-1) x 365(+1/-1)	0	113306
S 2+2+2x10 AISI316	30	120 x 60	1315 x 363 x 60	1317(+1/-1) x 365(+1/-1)	0	113307
S 2+2+2+2x1 AISI316	4	120 x 60	140.5 x 454 x 60	143(+1/-1) x 456(+1/-1)	0	113313
S 2+2+2+2x2 AISI316	8	120 x 60	271 x 484 x 60	273(+1/-1) x 486(+1/-1)	15.9	162313
S 2+2+2+2x3 AISI316	12	120 x 60	401.5 x 484 x 60	404(+1/-1) x 486(+1/-1)	22.7	162314
S 2+2+2+2x4 AISI316	16	120 x 60	532 x 484 x 60	534(+1/-1) x 486(+1/-1)	29.6	162315
S 2+2+2+2x5 AISI316	20	120 x 60	662.5 x 484 x 60	665(+1/-1) x 486(+1/-1)	36.4	162316
S 2+2+2+2x6 AISI316	24	120 x 60	793 x 484 x 60	793(+1/-1) x 486(+1/-1)	43.2	162317
S 2+2+2+2x7 AISI316	28	120 x 60	923.5 x 484 x 60	926(+1/-1) x 486(+1/-1)	50	162318
S 2+2+2+2x8 AISI316	32	120 x 60	1054 x 484 x 60	1056(+1/-1) x 486(+1/-1)	56.8	162319
S 2+2+2+2x9 AISI316	36	120 x 60	1184.5 x 484 x 60	1187(+1/-1) x 486(+1/-1)	63.7	162320
S 2+2+2+2x10 AISI316	40	120 x 60	1315 x 484 x 60	1317(+1/-1) x 486(+1/-1)	70.5	162321
S 3x1 AISI316	1	60 x 120	80.5 x 179.5 x 60	80.5(+1/-1) x 182(+1/-1)	2.1	5SS0000002364
S 3+3x1 AISI316	2	60 x 120	80.5 x 349 x 60	80.5(+1/-1) x 351(+1/-1)	0	5S00000007631
S 3+3+3x1 AISI316	3	60 x 120	80.5 x 518.5 x 60	80.5(+1/-1) x 521(+1/-1)	0	5S00000007629
S 3+3+3+3x1 AISI316	4	60 x 120	80.5 x 688 x 60	80.5(+1/-1) x 690(+1/-1)	0	113314

7.6.2021 Rectangular frames Roxtec Global						
Product	Frame openings	Packing space (mm)	External dimensions WxHxD (mm)	Aperture dimensions WxH (mm)	Weight (kg)	Art. No
S 4x1 AISI316	1	120 x 120	140.5 x 179.5 x 60	143(+1/-1) x 182(+1/-1)	2.8	S004000000121
S 4x2 AISI316	2	120 x 120	271 x 179.5 x 60	273(+1/-1) x 182(+1/-1)	4.7	S004000000221
S 4x3 AISI316	3	120 x 120	401.5 x 179.5 x 60	404(+1/-1) x 182(+1/-1)	6.6	S004000000321
S 4x4 AISI316	4	120 x 120	532 x 179.5 x 60	534(+1/-1) x 182(+1/-1)	8.7	S004000000421
S 4x5 AISI316	5	120 x 120	662.5 x 179.5 x 60	665(+1/-1) x 182(+1/-1)	10.3	S004000000521
S 4x6 AISI316	6	120 x 120	793 x 179.5 x 60	793(+1/-1) x 182(+1/-1)	12.2	S004000000621
S 4x7 AISI316	7	120 x 120	923.5 x 179.5 x 60	926(+1/-1) x 182(+1/-1)	14.1	S004000000721
S 4x8 AISI316	8	120 x 120	1054 x 179.5 x 60	1056(+1/-1) x 182(+1/-1)	16	S004000000821
S 4x9 AISI316	9	120 x 120	1184.5 x 179.5 x 60	1187(+1/-1) x 182(+1/-1)	18.5	S004000000921
S 4x10 AISI316	10	120 x 120	1315 x 179.5 x 60	1317(+1/-1) x 182(+1/-1)	19.8	S004000001021
S 4+4x1 AISI316	2	120 x 120	140.5 x 349 x 60	143(+1/-1) x 351(+1/-1)	4.8	S004400000121
S 4+4x2 AISI316	4	120 x 120	271 x 359 x 60	273(+1/-1) x 361(+1/-1)	9.5	5S00000002480
S 4+4x3 AISI316	6	120 x 120	401.5 x 359 x 60	404(+1/-1) x 361(+1/-1)	13.1	5S00000000718
S 4+4x4 AISI316	8	120 x 120	532 x 359 x 60	534(+1/-1) x 361(+1/-1)	16.9	5S00000001051
S 4+4x5 AISI316	10	120 x 120	662.5 x 359 x 60	665(+1/-1) x 361(+1/-1)	0	5S00000000717
S 4+4x6 AISI316	12	120 x 120	793 x 359 x 60	793(+1/-1) x 361(+1/-1)	24.4	5S00000004159
S 4+4x7 AISI316	14	120 x 120	923.5 x 359 x 60	926(+1/-1) x 361(+1/-1)	0	113320
S 4+4x8 AISI316	16	120 x 120	1054 x 359 x 60	1056(+1/-1) x 361(+1/-1)	0	113321
S 4+4x9 AISI316	18	120 x 120	1184.5 x 359 x 60	1187(+1/-1) x 361(+1/-1)	0	113322
S 4+4x10 AISI316	20	120 x 120	1315 x 359 x 60	1317(+1/-1) x 361(+1/-1)	0	113323
S 4+4+4x1 AISI316	3	120 x 120	140.5 x 518.5 x 60	143(+1/-1) x 521(+1/-1)	6.6	S004440000121
S 4+4+4x2 AISI316	6	120 x 120	271 x 538.5 x 60	273(+1/-1) x 541(+1/-1)	14	113329
S 4+4+4x3 AISI316	9	120 x 120	401.5 x 538.5 x 60	404(+1/-1) x 541(+1/-1)	20.5	113330
S 4+4+4x4 AISI316	12	120 x 120	532 x 538.5 x 60	534(+1/-1) x 541(+1/-1)	25.4	5S00000006152
S 4+4+4x5 AISI316	15	120 x 120	662.5 x 538.5 x 60	665(+1/-1) x 541(+1/-1)	0	113331
S 4+4+4x6 AISI316	18	120 x 120	793 x 538.5 x 60	793(+1/-1) x 541(+1/-1)	0	5S00000004467
S 4+4+4x7 AISI316	21	120 x 120	923.5 x 538.5 x 60	926(+1/-1) x 541(+1/-1)	0	113332
S 4+4+4x8 AISI316	24	120 x 120	1054 x 538.5 x 60	1056(+1/-1) x 541(+1/-1)	0	113333
S 4+4+4x9 AISI316	27	120 x 120	1184.5 x 538.5 x 60	1187(+1/-1) x 541(+1/-1)	0	113334
S 4+4+4x10 AISI316	30	120 x 120	1315 x 538.5 x 60	1317(+1/-1) x 541(+1/-1)	0	113335
S 4+4+4+4x1 AISI316	4	120 x 120	140.5 x 688 x 60	143(+1/-1) x 690(+1/-1)	9.2	5S00000000350
S 4+4+4+4x2 AISI316	8	120 x 120	271 x 718 x 60	273(+1/-1) x 720(+1/-1)	19.2	162330
S 4+4+4+4x3 AISI316	12	120 x 120	401.5 x 718 x 60	404(+1/-1) x 720(+1/-1)	27.1	162331
S 4+4+4+4x4 AISI316	16	120 x 120	532 x 718 x 60	534(+1/-1) x 720(+1/-1)	35.1	162332
S 4+4+4+4x5 AISI316	20	120 x 120	662.5 x 718 x 60	665(+1/-1) x 720(+1/-1)	43	162333
S 4+4+4+4x6 AISI316	24	120 x 120	793 x 718 x 60	793(+1/-1) x 720(+1/-1)	50.9	162334
S 4+4+4+4x7 AISI316	28	120 x 120	923.5 x 718 x 60	926(+1/-1) x 720(+1/-1)	58.8	162335

7.6.2021 Rectangular frames Roxtec Global						
Product	Frame openings	Packing space (mm)	External dimensions WxHxD (mm)	Aperture dimensions WxH (mm)	Weight (kg)	Art. No
S 4+4+4+4x8 AISI316	32	120 x 120	1054 x 718 x 60	1056(+1/-1) x 720(+1/-1)	66.8	162336
S 4+4+4+4x9 AISI316	36	120 x 120	1184.5 x 718 x 60	1187(+1/-1) x 720(+1/-1)	74.7	162337
S 4+4+4+4x10 AISI316	40	120 x 120	1315 x 718 x 60	1317(+1/-1) x 720(+1/-1)	82.6	162338
S 5x1 AISI316	1	60 x 180	80.5 x 238 x 60	80.5(+1/-1) x 240(+1/-1)	2.8	5SS0000002754
S 5+5x1 AISI316	2	60 x 180	80.5 x 466 x 60	80.5(+1/-1) x 468(+1/-1)	5	109551
S 5+5+5x1 AISI316	3	60 x 180	80.5 x 694 x 60	80.5(+1/-1) x 696(+1/-1)	7.4	5S00000007063
S 5+5+5+5x1 AISI316	4	60 x 180	80.5 x 922 x 60	80.5(+1/-1) x 924(+1/-1)	0	113341
S 6x1 AISI316	1	120 x 180	140.5 x 238 x 60	143(+1/-1) x 240(+1/-1)	3.3	S006000000121
S 6x2 AISI316	2	120 x 180	271 x 238 x 60	273(+1/-1) x 240(+1/-1)	5.5	S006000000221
S 6x3 AISI316	3	120 x 180	401.5 x 238 x 60	404(+1/-1) x 240(+1/-1)	7.7	S006000000321
S 6x4 AISI316	4	120 x 180	532 x 238 x 60	534(+1/-1) x 240(+1/-1)	9.8	S006000000421
S 6x5 AISI316	5	120 x 180	662.5 x 238 x 60	665(+1/-1) x 240(+1/-1)	12	S006000000521
S 6x6 AISI316	6	120 x 180	793 x 238 x 60	793(+1/-1) x 240(+1/-1)	14.2	S006000000621
S 6x7 AISI316	7	120 x 180	923.5 x 238 x 60	926(+1/-1) x 240(+1/-1)	16.3	S006000000721
S 6x8 AISI316	8	120 x 180	1054 x 238 x 60	1056(+1/-1) x 240(+1/-1)	18.5	S006000000821
S 6x9 AISI316	9	120 x 180	1184.5 x 238 x 60	1187(+1/-1) x 240(+1/-1)	20.6	S006000000921
S 6x10 AISI316	10	120 x 180	1315 x 238 x 60	1317(+1/-1) x 240(+1/-1)	22.8	S006000001021
S 6x15 AISI316	15	120 x 180	1967.5 x 238 x 60	1969.5 (+1/-1) x 240(+1/-1)	33.6	5S00000003119
S 6+6x1 AISI316	2	120 x 180	140.5 x 466 x 60	143(+1/-1) x 468(+1/-1)	5.8	S006600000121
S 6+6x2 AISI316	4	120 x 180	271 x 476 x 60	273(+1/-1) x 478(+1/-1)	11.1	S006600000221
S 6+6x3 AISI316	6	120 x 180	401.5 x 476 x 60	404(+1/-1) x 478(+1/-1)	15.5	S006600000321
S 6+6x4 AISI316	8	120 x 180	532 x 476 x 60	534(+1/-1) x 478(+1/-1)	19.9	S006600000421
S 6+6x5 AISI316	10	120 x 180	662.5 x 476 x 60	665(+1/-1) x 478(+1/-1)	24.3	S006600000521
S 6+6x6 AISI316	12	120 x 180	793 x 476 x 60	793(+1/-1) x 478(+1/-1)	28.6	S006600000621
S 6+6x7 AISI316	14	120 x 180	923.5 x 476 x 60	926(+1/-1) x 478(+1/-1)	32.8	5S00000001070
S 6+6x8 AISI316	16	120 x 180	1054 x 476 x 60	1056(+1/-1) x 478(+1/-1)	38.6	5S00000011295
S 6+6x9 AISI316	18	120 x 180	1184.5 x 476 x 60	1187(+1/-1) x 478(+1/-1)	45.7	108354
S 6+6x10 AISI316	20	120 x 180	1315 x 476 x 60	1317(+1/-1) x 478(+1/-1)	48.6	5S00000013758
S 6+6x11 AISI316	22	120 x 180	1445.5 x 476 x 60	1448(+1/-1) x 696(+1/-1)	52.9	5S00000003120
S 6+6+6x1 AISI316	3	120 x 180	140.5 x 694 x 60	143(+1/-1) x 696(+1/-1)	8.6	5S00000001076
S 6+6+6x2 AISI316	6	120 x 180	271 x 714 x 60	273(+1/-1) x 716(+1/-1)	16.8	5S00000001345
S 6+6+6x3 AISI316	9	120 x 180	401.5 x 714 x 60	404(+1/-1) x 716(+1/-1)	23.5	5S00000012048
S 6+6+6x4 AISI316	12	120 x 180	532 x 714 x 60	534(+1/-1) x 716(+1/-1)	31	113349
S 6+6+6x5 AISI316	15	120 x 180	662.5 x 714 x 60	665(+1/-1) x 716(+1/-1)	0	113350
S 6+6+6x6 AISI316	18	120 x 180	793 x 714 x 60	793(+1/-1) x 716(+1/-1)	43.8	113351

7.6.2021 Rectangular frames Roxtec Global						
Product	Frame openings	Packing space (mm)	External dimensions WxHxD (mm)	Aperture dimensions WxH (mm)	Weight (kg)	Art. No
S 6+6+6x7 AISI316	21	120 x 180	923.5 x 714 x 60	926(+1/-1) x 716(+1/-1)	0	113352
S 6+6+6x8 AISI316	24	120 x 180	1054 x 714 x 60	1056(+1/-1) x 716(+1/-1)	0	113353
S 6+6+6x9 AISI316	27	120 x 180	1184.5 x 714 x 60	1187(+1/-1) x 716(+1/-1)	0	113354
S 6+6+6x10 AISI316	30	120 x 180	1315 x 714 x 60	1317(+1/-1) x 716(+1/-1)	0	113355
S 6+6+6+6x1 AISI316	4	120 x 180	140.5 x 922 x 60	143(+1/-1) x 924(+1/-1)	10.3	5S00000001846
S 6+6+6+6x2 AISI316	8	120 x 180	271 x 952 x 60	273(+1/-1) x 954(+1/-1)	22.4	5S000000013926
S 6+6+6+6x3 AISI316	12	120 x 180	401.5 x 952 x 60	404(+1/-1) x 954(+1/-1)	31.6	162346
S 6+6+6+6x4 AISI316	16	120 x 180	532 x 952 x 60	534(+1/-1) x 954(+1/-1)	40.6	162347
S 6+6+6+6x5 AISI316	20	120 x 180	662.5 x 952 x 60	665(+1/-1) x 954(+1/-1)	49.6	162348
S 6+6+6+6x6 AISI316	24	120 x 180	793 x 952 x 60	793(+1/-1) x 954(+1/-1)	58.6	162349
S 6+6+6+6x7 AISI316	28	120 x 180	923.5 x 952 x 60	926(+1/-1) x 954(+1/-1)	67.7	162350
S 6+6+6+6x8 AISI316	32	120 x 180	1054 x 952 x 60	1056(+1/-1) x 954(+1/-1)	76.7	162351
S 6+6+6+6x9 AISI316	36	120 x 180	1184.5 x 952 x 60	1187(+1/-1) x 954(+1/-1)	85.7	162352
S 6+6+6+6x10 AISI316	40	120 x 180	1315 x 952 x 60	1317(+1/-1) x 954(+1/-1)	94.7	162353
S 7x1 AISI316	1	60 x 240	80.5 x 298 x 60	80.5(+1/-1) x 300(+1/-1)	3.3	5SS00000002880
S 7+7x1 AISI316	2	60 x 240	80.5 x 586 x 60	80.5(+1/-1) x 588(+1/-1)	6.2	5S000000011365
S 7+7+7x1 AISI316	3	60 x 240	80.5 x 874 x 60	80.5(+1/-1) x 876(+1/-1)	0	5S000000007630
S 7+7+7+7x1 AISI316	4	60 x 240	80.5 x 1162 x 60	80.5(+1/-1) x 1164(+1/-1)	0	113361
S 8x1 AISI316	1	120 x 240	140.5 x 298 x 60	143(+1/-1) x 300(+1/-1)	3.9	S0080000000121
S 8x2 AISI316	2	120 x 240	271 x 298 x 60	273(+1/-1) x 300(+1/-1)	6.4	S0080000000221
S 8x3 AISI316	3	120 x 240	401.5 x 298 x 60	404(+1/-1) x 300(+1/-1)	8.2	S0080000000321
S 8x4 AISI316	4	120 x 240	532 x 298 x 60	534(+1/-1) x 300(+1/-1)	10.4	S0080000000421
S 8x5 AISI316	5	120 x 240	662.5 x 298 x 60	665(+1/-1) x 300(+1/-1)	14.2	S0080000000521
S 8x6 AISI316	6	120 x 240	793 x 298 x 60	793(+1/-1) x 300(+1/-1)	16.4	S0080000000621
S 8x7 AISI316	7	120 x 240	923.5 x 298 x 60	926(+1/-1) x 300(+1/-1)	18.6	S0080000000721
S 8x8 AISI316	8	120 x 240	1054 x 298 x 60	1056(+1/-1) x 300(+1/-1)	22.1	S0080000000821
S 8x9 AISI316	9	120 x 240	1184.5 x 298 x 60	1187(+1/-1) x 300(+1/-1)	23.5	S0080000000921
S 8x10 AISI316	10	120 x 240	1315 x 298 x 60	1317(+1/-1) x 300(+1/-1)	25.9	S0080000001021
S 8+8x1 AISI316	2	120 x 240	140.5 x 586 x 60	143(+1/-1) x 588(+1/-1)	7	S0088000000121
S 8+8x2 AISI316	4	120 x 240	271 x 596 x 60	273(+1/-1) x 598(+1/-1)	12.9	5S000000005952
S 8+8x3 AISI316	6	120 x 240	401.5 x 596 x 60	404(+1/-1) x 598(+1/-1)	17.8	5S000000010033

Product	Frame openings	Packing space (mm)	External dimensions WxHxD (mm)	Aperture dimensions WxH (mm)	Weight (kg)	Art. No
S 8+8x4 AISI316	8	120 x 240	532 x 596 x 60	534(+1/-1) x 598(+1/-1)	22.6	5S00000003992
S 8+8x5 AISI316	10	120 x 240	662.5 x 596 x 60	665(+1/-1) x 598(+1/-1)	29	5S00000008898
S 8+8x6 AISI316	12	120 x 240	793 x 596 x 60	793(+1/-1) x 598(+1/-1)	33.5	5S00000013297
S 8+8x7 AISI316	14	120 x 240	923.5 x 596 x 60	926(+1/-1) x 598(+1/-1)	38.5	5S00000006400
S 8+8x8 AISI316	16	120 x 240	1054 x 596 x 60	1056(+1/-1) x 598(+1/-1)	0	5S00000002846
S 8+8x9 AISI316	18	120 x 240	1184.5 x 596 x 60	1187(+1/-1) x 598(+1/-1)	0	108872
S 8+8x10 AISI316	20	120 x 240	1315 x 596 x 60	1317(+1/-1) x 598(+1/-1)	0	108778
S 8+8+8x1 AISI316	3	120 x 240	140.5 x 874 x 60	143(+1/-1) x 876(+1/-1)	9.9	S008880000121
S 8+8+8x2 AISI316	6	120 x 240	271 x 894 x 60	273(+1/-1) x 896(+1/-1)	19.4	110678
S 8+8+8x3 AISI316	9	120 x 240	401.5 x 894 x 60	404(+1/-1) x 896(+1/-1)	0	113372
S 8+8+8x4 AISI316	12	120 x 240	532 x 894 x 60	534(+1/-1) x 896(+1/-1)	35	113373
S 8+8+8x5 AISI316	15	120 x 240	662.5 x 894 x 60	665(+1/-1) x 896(+1/-1)	40	113374
S 8+8+8x6 AISI316	18	120 x 240	793 x 894 x 60	793(+1/-1) x 896(+1/-1)	0	113375
S 8+8+8x7 AISI316	21	120 x 240	923.5 x 894 x 60	926(+1/-1) x 896(+1/-1)	0	113376
S 8+8+8x8 AISI316	24	120 x 240	1054 x 894 x 60	1056(+1/-1) x 896(+1/-1)	65	113377
S 8+8+8x9 AISI316	27	120 x 240	1184.5 x 894 x 60	1187(+1/-1) x 896(+1/-1)	0	113378
S 8+8+8x10 AISI316	30	120 x 240	1315 x 894 x 60	1317(+1/-1) x 896(+1/-1)	0	113379
S 8+8+8+8x1 AISI316	4	120 x 240	140.5 x 1162 x 60	143(+1/-1) x 1164(+1/-1)	13.5	104598
S 8+8+8+8x2 AISI316	8	120 x 240	271 x 1192 x 60	273(+1/-1) x 1194(+1/-1)	25.9	162361
S 8+8+8+8x3 AISI316	12	120 x 240	401.5 x 1192 x 60	404(+1/-1) x 1194(+1/-1)	36.1	162362
S 8+8+8+8x4 AISI316	16	120 x 240	532 x 1192 x 60	534(+1/-1) x 1194(+1/-1)	46.2	162363
S 8+8+8+8x5 AISI316	20	120 x 240	662.5 x 1192 x 60	665(+1/-1) x 1194(+1/-1)	56.4	162364
S 8+8+8+8x6 AISI316	24	120 x 240	793 x 1192 x 60	793(+1/-1) x 1194(+1/-1)	66.5	162365
S 8+8+8+8x7 AISI316	28	120 x 240	923.5 x 1192 x 60	926(+1/-1) x 1194(+1/-1)	76.7	162366
S 8+8+8+8x8 AISI316	32	120 x 240	1054 x 1192 x 60	1056(+1/-1) x 1194(+1/-1)	86.9	162367
S 8+8+8+8x9 AISI316	36	120 x 240	1184.5 x 1192 x 60	1187(+1/-1) x 1194(+1/-1)	97	162368
S 8+8+8+8x10 AISI316	40	120 x 240	1315 x 1192 x 60	1317(+1/-1) x 1194(+1/-1)	107.2	162369

