



03483 (24 031 67)

MONT.PLATE NS/NT< 1600 VERT. DRW



Last ned produktdatablad for 03483



[Endre dine utvalgskriterier](#) [Produktliste](#)

Finn andre produkter og
tilbehør



Finn ditt Schneider Electric verktøy

[Karakteristikk](#) | [Dokumenter og nedlastning](#)

Teknisk informasjon



Serie	Prisma
Kompatibel med	Prisma P
Produkt eller komponent type	Montasjeplate
Tilbehør / separat del kategori	Installasjonstilbehør
Installert utstyr	Compact: drawout NS630b...1000 - control: direct front rotary handle - Vertikal installasjon Compact: drawout NS1250 - control: direct front rotary handle - Vertikal installasjon Compact: drawout NS1600 - control: direct front rotary handle - Vertikal installasjon Compact: drawout NS630b...1000 - control: motormekanisme - Vertikal installasjon Compact: drawout NS1250 - control: motormekanisme - Vertikal installasjon Compact: drawout NS1600 - control: motormekanisme - Vertikal installasjon Compact: drawout NS630b...1000 - control: vippe - Vertikal installasjon Compact: drawout NS1250 - control: vippe - Vertikal installasjon Compact: drawout NS1600 - control: vippe - Vertikal installasjon Masterpact : drawout NT06...10 - control: toggle - vertical installation Masterpact : drawout NT06...10 - control: motor mechanism - vertical installation Masterpact : drawout NT12 - control: toggle - vertical installation Masterpact : drawout NT12 - control: motor mechanism - vertical installation Masterpact : drawout NT16 - control: toggle - vertical installation Masterpact : drawout NT16 - control: motor mechanism - vertical installation
Polene beskrivelse	1 x 3P: drawout: NS630b...1000 Vertikal installasjon 1 x 3P: drawout: NS1250 Vertikal installasjon 1 x 3P: drawout: NS1600 Vertikal installasjon 1 x 4P: drawout: NS630b...1000 Vertikal installasjon 1 x 4P: drawout: NS1250 Vertikal installasjon 1 x 4P: drawout: NS1600 Vertikal installasjon 1 x 3P : drawout : NT06...10 vertical installation 1 x 4P : drawout : NT06...10 vertical installation 1 x 3P : drawout : NT12 vertical installation 1 x 4P : drawout : NT12 vertical installation 1 x 3P : drawout : NT16 vertical installation 1 x 4P : drawout : NT16 vertical installation

Komplementær



Skap/kapsling beskrivelse	Cubicle - width 650 mm, depth 400 mm Cubicle - width 650 mm, depth 800 mm
Antallet vertikale moduler (50 mm)	16 module(s) : NS1250, rear connection on Canalis in 650 mm Wide cubicle 16 module(s) : NS1600, rear connection on Canalis in 650 mm Wide cubicle 16 module(s) : NS630b...1000, rear connection on Canalis in 650 mm Wide cubicle 18 module(s) : NS1250, front connection on Canalis in 650 mm Wide cubicle 15 module(s) : NS1250, front connection on adaptor in 650 mm Wide cubicle 11 module(s) : NS1250, rear connection on adaptor in 650 mm Wide cubicle 15 module(s) : NS1600, front connection on adaptor in 650 mm Wide cubicle 11 module(s) : NS1600, rear connection on adaptor in 650 mm Wide cubicle 18 module(s) : NS630b...1000, front connection on Canalis in 650 mm Wide cubicle 13 module(s) : NS630b...1000, front connection on adaptor in 650 mm Wide cubicle 11 module(s) : NS630b...1000, rear connection on adaptor in 650 mm Wide cubicle 13 module(s) : NT06...10, front connection on adaptor in 650 mm Wide

	cubicle 11 module(s) : NT06...10, rear connection on adaptor in 650 mm Wide cubicle 18 module(s) : NT06...10, front connection on Canalis in 650 mm Wide cubicle 16 module(s) : NT06...10, rear connection on Canalis in 650 mm Wide cubicle 15 module(s) : NT12, front connection on adaptor in 650 mm Wide cubicle 11 module(s) : NT12, rear connection on adaptor in 650 mm Wide cubicle 18 module(s) : NT12, front connection on Canalis in 650 mm Wide cubicle 16 module(s) : NT12, rear connection on Canalis in 650 mm Wide cubicle 15 module(s) : NT16, front connection on adaptor in 650 mm Wide cubicle 11 module(s) : NT16, rear connection on adaptor in 650 mm Wide cubicle 16 module(s) : NT16, rear connection on Canalis in 650 mm Wide cubicle
Høyde	30 mm
Vekt	3,2 kg
Type overflate	Matt Glatt
Overflatebeskyttelse	Elektroforese behandling og hot-polymerisert polyester epoxy pulver
Farge	Hvit RAL 9001

Miljø  Skjul	
Standarder	IEC 61439-2
Produktsertifikater	ASEFA

Bærekraftig  Skjul	
Bærekraftig	Green Premium produkt
RoHS (datokode: YYWW)	Compliant - since 0807 - Schneider Electric declaration of conformity
REACH	Reference not containing SVHC above the threshold
Produktets miljøprofil	Tilgjengelig
Destruksjons-instruks	Tilgjengelig