FEATURES AND SPECIFICATIONS



Single Position Modules

Features and Benefits

Single Position Modules are versatile, industrially designed inserts for use across a broad range of Molex product, including wallplates, patch panels and modular furniture outlets. Single Position Modules are rear loading.


Commercial Standards

UL Listed; CSA Approved


Reference Information

Compatible with the:

- Synergy family
- USO II family
- Streamline family
- Decora Style family
- 106 Style (Grid Plates)Modular Furniture Outlets
- Multimedia Patch Panels



F Video23.5mm x 17.8mm x 27.0mm
(.93"H x .70"W x 1.06"D)
Shipping Weight: 9.7g (.34 oz.)



S Video Coupler 23.5mm x 17.8mm x 36.1mm (.93"H x .70"W x 1.42"D) Shipping Weight: 16.2g (.58 oz.)



RCA Coupler 23.5mm x 17.8mm x 32.6mm (.93"H x .70"W x 1.28"D Shipping Weight: 17.6g (.62 oz.)



BNC Coupler 23.5mm x 17.8mm x 32.5mm (.93"H x .70"W x 1.28"D) Shipping Weight: 12.9g (.46 oz.)

MOLEX PREMISE NETWORKS

Americas Tel: 630 969 4550 www.molexpn.com **EMEA**Tel: 44 (0)2392 205800 www.molexpn.co.uk

APACTel: 61 3 9971 7111
www.molexpn.com.au



molex Single Position **Modules**




Simplex SC SM/MM Shuttered 23.5mm x 17.8mm x 30.5mm (.93"H x .70"W x 1.20"D) Shipping Weight: 6.2g (.22 oz.)




Single Position RCA Field Terminable 23.5mm x 17.8mm x 30.3mm (.93"H x .70"W x 1.19"D) Shipping Weight: 7.1g (.25 oz.)




MT-RJ SM/MM 23.5mm x 17.8mm x 29.0mm (.93"H x .70"W x 1.14"D) Shipping Weight: 4.6g (.16 oz.)



Single Position S Video 23.5mm x 17.8mm x 27.8mm (.93"H x .70"W x 1.09"D) Shipping Weight: 6.8g (.24 oz.)




ST SM/MM 23.5mm x 17.8mm x 29.1mm (.93"H x .70"W x 1.15"D) Shipping Weight: 10.7g (.38 oz.)



Duplex LC MM 23.5mm x 17.8mm x 25.7mm (.93"H x .70"W x 1.01"D) Shipping Weight: 12g (.43 oz.)



Single Position Blank 23.5mm x 17.8mm x 13.4mm (.93"H x .70"W x .53"D) Shipping Weight: 2.5g (.09 oz.)



Duplex LC SM 23.5mm x 17.8mm x 25.7mm (.93"H x .70"W x 1.01"D) Shipping Weight: 12g (.43 oz.)

MOLEX PREMISE NETWORKS

Americas Tel: 630 969 4550 www.molexpn.com

EMEA Tel: 44 (0)2392 205800 www.molexpn.co.uk

APAC Tel: 61 3 9971 7111 www.molexpn.com.au

ORDERING INFORMATION



molex Single Position **Modules**

Order No.	SAP No.	Description
Single Position Modules - Copper		
MSY-00002-0*	Consult Molex	F Video
MSY-00032-0*	Consult Molex	S Video Coupler
MSY-00033-R*	Consult Molex	RCA Coupler Red
MSY-00033-W*	Consult Molex	RCA Coupler White
MSY-00033-Y*	Consult Molex	RCA Coupler Yellow
MSY-00036-0*	Consult Molex	BNC Coupler
MSY-00037-R*	Consult Molex	RCA Field Terminable Red
MSY-00037-W*	Consult Molex	RCA Field Terminable White
MSY-00037-Y*	Consult Molex	RCA Field Terminable Yellow
MSY-00038-0*	Consult Molex	S Video Field Terminable
Single Position Modules - Fiber		
MSY-00018-0*	Consult Molex	Simplex SC SM/MM Shuttered
MSY-00025-0*	Consult Molex	MT-RJ SM/MM
MSY-00003-0*	Consult Molex	ST SM
MSY-00004-0*	Consult Molex	ST MM
MSY-00040-0*	Consult Molex	Duplex LC MM
MSY-00041-0*	Consult Molex	Duplex LC SM
Blank Modules		
KSJ-00005-0*	Consult Molex	Single Position Blank (Bag of 25)

Insert color code in place of * in part number when ordering: 1 = Almond, 2 = White, 4 = Black, 5 = Ivory Note: Single Position Modules can be utilized within USO II product family when inserted into a USO II 1U 1 Port or 1U 2 Port fascia.

MOLEX PREMISE NETWORKS

Americas Tel: 630 969 4550 www.molexpn.com

EMEA Tel: 44 (0)2392 205800 www.molexpn.co.uk

APAC Tel: 61 3 9971 7111 www.molexpn.com.au