

Select your language

- [German](#)
- [English](#)
- [Spanish](#)
- [French](#)
- [Dutch](#)
- [Italian](#)
- [Polish](#)
- [Czech](#)
- [Russian](#)
- [Norwegian Bokmål](#)

Worldwide English



IZMX-CAS404-2000-1 - Cassette 2000A, IZMX404 without control cable connection



183958 IZMX-CAS404-2000-1

[Overview](#) [Specifications](#) [Resources](#)



183958 IZMX-CAS404-2000-1

Cassette 2000A, IZMX404 without control cable connection

Alternate Catalog No.

67C2762A51

EL-Nummer (Norway)

4398367

Accessories, Cassettes, Equipment supplied: arcing chamber cover, Installation type Withdraw able, Rated current In 2000 A, Pole 4, For use with IZMX40...4...W, INX40...4...W

- [Delivery program](#)

Design verification as per
IEC/EN 61439

- [Technical data ETIM 7.0](#)

- [Dimensions](#)

Delivery program

Product range

Accessories

Accessories

Withdraw able units

Accessories

Cassettes

Equipment supplied: arcing chamber cover

Rated current [I_n]

2000 A

Pole

4

For use with

IZMX40...4...W

INX40...4...W

Instructions

Without terminal blocks for the control circuit terminals.

Please order the required quantity separately.

Information about equipment supplied
with arcing chamber cover

Installation type

Withdraw able

Design verification as per IEC/EN 61439

Operating ambient temperature min.

-25 °C

Operating ambient temperature max.

+70 °C

Technical data ETIM 7.0

Low-voltage industrial components (EG000017) / Chassis part power circuit breaker (EC002043)

Electric engineering, automation, process control engineering / Low-voltage switch technology / Circuit breaker (LV < 1 kV) / Chassis part circuit breaker (ecl@ss10.0.1-27-37-04-22 [ACN955011])

Rated current In

2000 A

Number of poles

4

Version as busbar adapter

No


Version as built-in device

Yes

Type of electrical connection of main circuit

Rail connection

Dimensions



☐ Contact surface flange terminal

CAD data

- [Product-specific CAD data](#)
(Web)
- [3D Preview](#)
(Web)

DWG files

- [DA-CD-izmx40_cas4](#)
File
(Web)

edz files

- [DA-CE-ETN.IZMX-CAS404-2000-1](#)
File
(Web)

Step files


- [DA-CS-izmx40_cas4](#)
File
(Web)

Product photo



[1230PIC-1231](#)
Photo


3D drawing



[1230DRV-982](#)

Line drawing

Dimensions single product



1230DIM-403

Line drawing

☐ Door

Download-Center

- [Download-Center \(this item\)](#)
Eaton EMEA Download-Center - download data for this item
- [Download-Center](#)
Eaton EMEA Download-Center

 [Generate data sheet in PDF format](#)

 [Generate data sheet in Excel format](#)

 [Write a comment](#)

[Imprint](#) [Privacy Policy](#) [Legal Disclaimer](#) [Terms and Conditions](#)

© 2022 by Eaton Industries GmbH

