

PRODUKTDATABLAD

HQL LED Accessories | LED erstatning for HID lyskilder



Bruksområder

- Streets, residential areas, pedestrian zones, parks

Produktfordeler

- Support reduction of circadian disruption and improve the residents' life quality
- Very easy to install on lamp and shift to desired direction inside of luminaire

Produktfunksjoner

- Optional installation for shadowing
- Available for 2000 lm, 3000 lm and 4000 lm HQL LED lamps



TEKNISKE DATA

DIMENSJONER & VEKT



Produktvekt	21,00 g
-------------	---------

YTTERLIGERE PRODUKTINFORMASJON

Produkt bemerkning	Optional accessory for the following HQL LED lamps: HQL LED 2700 21,5W 4058075765894 and HQL LED 3000 21,5W 4058075765917
--------------------	---

Landspesifikke kategorier

Ordreferanse	HQL LED 3000LM
--------------	----------------

Sikkerhetsråd

- Only to be used with OSRAM HQL LED lamps
- Use in very tight or narrow luminaires is not recommended as this can shorten the lifetime of the lamp

NEDLASTNINGER

NEDLASTNINGER	
	User instruction

LOGISTIKK INFORMASJON

Produktkode	Forpakkings enhet (stk/enhet)	Dimensjoner (lengde x bredde x høyde)	Bruttovekt	Volum
4058075788947	Folding box 1	86 mm x 86 mm x 107 mm	60.00 g	0.79 dm ³
4058075788954	Shipping box 6	265 mm x 180 mm x 125 mm	619.00 g	5.96 dm ³

The mentioned product code describes the smallest quantity unit which can be ordered. One shipping unit can contain one or more single products. When placing an order, for the quantity please enter single or multiples of a shipping unit.

ANSVARSKRIVELSE

Endres uten varsel. Sørg alltid for å bruke den nyeste versjonen.