

Rittal – The System.

Faster – better – everywhere.

► Adapternettdel for systembelysning, LED-kompakt – SZ 4315.860

Publisering : 10.aug.2022

ENCLOSURES

POWER DISTRIBUTION

CLIMATE CONTROL

IT INFRASTRUCTURE

SOFTWARE & SERVICES

FRIEDHELM LOH GROUP



Adapternettdel for systembelysning, LED-kompakt – SZ 4315.860

Opprettet: 10.08.2022 på www.rittal.com/no-no



Produktbeskrivelse

| | |
|-----------------------------|--|
| Pakker for best.nr.: | 4140.810 4140.820 4140.830 4140.840 |
|-----------------------------|--|

Produktbeskrivelse

| | |
|---|--|
| Måledriftsspenning: | 264 V |
| Nettdel: | Inngangsspenning: 100 - 230 V AC Utgangsspenning: 24 V DC |
| Utgangsstrøm (maks.): | 1 A |
| Utrustning (elektrisk): | Lengde tilkoblingskabel: 1800 mm |
| Merkeisolasjonsspenning: | 300 V AC |
| Merkestøtspenning fase mot fase: | 6000 V AC |
| Pakkeenhet: | 1 stk. |
| Vekt/VE: | 0,16 kg |
| Kobberandel (kg / stk.): | 0 |
| EAN: | 4028177630185 |

| | |
|----------------------------|---|
| Tolltariffnummer: | 85043121 |
| ETIM 7.0: | EC002620 |
| ETIM 6.0: | EC002620 |
| eCl@ss 8.0/8.1: | 27189261 |
| eCl@ss 6.0/6.1: | 27119116 |
| Produktbeskrivelse: | SZ Adaptermettdel, for kompaktlys LED, 100-230 V/24 V DC, 1 A |
| Godkjenninger | |
| Sertifikater: | EAC |
| Forklaringer: | Samsvarserklæring |