

Select your language

- [German](#)
- [English](#)
- [Spanish](#)
- [French](#)
- [Dutch](#)
- [Italian](#)
- [Polish](#)
- [Czech](#)
- [Norwegian Bokmål](#)

Worldwide English



CYLINDRICAL FUSE 22 x 58 4A AM 690V AC - Fuse-link, low voltage, 4 A, AC 690 V, 80 kA, 22 x 58 mm, aM, IEC



C22M4 CYLINDRICAL FUSE 22 x 58 4A AM 690V AC

[Overview](#) [Specifications](#) [Resources](#)



C22M4 CYLINDRICAL FUSE 22 x 58 4A AM 690V AC

Fuse-link, low voltage, 4 A, AC 690 V, 80 kA, 22 x 58 mm, aM, IEC

EL-Nummer (Norway)

1600267

Fuse, fuse-link, low voltage, 4 A, AC 690 V, 22 x 58 mm, aM, IEC, cylindrical, motor protection, for industrial applications, IEC 60269-2

•



•



•



•



•

Delivery program

•

Technical data ETIM 8.0

Delivery program

Product range

Fuse

Basic function

Fuse-link

Field of application

low voltage
Rated current [I]
4 A
Rated voltage
AC 690 V
Size
22 x 58 mm
Utilization category
aM
Breaking Capacity
80 kA
usable for size/applications
motor protection
for industrial applications
Standard/Approval
IEC
Shape
cylindrical
Standards/Regulations
IEC 60269-2

Technical data ETIM 8.0

Circuit breakers and fuses (EG000020) / Cylindrical fuse (EC002704)
Electric engineering, automation, process control engineering / Electrical installation, device / Safety fuse inserts /
Miniature fuse (ec1@ss10.0.1-27-14-20-01 [AFZ796015])
Model
Ceramic fuse
Size
22x58 mm
Voltage type
AC
Rated current
4 A
Rated voltage
690 V
Utilization category
aM (switchgear protection)
Rated operating frequency
45 - 62 Hz
Type of fuse status indicator
Other
Release characteristic
Other
Breaking capacity
80 kA
Power loss at rated current
0.48 W

Product photo



c22m4_b
Photo



c22m4_c
Photo



[c22m4_l](#)
Photo



[c22m4_pkg](#)
Photo



[c22m4_r](#)
Photo

Declaration of Conformity

EU

- [Low voltage cylindrical fuse-links \(DA-DC-00003494\)](#)
Asset
(PDF)

UK

- [Low voltage cylindrical fuse-links \(DA-DC-00004021\)](#)
Asset
(PDF)

Download-Center

- [Download-Center \(this item\)](#)
Eaton EMEA Download-Center - download data for this item
- [Download-Center](#)
Eaton EMEA Download-Center



[Generate data sheet in PDF format](#)



[Generate data sheet in Excel format](#)



[Write a comment](#)

[Imprint](#) [Privacy Policy](#) [Legal Disclaimer](#) [Terms and Conditions](#)

© 2022 by Eaton Industries GmbH

