

Select your language



- [German](#)
- [English](#)
- [Spanish](#)
- [French](#)
- [Dutch](#)
- [Italian](#)
- [Polish](#)
- [Czech](#)
- [Norwegian Bokmål](#)

Worldwide English



CYLINDRICAL FUSE 10 x 38 0-5A GG 500V AC - Fuse-link, low voltage, 0.5 A, AC 500 V, 120 kA, 10 x 38 mm, gL/gG, IEC



C10G0.5 CYLINDRICAL FUSE 10 x 38 0-5A GG 500V AC

[Overview](#) [Specifications](#) [Resources](#)



C10G0.5 CYLINDRICAL FUSE 10 x 38 0-5A GG 500V AC

Fuse-link, low voltage, 0.5 A, AC 500 V, 120 kA, 10 x 38 mm, gL/gG, IEC

EL-Nummer (Norway)

1600203

Fuse, Fuse-link, low voltage, AC 500 V, 10 x 38 mm, gL/gG, IEC, cylindrical, for industrial applications, for general purpose use, IEC 60269-2

•

•

•



•

•

•

•

•



Delivery program

Technical data ETIM 8.0

Delivery program

Product range

Fuse

Basic function
Fuse-link
Field of application
low voltage
Rated current [I]
0.5 A
Rated voltage
AC 500 V
Size
10 x 38 mm
Utilization category
gL/gG
Breaking Capacity
120 kA
usable for size/applications
for industrial applications
for general purpose use
Standard/Approval
IEC
Shape
cylindrical
Standards/Regulations
IEC 60269-2

Technical data ETIM 8.0

Circuit breakers and fuses (EG000020) / Cylindrical fuse (EC002704)
Electric engineering, automation, process control engineering / Electrical installation, device / Safety fuse inserts /
Miniature fuse (ec1@ss10.0.1-27-14-20-01 [AFZ796015])
Model
Ceramic fuse
Size
10x38 mm
Voltage type
AC
Rated current
0.5 A
Rated voltage
500 V
Utilization category
gL/gG (cable protection/equipment protection)
Rated operating frequency
45 - 62 Hz
Type of fuse status indicator
Other
Release characteristic
Other
Breaking capacity
120 kA
Power loss at rated current
1.43 W

Product photo



c10g0-5_c
Photo



c10g0-5_pkg
Photo



[c10g0.5_r](#)

Photo



[c10g0.5_b](#)

Photo



[c10g0.5_c](#)

Photo



[c10g0.5_l](#)

Photo



[c10g0.5_r](#)

Photo

Declaration of Conformity

EU

- [Low voltage cylindrical fuse-links \(DA-DC-00003494\)](#)

Asset
(PDF)

UK

- [Low voltage cylindrical fuse-links \(DA-DC-00004021\)](#)

Asset
(PDF)

Download-Center

- [Download-Center \(this item\)](#)
Eaton EMEA Download-Center - download data for this item
- [Download-Center](#)
Eaton EMEA Download-Center



[Generate data sheet in PDF format](#)



[Generate data sheet in Excel format](#)



[Write a comment](#)

[Imprint](#) [Privacy Policy](#) [Legal Disclaimer](#) [Terms and Conditions](#)

© 2022 by Eaton Industries GmbH

