

SCOUT G2

We can enthusiastically welcome a well known but now considerably larger and well-equipped floodlight family to Hide-a-lite's outdoor range – Scout G2. Suitable for outdoor environments such as warehouse doors or as parking, facade or signage lighting. With accessories in various combinations, this is the luminaire of possibilities to suit different areas of application. Among other things, accessories permit installation on posts, walls or in corners and are supplied with bolts, nuts and screws to allow for combinations. Scout G2 has a robust design in black with adjustable bracket, installed with screws. Asymmetric light distribution and high luminous efficiency from 140lm/W. Comes complete with integrated and replaceable driver and 2m rubber cable for direct 230V connection. Combine more and illuminate larger areas for security lighting. Scout G2 – select according to your areas of application!



**MADE FOR TOUGH
ENVIRONMENTS**







- **Highly efficient floodlight family in sizes: XS-XL**
- **Accessories for endless areas of application**
- **Luminous efficiency from 140lm/W**
- **D-marked according to SS-EN 60598-2-24 - for spaces with a high fire risk**
- **For tough environments – IP66 and IK08**



Pole Top Square



GTIN	Type	Colour Temperature	Luminaire Lumen	Beam Angle	Power Luminaire	Luminaire efficiency
7392971146089 ¹	XS Asym	4000K	1500-4250lm	80x150°	10-30W	142lm/W
7392971146096 ^{1,2}	XS Asym PIR	4000K	1500-4250lm	80x150°	10-30W	142lm/W
7392971146102	S Asym	4000K	7100lm	80x150°	50W	142lm/W
7392971146119 ²	S Asym PIR	4000K	7100lm	80x150°	50W	142lm/W
7392971146126	M Asym	4000K	14000lm	80x150°	100W	140lm/W
7392971146133	L Asym	4000K	21050lm	80x150°	150W	140lm/W
7392971146140	XL Asym	4000K	28000lm	80x150°	200W	140lm/W




Scout G2 comes in five different sizes, XS-XL



Scout G2 XL on Mounting plate




Scout G2 L installed on Pole top linear
2-4 luminaires and Junction box plate



CAP SCOUT G2

Anti-glare shield of powder coated sheet metal for floodlight Scout G2 Shields and increases anti-glare. Installed easily on the luminaire with accompanying screws.


GTIN	Type	Color
7392971146171	Cap Scout G2 XS	Black
7392971146188	Cap Scout G2 S	Black
7392971146195	Cap Scout G2 M	Black
7392971146201	Cap Scout G2 L	Black
7392971146218	Cap Scout G2 XL	Black



SIGN EXTENSION ARM

Sign extension arm in powder coated aluminium. An accessory that makes it easier to illuminate signs and facades. Comes with 0.5m or 1m arm, both with connection box included and accompanying openable terminals. Mounted on the wall, above or below the sign. Can also be mounted together with the Mounting plate accessory for increased stability.


GTIN	Type	Color
7392971146225	Sign extension arm 50cm	Black
7392971146232	Sign extension ar 100cm	Black



POST BRACKET

Intended for installation of 1-2 luminaires and is suitable for posts of 55-90mm diameter. Can be combined with Junction box plate.

GTIN	Type	Color
7392971146249	Post bracket Ø55-90mm	Svart







POLE TOP

The square pole top accessory is intended for 1-4 luminaires – perfect for areas where a lot of light is needed – the light is spread around the pole. With the Pole top linear 1-2 accessory, you can point two luminaires to shine in different directions. With the Pole top linear 2-4 accessory, you can point four luminaires so that two shine in the same direction. Can be combined with the Junction box plate accessory.


GTIN	Type	Color
7392971146263	Pole top Linear 1-2 luminaires	Black
7392971146270	Pole top Linear 2-4 luminaires	Black
7392971146287	Pole top Square 1-4 luminaires	Black



Linear 2-4 luminaires



Linear 1-2 luminaires




Square 1-4 luminaires



CORNER BRACKET

Mounting accessory for those who want to place their luminaire in a 90° outer corner. Can be combined with the Junction box plate accessory.

GTIN	Type	Color
7392971146256	Corner bracket	Black




Corner bracket



PIR SENSOR SCOUT G2

Sensor designed for Scout G2 XS and Scout G2 S – for where you want a light to be switched on by movement, such as over a warehouse door. PIR sensor with motion activation, settings for twilight level, delay function and sensitivity.

GTIN	Type	Color
7392971146317	PIR sensor Scout G2	Black




PIR sensor Scout G2



MOUNTING PLATE

Distributes the weight more evenly and has prepared holes for installation of luminaires. Strengthen the substrate and distribute the weight with installation on thin sheet metal facades or light concrete walls, for example.

GTIN	Type	Color
7392971146294	Mounting plate	Black




Mounting plate



JUNCTION BOX PLATE

The Junction box plate can be used to connect several luminaires together, for example on high posts. Can be combined with the pole top accessories.

GTIN	Type	Color
7392971146300	Dosplåt	Black



Junction box plate