


ECHO



Instead of replacing with cover rings, choose a complete luminaire in the size you need. Echo is a large product family for holes from 103–300mm. Dimmable all-round luminaire for public environments that need a lot of light, such as in rooms with high ceilings, corridors or shops. Perfect for new installations and to replace compact fluorescent tube luminaires. Selectable colour temperature via DIP switch. Echo M and Echo L have adjustable lumen output via DIP-switch. Comes complete with driver for phase dimming or DALI-2. DALI-2 comes with Q-box Micro, push-in terminals and screwless strain relief. Dimmable with most common dimmers on the market.

PERFECT COMPACT
FLUORESCENT TUBE
REPLACEMENT; FITS HOLE
SIZES BETWEEN
103-300MM










- Complete luminaires in even more sizes – forget cover rings
- Energy-efficient installation – replaces compact fluorescent tube luminaires
- Selectable colour temperature via DIP-Switch
- Adjustable lumen output via DIP-switch (M & L)
- Perfect for new installations, where, for example, Echo M provides excellent lighting in a standard corridor placed at cc distances of 4.2m
- Phase dimmable driver or DALI-2




ECHOS









GTIN	Type	Colour	Hole dimension	Colour temperature	Luminaire lumen	Beam angle	Effect luminaire
7392971141282	Echo S 125 FDIM	White	102-113mm	3000K/4000K/5700K	1090lm-1150lm	80°	14W
7392971141299 ¹⁾	Echo S 125 DALI	White	102-113mm	3000K/4000K/5700K	1090lm-1150lm	80°	14W
7392971148151	Echo S 150 FDIM	White	108-145mm	3000K/4000K/5700K	1090lm-1150lm	80°	14W
7392971148168 ¹⁾	Echo S 150 DALI	White	108-145mm	3000K/4000K/5700K	1090lm-1150lm	80°	14W
7392971148175	Echo S 170 FDIM	White	144-158mm	3000K/4000K/5700K	1090lm-1150lm	80°	14W
7392971148182 ¹⁾	Echo S 170 DALI	White	144-158mm	3000K/4000K/5700K	1090lm-1150lm	80°	14W
7392971148199	Echo S 215 FDIM	White	150-200mm	3000K/4000K/5700K	1090lm-1150lm	80°	14W
7392971148205 ¹⁾	Echo S 215 DALI	White	150-200mm	3000K/4000K/5700K	1090lm-1150lm	80°	14W
7392971148212	Echo S 270 FDIM	White	195-250mm	3000K/4000K/5700K	1090lm-1150lm	80°	14W
7392971148229 ¹⁾	Echo S 270 DALI	White	195-250mm	3000K/4000K/5700K	1090lm-1150lm	80°	14W



ECHO M



GTIN	Type	Colour	Hole dimension	Colour temperature	Luminaire lumen	Beam angle	Effect luminaire
7392971141305	Echo M 170 FDIM	White	144-158mm	3000K/4000K/5700K	1110lm-1870lm	85°	12W-20W
7392971141312 ¹⁾	Echo M 170 DALI	White	144-158mm	3000K/4000K/5700K	980lm-1870lm	85°	10,5W-21W
7392971148236	Echo M 215 FDIM	White	150-200mm	3000K/4000K/5700K	1110lm-1870lm	85°	12W-20W
7392971148243 ¹⁾	Echo M 215 DALI	White	150-200mm	3000K/4000K/5700K	980lm-1870lm	85°	10,5W-21W
7392971148250	Echo M 270 FDIM	White	195-250mm	3000K/4000K/5700K	1110lm-1870lm	85°	12W-20W
7392971148267 ¹⁾	Echo M 270 DALI	White	195-250mm	3000K/4000K/5700K	980lm-1870lm	85°	10,5W-21W



ECHO L



GTIN	Type	Colour	Hole dimension	Colour temperature	Luminaire lumen	Beam angle	Effect luminaire
7392971141329	Echo L 230 FDIM	White	203-217mm	3000K/4000K/5700K	2310lm-3160lm	90°	24W-32W
7392971141336 ¹⁾	Echo L 230 DALI	White	203-217mm	3000K/4000K/5700K	2610lm-3160lm	90°	27W-34W
7392971148274	Echo L 265 FDIM	White	210-250mm	3000K/4000K/5700K	2310lm-3160lm	90°	24W-32W
7392971148281 ¹⁾	Echo L 265 DALI	White	210-250mm	3000K/4000K/5700K	2610lm-3160lm	90°	27W-34W
7392971148298	Echo L 320 FDIM	White	250-300mm	3000K/4000K/5700K	2310lm-3160lm	90°	24W-32W
7392971148304 ¹⁾	Echo L 320 DALI	White	250-300mm	3000K/4000K/5700K	2610lm-3160lm	90°	27W-34W

