

# Eaton 291484

Catalog Number: 291484

Eaton Moeller series xPole - Busbar. EV busbars 2Ph., 12HP, for auxiliary contact unit, 16

## General specifications



Product Name	Catalog Number
Eaton Moeller series busbar	291484
EL Number	EAN
1624199	9007912612155
2140089	9007912612148
Product Length/Depth	Product Height
33 mm	7.8 mm
Product Width	Product Weight
210 mm	0.09 kg
Compliances	Model Code
RoHS conform	EVG-16/2PHAS/10MODUL/HI

## Produktspesifikasjoner

### Pitch dimensions

0 mm

### Rated short-time withstand current (I<sub>cw</sub>)

0 kA

### Accessory/spare part type

Busbar for miniature circuit breaker

Busbar for combined residual current/power circuit breaker

Busbar for residual current circuit breakers

### Cross section

16 mm<sup>2</sup>

### Color

Other

### Number of modular spacings

10

### Features

Insulated

### Functions

Busbar

### Suitable for

Devices with auxiliary switch

5 devices

### Suitable for number of devices

5

### Number of poles

Two-pole

### Type

Busbar

EVG

### Used with

Busbar

EVG

### Rated uninterrupted current (I<sub>u</sub>)

80 A

### Electric connection type

Fork

## For nedlasting

### Specifications and datasheets

[Product Data Sheet - 291484](#)

### Tegninger

[eaton-busbar-3d-drawing.jpg](#)

Rated surge voltage

4 kV

Number of phases

2

Rated operational voltage (U<sub>e</sub>) - max

415 V

Rated conditional short-circuit current (I<sub>q</sub>)

25 kA



Eaton Corporation plc  
Eaton House  
30 Pembroke Road  
Dublin 4, Ireland  
Eaton.com  
© 2023 Eaton. Med  
enerett.

Eaton is a registered trademark.

All other trademarks are  
property of their respective  
owners.



[Eaton.com/socialmedia](https://Eaton.com/socialmedia)