SAGA - RJ45 OUTLETS

PEP ecopassport®

Environmental Product Declaration



Document in compliance with ISO 14025: 2006 "Environmental labels and declarations. Type III environmental declarations"

ORGANIZATION		CONTACT INFORMATION			
ABB Oy, Wiring Accessories		ella.helynranta@fi.abb.com			
ADDRESS		WEBSITE			
Porvoon Sisäkehä 2, Porvoo, Finland		www.abb.com			
STATUS	SECURITY LEVEL	REGISTRATION NUMBER	REV.	LANG.	PAGE
Approved	Public	ABBG-00319-V01.01-EN	1	en	1/11

ABB Purpose & Embedding Sustainability

ABB is committed to continually promoting and embedding sustainability across its operations and value chain, aspiring to become a role model for others to follow. With its ABB Purpose, ABB is focusing on reducing harmful emissions, preserving natural resources and championing ethical and humane behavior.

Scan QR code for more information:

General Information

Reference product	2TKA00004961
Description of the product	The reference product for the PEP from this product family is called RJ45 outlet 85mm semi-complete, for Keystone, Actassi, and AMP connectors. It is designed to allow users to connect and disconnect the plug of an electrical load or the source of a signal from a communication network.
Functional unit	Protect persons during 20 years against direct contact with live parts and allow grouping monitoring, control, and protection devices in a single enclosure or a cabinet having the following dimensions (71 mm x 71 mm x 38 mm)
Other products covered	The PEP covers other products from Saga RJ45 outlets. Other products covered in this PEP are listed in page 9.

Constituent Materials



Total weight of Reference product	37.58	g

Plastics as % of weight		**Metals as % of weight**		**Others as % of weight**	
Name and CAS number	Weight%	Name and CAS number	Weight%	Name and CAS number	Weight%
Bio-circular polycarbonate	36.2	–	–	**Carton**	24.4
Polycarbonate	35.6	–	–	**Plastic packaging**	3.9

The reference product and other products in this range are in conformity with the provisions of Low Voltage Directive 2014/35/EU, and national legislation. Plastic used for the reference product are halogen-free materials (IEC/61249-2-21) and they are also recyclable. The bio-circular PC is derived from biowaste and residual materials like vegetable oil residue.

Additional Environmental Information

Manufacturing	While most plastic parts are manufactured at Artilux NMF, UAB, one plastic component is manufactured at the ABB s.r.o. ELEKTRO-PRAGA plant. From there, all following steps including the final assembly, product packaging and distribution happen at Artilux NMF, UAB plant.
Distribution	Includes the transportation of the packaged product from the manufacturer's last logistic platform to the distributor.
Installation	The product does not require special installation procedure and requires little to no energy to install. The disposal of the packaging materials is accounted during the installation phase.
Use	With the nature of the reference product, there isn't any energy or materials consumed during the Use stage. There is also no maintenance needed during normal use for the reference product.
End of life	No special end-of-life treatment required. This product can enter the usual end-of-life treatment process according to countries' best practices.
Benefits and loads beyond the system boundaries	Net benefits and loads calculated according to PCR ed 4 and formulas given in Annex G of the EN 50693.

Environmental Impacts

Reference lifetime	20 years
Product category	Unequipped enclosures and cabinets
Installation elements	No additional elements needed
Use scenario	Non applicable for unequipped enclosures and cabinets
Geographical representativeness	The data are representative of the countries in which the product is distributed: Europe, with great emphasis on Finland.
Technological representativeness	The manufacturing processes considered are representative of the products production.
Software and database used	Software: SimaPro 9.3.0.3 Database: ecoinvent 3.8
Energy model used	
Manufacturing	Lithuania and Czech Republic national electric mix
Installation	Based on sales mix (see geographical representativeness)
Use	-
End of life	Based on sales mix (see geographical representativeness)

Common base of mandatory indicators



Environmental impact indicators

Indicator	Unit	Total	Manu-facturing	Distri-bution	Installation	Use	End of life	Bene-fits
GWP-total	**kg CO_2 eq.**	2.39E-01	2.25E-01	9.53E-04	1.65E-03	0.00E+00	1.29E-02	-2.05E-02
GWP-fossil	**kg CO_2 eq.**	2.34E-01	2.19E-01	9.51E-04	1.45E-03	0.00E+00	1.29E-02	-2.54E-02
GWP-biogenic	**kg CO_2 eq.**	4.94E-03	4.76E-03	8.11E-07	2.02E-04	0.00E+00	-2.48E-05	4.82E-03
GWP-luluc	**kg CO_2 eq.**	2.31E-04	2.23E-04	3.85E-07	7.81E-07	0.00E+00	7.06E-06	1.74E-05
GWP-fossil = Global Warming Potential fossil fuels GWP-biogenic = Global Warming Potential biogenic GWP-luluc = Global Warming Potential land use and land use change								
ODP	**kg CFC-11 eq.**	1.21E-08	1.09E-08	2.20E-10	1.71E-10	0.00E+00	8.17E-10	4.88E-10
ODP = Depletion potential of the stratospheric ozone layer								
AP	**H+ eq.**	1.32E-03	0.00E+00	2.95E-06	5.04E-06	0.00E+00	2.92E-05	-1.69E-04
AP = Acidification potential, Accumulated Exceedance								
EP-freshwater	**kg P eq.**	2.20E-04	2.23E-04	6.21E-08	1.24E-07	0.00E+00	1.20E-06	-3.07E-07
EP-marine	**kg N eq.**	2.45E-04	2.33E-04	6.06E-07	1.80E-06	0.00E+00	9.32E-06	-1.30E-05
EP-terrestrial	**mol N eq.**	2.40E-03	2.29E-03	6.62E-06	1.78E-05	0.00E+00	8.90E-05	-2.44E-04
EP-freshwater = Eutrophication potential, fraction of nutrients reaching freshwater end compartment EP-marine = Eutrophication potential, fraction of nutrients reaching marine end compartment EP-terrestrial = Eutrophication potential, Accumulated Exceedance								
POCP	**kg NMVOC eq.**	6.37E-04	6.08E-04	1.71E-06	4.34E-06	0.00E+00	2.29E-05	-7.89E-05
POCP = Formation potential of tropospheric ozone								
ADP-minerals & metals	**kg Sb eq.**	3.62E-07	3.00E-07	3.36E-09	1.71E-10	0.00E+00	5.12E-08	-2.02E-08
ADP-fossil	**MJ**	3.72E+00	3.59E+00	1.44E-02	1.48E-02	0.00E+00	1.05E-01	-6.47E-01
ADP-minerals & metals = Abiotic depletion potential for non-fossil resources ADP-fossil = Abiotic depletion for fossil resources potential								
WDP	**m^3 eq. depr.**	9.13E-02	8.90E-02	4.34E-05	1.63E-04	0.00E+00	2.14E-03	-1.26E-02
WDP = Water Deprivation potential								

Common base of mandatory indicators

Inventory flows indicator – Resource use indicators

Indicator	Unit	Total	Manu-facturing	Distri-bution	Installation	Use	End of life	Bene-fits
PERE	**MJ**	2.78E-01	2.72E-01	2.05E-04	5.79E-04	0.00E+00	5.06E-03	-6.56E-03
PERM	**MJ**	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
PERT	**MJ**	2.78E-01	2.72E-01	2.05E-04	5.79E-04	0.00E+00	5.06E-03	-6.56E-03
PENRE	**MJ**	9.78E-05	8.71E-05	6.12E-07	9.01E-07	0.00E+00	9.16E-06	4.42E-05
PENRM	**MJ**	4.01E+00	3.87E+00	1.53E-02	1.57E-02	0.00E+00	1.12E-01	-6.96E-01
PENRT	**MJ**	4.01E+00	3.87E+00	1.53E-02	1.57E-02	0.00E+00	1.12E-01	-6.96E-01

PERE = Use of renewable primary energy excluding renewable primary energy resources used as raw materials
PERM = Use of renewable primary energy resources used as raw materials
PERT = Total Use of renewable primary energy resources
PENRE = Use of non-renewable primary energy excluding non-renewable primary energy resources used as raw materials
PENRM = Use of non-renewable primary energy resources used as raw materials
PENRT = Total Use of non-renewable primary energy resources

Inventory flows indicator – Indicators describing the use of secondary materials, water, and energy re-sources

Indicator	Unit	Total	Manu-facturing	Distri-bution	Installation	Use	End of life	Bene-fits
SM	**kg**	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
RSF	**MJ**	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
NRSF	**MJ**	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
FW	**m^3**	2.51E-03	2.44E-03	1.73E-06	5.13E-06	0.00E+00	5.92E-05	-3.02E-04

SM = Use of secondary material
RSF = Use of renewable secondary fuels
NRSF = Use of non-renewable secondary fuels
FW = Use of net fresh water

Inventory flows indicator – Waste category indicators

Indicator	Unit	Total	Manu-facturing	Distri-bution	Installation	Use	End of life	Bene-fits
Hazardous waste disposed	**kg**	2.10E-06	1.85E-06	3.74E-08	3.54E-08	0.00E+00	1.80E-07	7.41E-08
Non- hazardous waste disposed	**kg**	3.98E-02	1.66E-02	7.48E-04	7.36E-03	0.00E+00	1.51E-02	5.40E-04
Radioactive waste disposed	**kg**	8.39E-06	7.78E-06	9.73E-08	8.58E-08	0.00E+00	4.27E-07	-6.55E-07

Common base of mandatory indicators

Inventory flows indicator – Output flow indicators

Indicator	Unit	Total	Manu-facturing	Distri-bution	Installation	Use	End of life	Bene-fits
Components for re-use	kg	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
Materials for recycling	kg	1.69E-02	0.00E+00	0.00E+00	6.76E-03	0.00E+00	1.01E-02	0.00E+00
Materials for energy recovery	kg	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
Exported energy	MJ	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00

Inventory flow indicator – other indicators

Indicator	Unit	Total	Manu-facturing	Distri-bution	Installation	Use	End of life	Bene-fits
Biogenic carbon content of the product	kg of C	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
Biogenic carbon content of the associated packaging	kg of C	0.00E+00	4.14E-03	0.00E+00	-4.14E-03	0.00E+00	0.00E+00	0.00E+00

Extrapolation Factors

For other products than the Reference product covered by this PEP, the environmental impacts for each phase of the lifecycle are obtained by multiplying the values of the Reference product by the following coefficients:

* if the coefficient is "1", the impacts of the phase of the life cycle are assimilated to the Reference product, meaning that the impacts are unchanged in comparison to the Reference product

Product name	Manu-facturing	Distri-bution	Installation	Use	End of life	Benefits
2TKA00004983	1.23	1.27	1.00	0.00	1.28	1.32
2TKA00004961 (Ref)	1.00	1.00	1.00	0.00	1.00	1.00
2TKA00005228	0.85	0.73	1.00	0.00	0.77	0.74
2TKA00005229	0.85	0.73	1.00	0.00	0.77	0.73
2TKA00005230	0.85	0.73	1.00	0.00	0.77	0.74
2TKA00005231	0.85	0.73	1.00	0.00	0.77	0.73
2TKA00005232	1.07	0.98	0.82	0.00	1.05	1.10
2TKA00004985	1.42	1.66	1.12	0.00	1.61	1.50
2TKA00005204	33.85	46.38	18.24	0.00	50.00	51.54

Environmental Impact Indicator Glossary

Impact indicators

Indicator	Description	Distri-bution
Global warming potential (GWP) - total	Indicator of potential global warming caused by emissions to air contributing to the greenhouse effect. The total global warming potential (GWP-total) is the sum of three sub-categories of climate change. GWP-total = GWP-fossil + GWP-biogenic + GWP- land use and land use change	kg CO_2 eq.
Ozone depletion (ODP)	Emissions to air that contribute to the destruction of the stratospheric ozone layer	kg CFC-11 eq.
Acidification of soil and water (A)	Acidification of soils and water caused by the release of certain gases to the atmosphere, such as nitrogen oxides and sulphur oxides	H+ eq.
Eutrophication (E)	Indicator of the contribution to eutrophication of water by the enrichment of the aquatic ecosystem with nutritional elements, e.g. industrial or domestic effluents, agriculture, etc. This indicator is divided to three: freshwater, marine and terrestrial.	kg P eq., kg N eq., mole N eq.
Photochemical ozone creation (POCP)	Indicator of emissions of gases that affect the creation of photochemical ozone in the lower atmosphere (smog) because of the rays of the sun.	kg NMVOC eq.
Depletion of abiotic resources – elements (ADPe)	Indicator of the depletion of natural non-fossil resources	kg Sb eq.
Depletion of abiotic resources – fossil fuels (ADPf)	The use of non-renewable fossil resources in an unsustainable way (e.g. from material to waste)	MJ (lower heating value)
Water Deprivation potential (WDP)	Deprivation-weighted water consumption. Assesses the potential of water deprivation, to either humans or ecosystems, building on the assumption that the less water remaining available per area, the more likely another user will be deprived.	m^3 eq. depr.

Resource use indicators

Indicator	Description	Distri-bution
Total use of primary energy	Total use of non-renewable primary energy resources (primary energy and primary energy resources used as raw materials) + Total use of renewable primary energy re-sources (primary energy and primary energy resources used as raw materials)	MJ (lower heating value)

Registration number:		**Drafting Rules:**	PCR-ed4-EN-2021 09 06
ABBG-00319-V01.01-EN		**Supplemented by:**	PSR-0005-ed3-EN-2023 06 06
Verifier accreditation number:		**Information and reference documents:**	
VH26		www.pep-ecopassport.org	
Date of issue:	07-2023	**Validity period:**	5 years
Internal ○		External ◉	

Independent verification of the declaration and data, in compliance with ISO 14025: 2006

The PCR review was conducted by a panel of experts chaired by Julie ORGELET (DDemain)

PEP are compliant with XP C08-100-1 :2016 or EN 50693:2019
The elements of the present PEP cannot be compared with elements from another program

Document in compliance with ISO 14025: 2006 "Environmental labels and declarations. Type III environmental declarations"