

Eaton 174279

Catalog Number: 174279

Eaton xEffect xVtl Enclosures Switch- & Controlgear Enclosure.
Basic frame W=650mm, H=1600mm



General specifications

Product Name	Catalog Number
Eaton xEffect xVtl mounting frame	174279
EL Number	Product Length/Depth
2455655	120 mm
Product Height	Product Width
1550 mm	250 mm
Product Weight	Compliances
10.8 kg	RoHS conform
Model Code	
XVTL-BP-F-65/16	

Produktspesifikasjoner

Installation type

Floor standing wall model

Permissible load of the door(s) according to IEC 62208 - max

1000 N

RAL-number

7035

Color

Gray

Thermal dissipation (Delta T = 20 K) according to IEC/TR 60890

0 W

Features

Connectable

EMC-version

Mounting plate depth-adjustable

Material

Steel

Suitable for

Metrical mounting

Surface finishing

Powder coating

Mounting method

Wall fastening

Material quality

Other

Permissible load of the mounting plate according to IEC 62208 - max

4000 N

Fitted with:

Mounting plate

Number of locks

0

Permissible load of the enclosure according to IEC 62208 - max

5000 N

Number of covers/doors

0

Degree of protection

For nedlasting

Kataloger

[eaton-pdd-xenergy-light-catalog-ca014022en-en-us.pdf](#)

[eaton-xenergy-light-add-on-distribution-board-product-catalog-2017-en-us.pdf](#)

Sertifiseringsrapporter

[DA-DC-03_xEnergy_Light_XVTL](#)

IK10
Other



Eaton Corporation plc
Eaton House
30 Pembroke Road
Dublin 4, Ireland
Eaton.com
© 2023 Eaton. Med
enerett.

Eaton is a registered trademark.

All other trademarks are
property of their respective
owners.



Eaton.com/socialmedia