

Eaton 114687

Catalog Number: 114687

Eaton xEnergy Light LV systems LV switchgear. Bottom-/top plate for F3A flanges, for WxD = 425 x 300mm, IP55, grey

General specifications



Product Name	Catalog Number
Eaton xEnergy Light LV systems LV switchgear	114687
	Model Code
	XLST5F43
EAN	Product Length/Depth
4015081140879	350 mm
Product Height	Product Width
30 mm	200 mm
Product Weight	Compliances
1.5 kg	RoHS conform

Product specifications

Special features

Including screws\nWith flange cutouts\nRoof panel with cutouts for F3A flange

Accessory/spare part type

Bottom plate
Roof plates

RAL-number

7035

Color

Gray

Unit type

Modular system

Suitable for enclosure building length/depth

300 mm

Suitable for width

425 mm

Material

Steel

Housing material

Sheet steel 1.25 mm

Suitable for

Bottom planking
Roof planking

Surface finishing

Polyester powder coating
With powder coating RAL 7035, light gray
Powder coating

Type

Accessory\nCombination enclosure\nControl centres XVTL

Suitable for enclosure building width

400 mm

Fitted with:

Cable entry

Number of openings

1

Used with

Resources

Catalogs

[eaton-xenergy-light-add-on-distribution-board-product-catalog-2017-en-us.pdf](#)

[eaton-pdd-xenergy-light-catalog-ca014022en-en-us.pdf](#)

Combination enclosure

Accessory

Control centres XVTL

Suitable for length/depth

300 mm

Degree of protection

IP55 (with cable entry flange F3A)



Eaton Corporation plc
Eaton House
30 Pembroke Road
Dublin 4, Ireland
Eaton.com

© 2023 Eaton. All Rights Reserved.

Eaton is a registered trademark.

All other trademarks are property of their respective owners.



Eaton.com/socialmedia