




XENERGY SAFETY CI
002288


Overview


Specifications


Resources

How to



002288

Eaton xEnergy Safety Ci LV systems LV switchgear
captive

Access the Online Catalog

GENERAL SPECIFICATIONS

General specifications



PRODUCT NAME	Eaton xEnergy Safety Ci screw
CATALOG NUMBER	002288
MODEL CODE	UBS4,8
EAN	4015080022886
PRODUCT LENGTH/DEPTH	30 mm
PRODUCT HEIGHT	10 mm
PRODUCT WIDTH	10 mm
PRODUCT WEIGHT	0.004 kg
COMPLIANCES	RoHS conform

Product specifications



PRODUCT SPECIFICATIONS

SPECIAL FEATURES	<ul style="list-style-type: none"> For mounting the installation systems directly in housing Spare parts
ACCESSORY/SPARE PART TYPE	Captive screw
BIT SIZE	0
THREAD SIZE	Other
UNIT TYPE	Modular system
FEATURES	Hardened Accessory Selfboring
MATERIAL	Steel
HEAD DIAMETER	8 in
MATERIAL QUALITY	Other
TIE SHAPE	Selfdrilling
TYPE	<ul style="list-style-type: none"> Accessory for mounting systems Mounting system xEnergy Safety Ci
FITTED WITH:	Point
USED WITH	MM-CI...perforated panels ZK-4...-CI counter circuit M3-CI..., M-CI... mounting panels CL mounting rails ML-4-CI module strips SL630-ADP-CI support angle adapter Accessory for mounting systems Mounting system xEnergy Safety Ci
SURFACE PROTECTION	Galvanic/electrolytic zinc plated
SURFACE TREATMENT	Other
SCREWING SYSTEM	Pozidriv PZ
THREAD LENGTH	0 in
THREAD DIAMETER	4.8 mm
THREAD TYPE	Other
HEAD STYLE	Other
THREAD PER INCH	1

Catalogs

Certification reports

mCAD model

002288



Eaton is an intelligent power management company dedicated to improving the quality of life and protecting the environment for people everywhere. We are guided by our commitment to do business right, to operate sustainably and to help our customers manage power — today and well into the future. By capitalizing on the global growth trends of electrification and digitalization, we're accelerating the planet's transition to renewable energy and helping to solve the world's most urgent power management challenges.