




XENERGY SAFETY CI  
002294

  
Overview

  
Specifications

  
Resources

How to



002294

Eaton xEnergy Safety Ci LV systems LV switchgear

Access the Online Catalog



Designed to work together

Discover other Eaton products and accessories built to enhance this product.

086081

Eaton xEnergy Safety Ci LV systems LV switchgear. Mounting plate;plastic;for CI23 enclosure

088454

Eaton xEnergy Safety Ci LV systems LV switchgear. Mounting plate;plastic;for CI43 enclosure

090827

Eaton xEnergy Safety Ci LV systems LV switchgear. Mounting plate;plastic;for CI44 enclosure

093200

Eaton xEnergy Safety Ci LV systems LV switchgear. Mounting plate;plastic;for CI44 enclosure

View more

View less

GENERAL SPECIFICATIONS

General specifications	>	PRODUCT NAME	Eaton xEnergy Safety Ci mounting plate accessory
		CATALOG NUMBER	002294
Product specifications	>	MODEL CODE	EM5-CI
		EAN	4015080022947
		PRODUCT LENGTH/DEPTH	8 mm
		PRODUCT HEIGHT	8 mm
		PRODUCT WIDTH	10 mm
		PRODUCT WEIGHT	0.003 kg
		COMPLIANCES	RoHS conform
PRODUCT SPECIFICATIONS			
TYPE		<ul style="list-style-type: none"><li>Basic enclosures</li><li>Mounting system</li><li>xEnergy Safety Ci</li></ul>	
ACCESSORY/SPARE PART TYPE		Hank nuts for insulated mounting plates	
THREAD SIZE		Other 5 mm	
USED WITH		Basic enclosures xEnergy Safety Ci Mounting system	
SURFACE PROTECTION		Galvanic/electrolytic zinc plated	
UNIT TYPE		Modular system	
MATERIAL		Steel	
THREAD TYPE		M5 Metric	
WRENCH WIDTH		0 mm	
SHAFT LENGTH		0 mm	
THREAD PER INCH		3	

Brochures

Catalogs

002294



Eaton is an intelligent power management company dedicated to improving the quality of life and protecting the environment for people everywhere. We are guided by our commitment to do business right, to operate sustainably and to help our customers manage power — today and well into the future. By capitalizing on the global growth trends of electrification and digitalization, we’re accelerating the planet’s transition to renewable energy and helping to solve the world’s most urgent power management challenges.