




XENERGY SAFETY CI  
060620

  
Overview

  
Specifications

  
Resources

How to



060620

Eaton xEnergy Safety Ci LV systems LV switchgear enclosure 375mm, hxD=20x5(10, 15)mm

Access the Online Catalog



GENERAL SPECIFICATIONS

General specifications



PRODUCT NAME Eaton xEnergy Safety Ci busbar enclosure accessory

CATALOG NUMBER 060620

Product specifications



MODEL CODE SH0635/4

EAN 4015080606208

PRODUCT LENGTH/DEPTH 20 mm

PRODUCT HEIGHT 100 mm

PRODUCT WIDTH 300 mm

PRODUCT WEIGHT 0.243 kg

COMPLIANCES RoHS conform

## PRODUCT SPECIFICATIONS

<b>SPECIAL FEATURES</b>	<ul style="list-style-type: none"><li>• Component mounting possible on busbar</li><li>• Interval between busbar supports max. 375 mm</li></ul>
<b>RATED OPERATION CURRENT (IE)</b>	630 A 250 A 400 A
<b>TYPE</b>	<ul style="list-style-type: none"><li>• Accessory for busbar enclosures</li><li>• Prepared enclosures</li><li>• xEnergy Safety Ci</li></ul>
<b>ACCESSORY/SPARE PART TYPE</b>	Busbar support
<b>USED WITH</b>	CI43... L1, L2, L3, PE, N, PEN: 20 x 5 CI44... CI48... CI45... L1, L2, L3: 20 x 10 + 20 x 5; PE, N, PEN: 20 x 1 L1, L2, L3: 20 x 10; PE, N, PEN: 20 x 5 xEnergy Safety Ci Prepared enclosures Accessory for busbar enclosures
<b>CURRENT RATING - MAX</b>	630 A
<b>BUSBAR DISTANCE</b>	50 mm
<b>FUNCTIONS</b>	For use between two enclosures Prepared enclosure
<b>SUITABLE FOR</b>	Use between two enclosures
<b>DISTANCE BETWEEN BUSBAR CENTERS</b>	50 mm
<b>NUMBER OF POLES</b>	Five-pole

Brochures

Catalogs

Drawings

Installation instructions



Eaton is an intelligent power management company dedicated to improving the quality of life and protecting the environment for people everywhere. We are guided by our commitment to do business right, to operate sustainably and to help our customers manage power — today and well into the future. By capitalizing on the global growth trends of electrification and digitalization, we're accelerating the planet's transition to renewable energy and helping to solve the world's most urgent power management challenges.