



XEFFECT CI
208309


Overview


Specifications


Resources

How to



208309

Eaton xEffect Ci Enclosures Switch- & Controlgear
HxWxD=116x329x23mm, NA type

Discover the xEffect Ci models



GENERAL SPECIFICATIONS

General specifications



PRODUCT NAME Eaton xEffect Ci Enclosures Switch- & Controlgear

CATALOG NUMBER 208309

Product specifications



MODEL CODE FL4-X-NA

EAN 4015082083090

PRODUCT LENGTH/DEPTH 115 mm

PRODUCT HEIGHT 23 mm

PRODUCT WIDTH 330 mm

PRODUCT WEIGHT 0.21 kg

COMPLIANCES
CE marking
IEC/EN62208
UL 508A CSA-C22.2 No.94
RoHS conform

CERTIFICATIONS

UL listed
UL (File No. E499317)
Specially designed for North America
UL (Category Control Number NITW)

PRODUCT SPECIFICATIONS

ACCESSORY/SPARE PART TYPE	Flanges
SHAPE	Straight
UNIT TYPE	Modular system
MATERIAL	Plastic
SUITABLE FOR NOMINAL THREAD (PG) - MIN	16
THICKNESS	4 mm
SUITABLE FOR CABLE DIAMETER - MAX	0 mm
TYPE	Accessory for basic enclosures Accessory for North A enclosure xEnergy Safety Ci
NUMBER OF CONNECTOR HOLES	0
USED WITH	375 mm (enclosure dimensions) Industrial Control Panels Accessory for North America Basic enclosure Accessory for basic enclosures xEnergy Safety Ci
SURFACE PROTECTION	Untreated
MODEL	Blind
THREAD TYPE	None
SUITABLE FOR NOMINAL THREAD (PG) - MAX	50
DEGREE OF PROTECTION	Other
SUITABLE FOR CABLE DIAMETER - MIN	0 mm

Brochures

Certification reports

Drawings

Installation instructions

Installation videos

mCAD model

208309



Eaton is an intelligent power management company dedicated to improving the quality of life and protecting the environment for people everywhere. We are guided by our commitment to do business right, to operate sustainably and to help our customers manage power — today and well into the future. By capitalizing on the global growth trends of electrification and digitalization, we're accelerating the planet's transition to renewable energy and helping to solve the world's most urgent power management challenges.