Products   Digita

**XEFFECT CS**
**138744**

Overview

Specifications

Resources

Conta

# 138744

Eaton xEffect CS LV systems Switch- & Controlgea
plate with seal, WxD=532x172mm

## GENERAL SPECIFICATIONS

General specifications  >

Product specifications  >

| | |
|---|---|
| **PRODUCT NAME** | Eaton xEffect CS bottom plate |
| **CATALOG NUMBER** | 138744 |
| **MODEL CODE** | SFP-172X532-CS |
| **EAN** | 4015081355242 |
| **PRODUCT LENGTH/DEPTH** | 172 mm |
| **PRODUCT HEIGHT** | 5 mm |
| **PRODUCT WIDTH** | 532 mm |
| **PRODUCT WEIGHT** | 0.35 kg |
| **COMPLIANCES** | RoHS conform |

## PRODUCT SPECIFICATIONS

| | |
|---|---|
| **SPECIAL FEATURES** | Without apertures With continuous foamed gasket |
| **ACCESSORY/SPARE PART TYPE** | Bottom plate |
| **SHAPE** | Straight |
| **COLOR** | Light gray (RAL 7035) |
| **MATERIAL** | Steel plate<br>Steel |
| **SURFACE FINISHING** | Semi-textured |
| **SUITABLE FOR NOMINAL THREAD (PG) - MIN** | 0 |
| **THICKNESS** | 2 mm |
| **SUITABLE FOR CABLE DIAMETER - MAX** | 0 mm |
| **TYPE** | Accessory CS |
| **NUMBER OF CONNECTOR HOLES** | 0 |
| **USED WITH** | Enclosure width = 600 mm |
| **SURFACE PROTECTION** | Powder coating |
| **MODEL** | Blind |
| **THREAD TYPE** | None |
| **SUITABLE FOR NOMINAL THREAD (PG) - MAX** | 0 |
| **DEGREE OF PROTECTION** | Other<br>IP66 |
| **SUITABLE FOR CABLE DIAMETER - MIN** | 0 mm |

# Brochures

# Catalogs

# Certification reports

# Drawings

# Installation instructions

**Contact us**
+359884477015

138744

Eaton is an intelligent power management company dedicated to improving the quality of life and protecting the environment for people everywhere. We are guided by our commitment to do business right, to operate sustainably and to help our customers manage power — today and well into the future. By capitalizing on the global growth trends of electrification and digitalization, we're accelerating the planet's transition to renewable energy and helping to solve the world's most urgent power management challenges.