


## ESKV-P 20 BK



Products may differ in size, colour and appearance to those shown. If you require further information or customisation, please contact us directly.



|                                 |                               |
|---------------------------------|-------------------------------|
| <b>Material</b>                 | Polyamide                     |
| <b>Material sealing gasket</b>  | on cable EPDM, on housing TPE |
| <b>Protection class</b>         | IP68 (5 bar 30 min), IP69     |
| <b>Temp. range min</b>          | -40 °C                        |
| <b>Temp. range max</b>          | 100 °C                        |
| <b>Glow wire test</b>           | 750 °C                        |
| <b>Ø Connection thread D</b>    | 20                            |
| <b>Length screw-in thread L</b> | 6 mm                          |
| <b>Ø cable diameter min</b>     | 6 mm                          |
| <b>Ø cable diameter max</b>     | 13 mm                         |
| <b>Key width SW</b>             | 24 mm                         |
| <b>Collar diameter (E)</b>      | 29 mm                         |
| <b>Total length TL</b>          | 42 mm - 53 mm                 |
| <b>Ø Drilling</b>               | 20 mm - 20,2 mm               |
| <b>Wall thickness S</b>         | 0,5 mm - 4 mm                 |
| <b>Product Color</b>            | RAL 9005                      |
| <b>Type</b>                     | ESKV-P 20 BK                  |
| <b>Order no. RAL 9005</b>       | 10112633                      |
| <b>Packing unit</b>             | 50                            |
| <b>Tariff number</b>            | 39269097                      |
| <b>ETIM-Classification</b>      | EC000451                      |

### Recommended accessories

Your Contact:

**WISKA Hoppmann GmbH**

Kisdorfer Weg 28 · 24568 Kaltenkirchen · Germany

☎ +49-4191-508-0 · 📠 +49-4191-508-209

contact@wiska.de · www.wiska.com

|               |          |
|---------------|----------|
| MFD 20/02/065 | 10060953 |
| RDE 20        | 10062185 |
| BS 13         | 10064010 |
| MFD 20/03/040 | 10064341 |
| MFD 20/02/060 | 10064395 |
| MFD 20/03/045 | 10102306 |

21.05.2024

Your Contact:


**WISKA Hoppmann GmbH**

Kisdorfer Weg 28 · 24568 Kaltenkirchen · Germany

☎ +49-4191-508-0 · 📠 +49-4191-508-209

contact@wiska.de · www.wiska.com

Other technical data on request / subject to change without notice



Your Contact:

**WISKA Hoppmann GmbH**

Kisdorfer Weg 28 · 24568 Kaltenkirchen · Germany

☎ +49-4191-508-0 · 📠 +49-4191-508-209

contact@wiska.de · www.wiska.com