

TECHNICAL DATA

**DOWNLOADS** 

# **ACCESSORIES**



- Remote control for quick and precise setting of various parameters (no need to climb a ladder!)
- For the following devices: motion detectors RC 130i, RC 230i, RC 280i and automatic light ALS 230i

# **TECHNICAL DATA**

# **GENERAL**

Device category	Remote control
Included in delivery	includes wall-mounted holder

Conformity	CE, EAC, RoHS
	- , -,

## **HOUSING**

Dimensions	Length 100 mm x Width 50 mm x Height/Depth 9 mm
Weight	54 g
Weight	54 g

Colour	silver

# **DOWNLOADS**

GENERAL		All files as ZIP	<u>•</u>
Data sheet	PDF		<u>•</u>
Declaration of conformity	PDF		<u>•</u>

# **INSTALLATION**

Operating instructions	PDF	<u>•</u>
Short instruction	PDF	<u>•</u>

# **TENDER SPECIFICATIONS**

Invitation to tender text neutral (rtf)	RTF	<u>•</u>
Invitation to tender text neutral (x81)	X81	<u>•</u>
Tender text with leading brand	RTF	<u>•</u>

# **FITTING PRODUCTS**

# **OUTDOOR MOTION DETECTOR**



## RC 130i black

Item number EM10015212 Motion detector with 130° field of detection and large range













### RC 130i brown

Item number EM10015113

Motion detector with 130° field of detection and large











## RC 130i white

Item number EM10015014

Motion detector with 130° field of detection and large

range













## **RC 230i UC**

Item number EM10015649

Motion detector with 230° field of detection and large

range













### RC 230i black

Item number EM10015519

Motion detector with 230° field of detection and large

range













### RC 230i brown

Item number EM10015410

Motion detector with 230° field of detection and large

range









# RC 230i stainless steel appearance

Item number EM10015618

Motion detector with 230° field of detection and large

range











### RC 230i white

Item number EM10015311

Motion detector with 230° field of detection and large

range











## RC 280i black

Item number EM10015915

Motion detector with 280° field of detection and large

range











# RC 280i brown

Item number EM10015816

Motion detector with 280° field of detection and large

range













## RC 280i white

Item number EM10015717

Motion detector with 280° field of detection and large

range













#### **SERVICE**

#### **Downloads**

Catalogues and brochures

Videos

Tender specifications

KNX product database

Mobile apps

### Knowledge

Academy & Training

Name concept

Online Demo ESY-App

Covers for wall detectors

**Ecodesign Directive** 

**Presence and Motion detectors** 

# Support

Planning & project support

BIM-Portal

## **ESYLUX Services**

ESYCOMPARE

ESYWORLD

#### **SOLUTIONS**

## Offices

Group offices

Open-plan office

Meeting rooms

Reversible offices

Communal areas

#### Education

Classrooms

Break rooms

Mensas

#### **Daycare centers**

Playrooms

#### **Health Care**

Patient rooms

Examination rooms

Multi-purpose rooms

Canteens

### **Outdoor areas**

Pathways and entrances

Multi-storey car parks

Outdoor car parks

#### Secondary areas

Corridors

Staircases

Side rooms

Sanitary facilities

#### **PRODUCTS**

#### **Indoor automation**

Presence and motion detectors

Brightness controller

Controls

Smoke alarm

#### **Indoor lighting**

Lighting systems

Recessed lights

Wall and ceiling lights

Downlights

Moisture-proof lights

Emergency lights

Portable spotlight

#### **Outdoor automation**

 $Motion\ detectors$ 

Twilight switch

# **Outdoor lighting**

Wall lights

Up-/Downlights

**Bollard lights** 

Floodlights

#### HIGHLIGHTS

ALVA

SVENJA

**Emergency Lights** 

CELINE-2

SLP-2

ATMO

Downlights

Outdoor Floodlights

ESYLUX Light Control

DEFENSOR

COMPACT

ESY-Pen

FLAT

OLIVIA-2

Switch lights on and off

hygienically

Focus products Q2/2024

#### **INNOVATIONS**

Demand-driven Automation Intelligent Lighting Human Centric Lighting Light control with DALI-2

## **COMPANY**

Vision and mission

Experience and quality

Corporate responsibility

Research and development

Cooperations and

memberships

Awards and prizes

References

### **PRESS**

Press releases Images ESYWORLD

**Imprint Privacy policy Privacy settings** Whistleblowing General terms and conditions Guarantee Disclaimer Contact © 2024 ESYLUX GmbH











