

TECHNICAL DATA

DOWNLOADS

ACCESSORIES







DEFENSOR REMOTE CONTROL USER

ITEM NUMBER EM10025495 | GTIN 4015120025495

- End-user remote control for the outdoor motion detectors and twilight switches of the DEFENSOR series
- Quick, precise setting of an individual level of brightness
- Option to set the switch-off delay time to 5 or 15 minutes
- "Continuous lighting ON/OFF" function (12 hours) for manual light switching without a push button

TECHNICAL DATA

GENERAL

Device category	Remote control	
Conformity	CE, EAC, RoHS	

HOUSING

Dimensions	Length 56 mm x Width 29 mm x Height/Depth 7 mm
Weight	12 g

Protectiontype	IP20
Colour	silver

DOWNLOADS

GENERAL		All files as ZIP	<u>*</u>
Data sheet	PDF		<u>+</u>
Declaration of conformity	PDF		<u>*</u>

INSTALLATION

Short instruction	PDF	<u>+</u>

TENDER SPECIFICATIONS

Invitation to tender text neutral (rtf)	RTF	<u>•</u>
Invitation to tender text neutral (x81)	X81	<u>•</u>
Tender text with leading brand	RTF	<u>•</u>

FITTING PRODUCTS

OUTDOOR MOTION DETECTOR

DEFENSOR MD 200° 24 IR 1C IP55 AN

Item number EM10025365

 $Motion\,detector\,with\,200^o\,field\,of\,detection\,and\,large$









DEFENSOR MD 200° 24 IR 1C IP55 WH

Item number EM10025358

Motion detector with 200° field of detection and large









DEFENSOR MD 230° 40 IR 1C IP55 AN

Item number EM10025389

 $Motion\,detector\,with\,230^{\circ}\,field\,of\,detection\,and\,large$

range











DEFENSOR MD 230° 40 IR 1C IP55 WH

Item number EM10025372

Motion detector with 230° field of detection and large

range











DEFENSOR MD 280° 40 IR 1C IP55 AN

Item number EM10025402

Motion detector with 280° field of detection and large

range











DEFENSOR MD 280° 40 IR 1C IP55 WH

Item number EM10025396

Motion detector with 280° field of detection and large

range











TWILIGHT SWITCH

DEFENSOR TS IR 1C IP55 WH

Item number ED10025471

 $Surface-mounted\,twilight\,switch\,for\,automatic$

lighting control











DEFENSOR TS T IR 1C IP55 WH

Item number ED10025464

 $Surface-mounted\ twilight\ switch\ with\ time\ switch\ for$ automatic lighting control











SERVICE

Downloads

Catalogues and brochures

Videos

Tender specifications

KNX product database

Mobile apps

Knowledge

Academy & Training

Name concept

Online Demo ESY-App

Covers for wall detectors

Ecodesign Directive

Presence and Motion detectors

Support

Planning & project support

BIM-Portal

ESYLUX Services

ESYCOMPARE

ESYWORLD

SOLUTIONS

Offices

Group offices

Open-plan office

Meeting rooms

Reversible offices

Communal areas

Education

Classrooms

Break rooms

Mensas

Daycare centers

Playrooms

Health Care

Patient rooms

Examination rooms

Multi-purpose rooms

Canteens

Outdoor areas

Pathways and entrances

Multi-storey car parks

Outdoor car parks

Secondary areas

Corridors

Staircases

Side rooms

Sanitary facilities

PRODUCTS

Indoor automation

Presence and motion detectors

Brightness controller

Controls

Smoke alarm

Indoor lighting

Lighting systems

Recessed lights

Wall and ceiling lights

Downlights

Moisture-proof lights

Emergency lights

Portable spotlight

Outdoor automation

Motion detectors

Twilight switch

Outdoor lighting

Wall lights

Up-/Downlights

Bollard lights

Floodlights

HIGHLIGHTS

ALVA

SVENJA

Emergency Lights

CELINE-2

SLP-2

OMTA

Downlights

Outdoor Floodlights

ESYLUX Light Control

DEFENSOR

COMPACT

ESY-Pen

FLAT

OLIVIA-2

Switch lights on and off

hygienically

Focus products Q2/2024

INNOVATIONS

Demand-driven Automation

intelligent Lighting **Human Centric Lighting** Light control with DALI-2

COMPANY

Vision and mission Experience and quality Corporate responsibility Research and development Cooperations and memberships Awards and prizes References

PRESS

Press releases Images ESYWORLD

Imprint Privacy policy Privacy settings Whistleblowing General terms and conditions Guarantee Disclaimer Contact © 2024 ESYLUX GmbH











