

TECHNICAL
DATA

DOWNLOADS

SPARE PARTS

72h





ELX BATTERY NiCd 1800mAh

ITEM NUMBER EN10077418 |

GTIN 4015120077418

- NiCd battery (3.6 V/1800 mAh) with reverse polarity protected connection for use with single-battery escape luminaires from the ELX series

TECHNICAL DATA

GENERAL

Device category	Battery
Conformity	CE, EAC

HOUSING

Dimensions	Length 130 mm x Width 24 mm x Height/Depth 24 mm
Weight	140 g
Permissible ambient temperature	5 °C...+35 °C




ELECTRICAL VERSION

Nominal voltage	3.6 – 3.6 V
-----------------	-------------

DOWNLOADS

GENERAL	All files as ZIP	
Data sheet	PDF	

TENDER SPECIFICATIONS

Invitation to tender text neutral (rtf)	RTF	
Invitation to tender text neutral (x81)	X81	
Tender text with leading brand	RTF	

FITTING PRODUCTS

SAFETY LIGHT



ELX EL LED 3h IR SM

Item number EN10077227
Single battery emergency light for exit route signalling with 3 h emergency light duration

72h











ELX EL LED 8h IR SM

Item number **EN10077340**

Single battery emergency light for exit route signalling
with 8 h emergency light duration



Discover
our
complete
product
range.

CATALOGUE
2024/2025



SERVICE

Downloads

- Catalogues and brochures
- Videos
- Tender specifications
- KNX product database
- Mobile apps

Knowledge

- Academy & Training
- Name concept
- Online Demo ESY-App
- Covers for wall detectors
- Ecodesign Directive
- Presence and Motion detectors

Support

- Planning & project support
- BIM-Portal

ESYLUX Services

- ESYCOMPARE
- ESYWORLD

SOLUTIONS

Offices

- Group offices
- Open-plan office
- Meeting rooms
- Reversible offices
- Communal areas

Education

- Classrooms

Break rooms

Mensas

Daycare centers

Playrooms

Health Care

Patient rooms

Examination rooms

Multi-purpose rooms

Canteens

Outdoor areas

Pathways and entrances

Multi-storey car parks

Outdoor car parks

Secondary areas

Corridors

Staircases

Side rooms

Sanitary facilities

PRODUCTS

Indoor automation

Presence and motion detectors

Brightness controller

Controls

Smoke alarm

Indoor lighting

Lighting systems

Recessed lights

Wall and ceiling lights

Downlights

Moisture-proof lights

Emergency lights

Portable spotlight

Outdoor automation

Motion detectors

Twilight switch

Outdoor lighting

Wall lights

Up-/Downlights

Bollard lights

Floodlights

HIGHLIGHTS

ALVA

SVENJA

Emergency Lights

CELINE-2

SLP-2

ATMO

Downlights

Outdoor Floodlights

ESYLUX Light Control

DEFENSOR

COMPACT

ESY-Pen

FLAT

OLIVIA-2

Switch lights on and off
hygienically

Focus products Q2/2024

INNOVATIONS

- Demand-driven Automation
- Intelligent Lighting
- Human Centric Lighting
- Light control with DALI-2

COMPANY

- Vision and mission
- Experience and quality
- Corporate responsibility
- Research and development
- Cooperations and memberships
- Awards and prizes
- References

PRESS

- Press releases
- Images
- ESYWORLD

- Imprint |
- Privacy policy |
- Privacy settings |
- Whistleblowing |
- General terms and conditions |
- Guarantee |
- Disclaimer |
- Contact
- © 2024 ESYLUX GmbH

