

TECHNICAL Data

DOWNLOADS

SPARE PARTS



Spare NiCd rechargeable battery for SLP series

TECHNICAL DATA

GENERAL

Device category Battery

HOUSING

HOUSING

Dimensions	Length 100 mm x Width 65 mm x Height/Depth 65 mm
Weight	569 g

Permissible ambient temperature 5 °C...+35 °C


ELECTRICAL VERSION

Nominal voltage	6-6V

DOWNLOADS

GENERAL		All files as ZIP	<u>*</u>
Data sheet	PDF		<u>•</u>

TENDER SPECIFICATIONS





SERVICE

Downloads

Catalogues and brochures

Videos

Tender specifications

KNX product database

Mobile apps

Knowledge

Academy & Training

Name concept

Online Demo ESY-App

Covers for wall detectors

Ecodesign Directive

Presence and Motion detectors

Support

Planning & project support

BIM-Portal

ESYLUX Services

ESYCOMPARE

ESYWORLD

SOLUTIONS

Offices

Group offices

Open-plan office

Meeting rooms

Reversible offices

Communal areas

Education

Classrooms

Break rooms

Mensas

Daycare centers

Playrooms

Health Care

Patient rooms

Examination rooms

Multi-purpose rooms

Canteens

Outdoor areas

Pathways and entrances

Multi-storey car parks

Outdoor car parks

Secondary areas

Corridors

Staircases

Side rooms

Sanitary facilities

PRODUCTS

Indoor automation

Presence and motion detectors

Brightness controller

Controls

Smoke alarm

Indoor lighting

Lighting systems

Recessed lights

Wall and ceiling lights

Downlights

Moisture-proof lights Emergency lights Portable spotlight

Outdoor automation

Motion detectors Twilight switch

Outdoor lighting

Wall lights Up-/Downlights Bollard lights Floodlights

HIGHLIGHTS

ALVA

SVENJA

Emergency Lights

CELINE-2

SLP-2

OMTA

Downlights

Outdoor Floodlights

ESYLUX Light Control

DEFENSOR

COMPACT

ESY-Pen

FLAT

OLIVIA-2

Switch lights on and off

hygienically

Focus products Q2/2024

INNOVATIONS

Demand-driven Automation Intelligent Lighting Human Centric Lighting Light control with DALI-2

COMPANY

Vision and mission
Experience and quality
Corporate responsibility
Research and development
Cooperations and
memberships
Awards and prizes
References

PRESS

Press releases Images ESYWORLD

Imprint
Privacy policy

Privacy settings Whistleblowing General terms and conditions Guarantee Disclaimer Contact © 2024 ESYLUX GmbH









