

Eaton EP-401004

Catalog Number: EP-401004

XN-322-16MIO-DIOAI - Y7-401004



General specifications

Product Name	Catalog Number
Eaton XN-322 I/O module	EP-401004
EAN	Product Length/Depth
4015082963873	104.2 mm
Product Height	Product Width
16.8 mm	80.3 mm
Product Weight	Certifications
0.06 kg	CE
Model Code	
XN-322-16MIO-DIOAI	

Funksjoner og egenskaper

Electric connection type

Plug-in connection

Features

Fieldbus connection over separate bus coupler possible

Functions

Short-circuit protection, outputs available

Generelt

Degree of protection

IP20

NEMA 1

Mounting method

Rail mounting possible

Voltage type

DC

Elektrisk klassifisering

Supply voltage at AC, 50 Hz - min

0 V

Supply voltage at AC, 50 Hz - max

0 V

Supply voltage at DC - min

18 V

Supply voltage at DC - max

30 V

Inn-/utgang

Input current at signal 1

3.7 mA

Number of inputs (analog)

2

Number of inputs (digital)

6

Number of outputs (analog)

0

Number of outputs (digital)

8

Output current

0.5 A

Sikkerhet

Explosion safety category for dust

None

Explosion safety category for gas

None

For nedlasting

Declarations of conformity

[DA-DC-00004999.pdf](#)

[DA-DC-00004995.pdf](#)

Installeringsinstruksjoner

[IL050017ZU](#)

[IL050025ZU](#)



Eaton Corporation plc
Eaton House
30 Pembroke Road
Dublin 4, Ireland
Eaton.com
© 2024 Eaton. Med
enerett.

Eaton is a registered trademark.

All other trademarks are
property of their respective
owners.



[Eaton.com/socialmedia](https://www.eaton.com/socialmedia)