

Product Environmental Profile

ComPacT NSX Modbus SL Hub






General information

Reference product	ComPacT NSX Modbus SL Hub - LV434224
Description of the product	The Modbus Hub is an accessory used to interconnect multiple Modbus devices. It has 3 RJ45 connectors, 1 terminal block connector, and one stacking connector interface. Through all of its connectors, it can carry Modbus and 24V DC supply
Description of the range	Single product
Functional unit	Modbus Hub is an accessory used to interconnect multiple Modbus devices over a reference service life of 10 years
Specifications are:	Input voltage: 24V DC $\pm 10\%$ Product Dimension: 72mm X 18mm X 102mm Product standard: IEC/EN 60947-2 Protection degree: IP30 for the other faces when DIN mounted IP20 on the face where the connectors are present IK shocks: IK 05, 5 impacts (0.7 J/250 g/280 mm) No dysfunction after testing



Constituent materials



Substance assessment

Details of ROHS and REACH substances information are available on the Schneider-Electric Green Premium website
<https://www.se.com/ww/en/work/support/green-premium/>



Additional environmental information

End Of Life	Recyclability potential:	5%	The recyclability rate was calculated from the recycling rates of each material making up the product with the exception of data using the ESR database. For materials or components using the ESR database or the absence of data the conservative hypothesis "0% recyclability" was used.
-------------	--------------------------	----	---

Environmental impacts

Reference service life time	10 years			
Product category	Other equipments - Active product			
Installation elements	The product does not require special installation procedure and requires little to no energy to install. The disposal of the packaging materials are accounted for during the installation phase (including transport to disposal).			
Use scenario	The product is in active mode 100% of the time with a power use of 0.003W for 10 years			
Time representativeness	The collected data are representative of the year 2024			
Technological representativeness	The Modules of Technologies such as material production, manufacturing processes and transport technology used in the PEP analysis (LCA EIME in the case) are Similar and représentative of the actual type of technologies used to make the product.			
Geographical representativeness	Rest of the World			
Energy model used	[A1 - A3]	[A5]	[B6]	[C1 - C4]
	Electricity Mix; Low voltage; 2018; India, IN	Electricity Mix; Low voltage; 2018; Europe, EU-27 Electricity Mix; Low voltage; 2018; United States, US Electricity Mix; Low voltage; 2018; Asia Pacific, APAC Electricity Mix; Low voltage; 2018; Morocco, MA	Electricity Mix; Low voltage; 2018; Europe, EU-27 Electricity Mix; Low voltage; 2018; United States, US Electricity Mix; Low voltage; 2018; Asia Pacific, APAC Electricity Mix; Low voltage; 2018; Morocco, MA	Electricity Mix; Low voltage; 2018; Europe, EU-27 Electricity Mix; Low voltage; 2018; United States, US Electricity Mix; Low voltage; 2018; Asia Pacific, APAC Electricity Mix; Low voltage; 2018; Morocco, MA

Detailed results of the optional indicators mentioned in PCRed4 are available in the LCA report and on demand in a digital format - Country Customer Care Center - <http://www.schneider-electric.com/contact>

Mandatory Indicators			ComPact NSX Modbus SL Hub - LV434224					
Impact indicators	Unit	Total (without Module D)	[A1 - A3] - Manufacturing	[A4] - Distribution	[A5] - Installation	[B1 - B7] - Use	[C1 - C4] - End of life	[D] - Benefits and loads
Contribution to climate change	kg CO2 eq	1.26E+00	9.41E-01	1.67E-02	1.08E-03	1.41E-01	1.64E-01	4.26E-02
Contribution to climate change-fossil	kg CO2 eq	1.25E+00	9.28E-01	1.67E-02	1.08E-03	1.40E-01	1.64E-01	3.50E-02
Contribution to climate change-biogenic	kg CO2 eq	1.35E-02	1.32E-02	0*	0*	1.30E-04	1.16E-04	7.65E-03
Contribution to climate change-land use and land use change	kg CO2 eq	3.10E-05	3.10E-05	0*	0*	0*	9.86E-09	0.00E+00
Contribution to ozone depletion	kg CFC-11 eq	9.65E-08	9.55E-08	2.55E-11	4.28E-11	6.43E-10	2.28E-10	2.06E-09
Contribution to acidification	mol H+ eq	9.60E-03	8.52E-03	1.06E-04	1.45E-05	8.48E-04	1.20E-04	1.95E-04
Contribution to eutrophication, freshwater	kg (PO4) ³⁻ eq	3.91E-06	3.04E-06	6.25E-09	5.34E-09	2.18E-07	6.38E-07	5.02E-07
Contribution to eutrophication marine	kg N eq	1.06E-03	8.56E-04	4.95E-05	6.86E-06	9.57E-05	5.40E-05	5.42E-05
Contribution to eutrophication, terrestrial	mol N eq	1.18E-02	9.41E-03	5.43E-04	6.99E-05	1.23E-03	5.74E-04	4.73E-04
Contribution to photochemical ozone formation - human health	kg COVNM eq	3.95E-03	3.34E-03	1.37E-04	1.68E-05	3.14E-04	1.41E-04	1.29E-04
Contribution to resource use, minerals and metals	kg Sb eq	1.14E-03	1.14E-03	0*	0*	0*	0*	-9.78E-07
Contribution to resource use, fossils	MJ	2.14E+01	1.78E+01	2.32E-01	1.23E-02	2.97E+00	3.78E-01	4.74E-01
Contribution to water use	m3 eq	1.14E+00	1.12E+00	0*	2.55E-03	5.27E-03	1.13E-02	1.58E-02

Inventory flows Indicators		ComPacT NSX Modbus SL Hub - LV434224						
Inventory flows	Unit	Total (without Module D)	[A1 - A3] - Manufacturing	[A4] - Distribution	[A5] - Installation	[B1 - B7] - Use	[C1 - C4] - End of life	[D] - Benefits and loads
Contribution to use of renewable primary energy excluding renewable primary energy used as raw material	MJ	8.82E-01	4.30E-01	3.10E-04	0*	4.49E-01	3.35E-03	-9.14E-02
Contribution to use of renewable primary energy resources used as raw material	MJ	0.00E+00	0*	0*	0*	0*	0*	4.91E-01
Contribution to total use of renewable primary energy resources	MJ	8.82E-01	4.30E-01	3.10E-04	0*	4.49E-01	3.35E-03	4.00E-01
Contribution to use of non renewable primary energy excluding non renewable primary energy used as raw material	MJ	2.00E+01	1.64E+01	2.32E-01	1.23E-02	2.97E+00	3.78E-01	4.74E-01
Contribution to use of non renewable primary energy resources used as raw material	MJ	1.39E+00	1.39E+00	0*	0*	0*	0*	0.00E+00
Contribution to total use of non-renewable primary energy resources	MJ	2.14E+01	1.78E+01	2.32E-01	1.23E-02	2.97E+00	3.78E-01	4.74E-01
Contribution to use of secondary material	kg	3.21E-02	3.21E-02	0*	0*	0*	0*	0.00E+00
Contribution to use of renewable secondary fuels	MJ	0.00E+00	0*	0*	0*	0*	0*	0.00E+00
Contribution to use of non renewable secondary fuels	MJ	0.00E+00	0*	0*	0*	0*	0*	0.00E+00
Contribution to net use of freshwater	m³	2.68E-02	2.64E-02	0*	5.94E-05	1.23E-04	2.63E-04	3.67E-04
Contribution to hazardous waste disposed	kg	2.17E+01	2.17E+01	0*	0*	3.07E-03	2.51E-02	-7.22E-02
Contribution to non hazardous waste disposed	kg	4.24E-01	3.41E-01	5.85E-04	2.79E-02	2.14E-02	3.28E-02	1.51E-02
Contribution to radioactive waste disposed	kg	2.36E-04	2.30E-04	4.17E-07	0*	3.29E-06	1.51E-06	7.43E-06
Contribution to components for reuse	kg	0.00E+00	0*	0*	0*	0*	0*	0.00E+00
Contribution to materials for recycling	kg	2.90E-03	2.41E-04	0*	0*	0*	2.66E-03	0.00E+00
Contribution to materials for energy recovery	kg	0.00E+00	0*	0*	0*	0*	0*	0.00E+00
Contribution to exported energy	MJ	1.64E-05	3.89E-06	0*	0*	0*	1.25E-05	0.00E+00
* represents less than 0.01% of the total life cycle of the reference flow								
Contribution to biogenic carbon content of the product	kg de C	0.00E+00						
Contribution to biogenic carbon content of the associated packaging	kg de C	8.32E-03						

Mandatory Indicators		ComPacT NSX Modbus SL Hub - LV434224							
Impact indicators	Unit	[B1 - B7] - Use	[B1]	[B2]	[B3]	[B4]	[B5]	[B6]	[B7]
Contribution to climate change	kg CO2 eq	1.41E-01	0*	0*	0*	0*	0*	1.41E-01	0*
Contribution to climate change-fossil	kg CO2 eq	1.40E-01	0*	0*	0*	0*	0*	1.40E-01	0*
Contribution to climate change-biogenic	kg CO2 eq	1.30E-04	0*	0*	0*	0*	0*	1.30E-04	0*
Contribution to climate change-land use and land use change	kg CO2 eq	0*	0*	0*	0*	0*	0*	0*	0*
Contribution to ozone depletion	kg CFC-11 eq	6.43E-10	0*	0*	0*	0*	0*	6.43E-10	0*
Contribution to acidification	mol H+ eq	8.48E-04	0*	0*	0*	0*	0*	8.48E-04	0*
Contribution to eutrophication, freshwater	kg (PO4)³⁻ eq	2.18E-07	0*	0*	0*	0*	0*	2.18E-07	0*
Contribution to eutrophication marine	kg N eq	9.57E-05	0*	0*	0*	0*	0*	9.57E-05	0*
Contribution to eutrophication, terrestrial	mol N eq	1.23E-03	0*	0*	0*	0*	0*	1.23E-03	0*
Contribution to photochemical ozone formation - human health	kg COVNM eq	3.14E-04	0*	0*	0*	0*	0*	3.14E-04	0*
Contribution to resource use, minerals and metals	kg Sb eq	0*	0*	0*	0*	0*	0*	0*	0*
Contribution to resource use, fossils	MJ	2.97E+00	0*	0*	0*	0*	0*	2.97E+00	0*
Contribution to water use	m3 eq	5.27E-03	0*	0*	0*	0*	0*	5.27E-03	0*

Inventory flows Indicators		ComPacT NSX Modbus SL Hub - LV434224							
Inventory flows	Unit	[B1 - B7] - Use	[B1]	[B2]	[B3]	[B4]	[B5]	[B6]	[B7]
Contribution to use of renewable primary energy excluding renewable primary energy used as raw material	MJ	4.49E-01	0*	0*	0*	0*	0*	4.49E-01	0*
Contribution to use of renewable primary energy resources used as raw material	MJ	0*	0*	0*	0*	0*	0*	0*	0*
Contribution to total use of renewable primary energy resources	MJ	4.49E-01	0*	0*	0*	0*	0*	4.49E-01	0*
Contribution to use of non renewable primary energy excluding non renewable primary energy used as raw material	MJ	2.97E+00	0*	0*	0*	0*	0*	2.97E+00	0*
Contribution to use of non renewable primary energy resources used as raw material	MJ	0*	0*	0*	0*	0*	0*	0*	0*
Contribution to total use of non-renewable primary energy resources	MJ	2.97E+00	0*	0*	0*	0*	0*	2.97E+00	0*
Contribution to use of secondary material	kg	0*	0*	0*	0*	0*	0*	0*	0*
Contribution to use of renewable secondary fuels	MJ	0*	0*	0*	0*	0*	0*	0*	0*
Contribution to use of non renewable secondary fuels	MJ	0*	0*	0*	0*	0*	0*	0*	0*
Contribution to net use of freshwater	m³	1.23E-04	0*	0*	0*	0*	0*	1.23E-04	0*
Contribution to hazardous waste disposed	kg	3.07E-03	0*	0*	0*	0*	0*	3.07E-03	0*
Contribution to non hazardous waste disposed	kg	2.14E-02	0*	0*	0*	0*	0*	2.14E-02	0*
Contribution to radioactive waste disposed	kg	3.29E-06	0*	0*	0*	0*	0*	3.29E-06	0*
Contribution to components for reuse	kg	0*	0*	0*	0*	0*	0*	0*	0*
Contribution to materials for recycling	kg	0*	0*	0*	0*	0*	0*	0*	0*
Contribution to materials for energy recovery	kg	0*	0*	0*	0*	0*	0*	0*	0*
Contribution to exported energy	MJ	0*	0*	0*	0*	0*	0*	0*	0*

* represents less than 0.01% of the total life cycle of the reference flow

Life cycle assessment performed with EIME version v6.1, database version 2023-02 in compliance with ISO14044, EF 3.0 method is applied, for biogenic carbon storage, assessment methodology 0/0 is used

Please note that the values given above are only valid within the context specified and cannot be used directly to draw up the environmental assessment of an installation.

Registration number :	SCHN-01192-V01.01-EN	Drafting rules	PCR-4-ed4-EN-2021 09 06
		Supplemented by	PSR-0005-ed3.1-EN-2023 12 08
Verifier accreditation N°	VH45	Information and reference documents	www.pep-ecopassport.org
Date of issue	05-2024	Validity period	5 years
Independent verification of the declaration and data, in compliance with ISO 14025 : 2006			
Internal External X			
The PCR review was conducted by a panel of experts chaired by Julie Orgelet (DDemain)			
PEPs are compliant with XP C08-100-1:2016 and EN 50693:2019 or NF E38-500 :2022			
The components of the present PEP may not be compared with components from any other program.			
Document complies with ISO 14025:2006 "Environmental labels and declarations. Type III environmental declarations"			





Schneider Electric Industries SAS
Country Customer Care Center
<http://www.se.com/contact>
35, rue Joseph Monier
CS 30323
F- 92500 Reuil Malmaison Cedex
RCS Nanterre 954 503 439
Capital social 928 298 512 €

www.se.com

SCHN-01192-V01.01-EN

Published by Schneider Electric

©2024 - Schneider Electric – All rights reserved

05-2024

ENVPEP2405004_V1 - SCHN-01192-V01.01-EN

05-2024