


# Spesifikasjoner

## Eaton EP-502637

Eaton xPole SPHT surge protection device,  
Transient voltage surge suppression module,  
SPHT12 L SPD insert



### General specifications

<b>PRODUCT NAME</b>	Eaton xPole SPHT surge protection device
<b>CATALOG NUMBER</b>	EP-502637
<b>EAN</b>	9010653085287
<b>PRODUCT LENGTH/DEPTH</b>	73.5 mm
<b>PRODUCT HEIGHT</b>	45 mm
<b>PRODUCT WIDTH</b>	18 mm
<b>PRODUCT WEIGHT</b>	0.102 kg
<b>CERTIFICATIONS</b>	CE
<b>MODEL CODE</b>	SPHT12-350

## Produktspesifikasjoner

FEATURES	Category type 1
FRAME	Other
SPECIFIC ENERGY (W/R)	0 kJ/Ohm
CONTINUOUS VOLTAGE AT AC - MAX	275 V
CONTINUOUS VOLTAGE AT DC - MAX	0 V
FOLLOW CURRENT EXTINGUISHING CAPABILITY	50 kA
LIGHTNING IMPULSE CURRENT (10/350 MS)	25 kA
NOMINAL DISCHARGE SURGE CURRENT (8/20)	25 kA
NOMINAL VOLTAGE AT AC	240 V
NOMINAL VOLTAGE AT DC	0 V
DEGREE OF PROTECTION	IP20
SIGNALLING AT THE DEVICE	Optic
SYSTEM CONFIGURATION TYPE	TT TN-C-S TN-S TN-C

## Ressurser

### INSTALLERINGSINSTRUKSJONER

[eaton-xpole-spht-surge-protection-device-il235010zu.pdf](#)

PROJECT NAME:

PROJECT NUMBER:

PREPARED BY:

DATO:

